

DIMENSION 'E'

GRADE	D=0°		D=5°		D=10°	
	UPGRADE END	DOWNGRADE END	UPGRADE END	DOWNGRADE END	UPGRADE END	DOWNGRADE END
0X	2 3/8"	2 3/8"	2 3/8"	2 3/8"	2 3/8"	2 3/8"
Over 0X to 1X	2 3/8"	2 3/8"	2 1/4"	2 3/8"	2 1/2"	2 1/2"
Over 1X to 2X	2 3/8"	2 3/8"	2 1/2"	2 1/2"	1 7/8"	2 3/4"
Over 2X to 3X	2 3/8"	2 3/8"	2"	2 5/8"	1 5/8"	3"
Over 3X to 4X	2 3/8"	2 3/8"	1 7/8"	2 3/8"	1 3/8"	3 1/4"

NOTES

- The Backwall and the portion of the Wingwalls above the bonded construction joint shall be cast against the in-place beam.
- Reinforcement bars shall conform to A.A.S.H.T.O. M-31, M-42 or M-53, Grade 60.

MAXIMUM PILE LOADS




SPAN	TONS
25'	25
30'	26
35'	28
40'	30

DESIGN STRESSES

f'c = 3,500 psi
fy = 60,000 psi

BILL OF MATERIAL FOR ONE ABUTMENT

Bar	No.	Size	Length	Shape
h	16	#4	5'-0"	—
h1	4	#4	5'-3"	—
h2	6	#4	24'-9"	—
p	10	#5	24'-9"	—
s	27	#4	9'-5"	□
u	8	#6	11'-1"	—
v	8	#4	2'-6"	—
v1	8	#4	3'-5"	—
v2	50	#4	3'-1"	—
Concrete Structures			8.3 Cu. Yds.	
Reinforcement Bars			860 Lbs.	



Ohio Department of Transportation
 PASSED November 1, 1995
 Approved by: [Signature]
 Engineer of Bridge Design
 APPROVED November 1, 1995
 Approved by: [Signature]
 Engineer of Bridges and Structures

**P.P.C. DECK BEAMS
 PILE BENT ABUTMENT**
 24' RDWY. | 17" BMS. | D=0°, 5° OR 10°
 STANDARD CA-2417-10