

SCHEDULE OF QUANTITIES

TABULATION OF RESURFACING QUANTITIES

LOCATION	TOTAL ROADWAY WIDTH	LENGTH	AREA	HOT-MIX SURFACE REMOVAL BUTT JOINT	TEMPORARY RAMP	HOT-MIX SURFACE REMOVAL 2 IN	POLY BIT. MRTL. PRIME COAT	AGGREGATE MATERIALS PRIME COAT	HOT-MIX SURF CSE MIX E N70	
	FT	FT	SQ YD	SQ YD	SQ YD	SQ YD	TON	TON	TON	
STA. 37 + 94 TO 38 + 14	60.00	20.00	133.33	133.33	44.47		0.05	0.27	14.97	
STA. 38 + 14 TO 39 + 06	60.00	91.17	607.80			607.80	0.24	1.22	68.26	
STA. 39 + 06 TO 40 + 00	48.00	94.50	557.34			557.34	0.22	1.11	62.62	
STA. 40 + 00 TO 40 + 54	70.00	54.00	420.00			420.00	0.17	0.84	47.15	
STA. 40 + 54 TO 41 + 26	62.00	72.00	496.00			496.00	0.20	0.99	55.70	
STA. 41 + 26 TO 42 + 60	62.00	134.00	1012.44			1012.44	0.40	2.02	113.67	
STA. 42 + 60 TO 42 + 88	74.00	28.00	230.22			230.22	0.09	0.46	25.84	
STA. 42 + 88 TO 44 + 52	60.00	164.00	1220.89			1220.89	0.49	2.44	137.08	
STA. 44 + 52 TO 46 + 63	60.00	211.00	1406.67			1406.67	0.56	2.81	157.98	
STA. 46 + 63 TO 48 + 61	60.00	198.00	1507.00			1507.00	0.60	3.01	169.19	
STA. 48 + 61 TO 49 + 35	77.00	73.50	628.83			628.83	0.25	1.26	70.58	
STA. 49 + 35 TO 49 + 94	59.00	59.50	390.06			390.06	0.16	0.78	43.81	
STA. 49 + 94 TO 50 + 31	64.00	37.00	263.11			263.11	0.11	0.53	29.55	
STA. 50 + 31 TO 50 + 78	70.00	46.50	361.67			361.67	0.14	0.72	40.60	
STA. 50 + 78 TO 51 + 17	64.00	39.50	280.89			280.89	0.11	0.56	31.54	
STA. 51 + 17 TO 51 + 83	59.00	65.50	429.39			429.39	0.17	0.86	48.23	
STA. 51 + 83 TO 52 + 70	77.00	87.50	748.61			748.61	0.30	1.50	84.03	
STA. 52 + 70 TO 53 + 92	78.00	122.00	1057.33			1057.33	0.42	2.11	118.67	
STA. 53 + 92 TO 55 + 68	66.00	175.50	1429.33			1429.33	0.57	2.86	160.45	
STA. 55 + 68 TO 56 + 97	62.00	129.50	1011.09			1011.09	0.40	2.02	113.51	
STA. 56 + 97 TO 60 + 82	74.00	385.00	3165.56			3165.56	1.27	6.33	355.34	
STA. 60 + 82 TO 70 + 11	62.00	929.00	6399.78			6399.78	2.56	12.80	718.70	
STA. 70 + 11 TO 70 + 34	62.00	23.00	130.87	158.44	35.67		0.05	0.26	14.71	
BRIDGE OMISSION										
STA. 71 + 90 TO 72 + 13	62.00	23.00	130.87	158.44	35.67		0.05	0.26	14.71	
STA. 72 + 13 TO 77 + 23	62.00	510.00	3513.33			3513.33	1.41	7.03	394.55	
STA. 77 + 23 TO 79 + 15	62.00	192.00	1450.67			1450.67	0.58	2.90	162.87	
STA. 79 + 15 TO 80 + 60	74.00	145.00	1192.22			1192.22	0.48	2.38	133.83	
STA. 80 + 60 TO 83 + 22	62.00	262.00	1804.89			1804.89	0.72	3.61	202.69	
STA. 83 + 22 TO 85 + 15	74.00	193.00	1586.89			1586.89	0.63	3.17	178.13	
STA. 85 + 15 TO 87 + 00	62.00	185.00	1397.77			1397.77	0.56	2.80	156.93	
STA. 87 + 00 TO 98 + 30	62.00	1130.00	7784.44			7784.44	3.11	15.57	874.20	
STA. 98 + 30 TO 100 + 49	74.00	219.00	1800.67			1800.67	0.72	3.60	202.13	
STA. 100 + 49 TO 102 + 35	62.00	186.00	1405.33			1405.33	0.56	2.81	157.78	
STA. 102 + 35 TO 108 + 58	62.00	623.00	4291.78			4291.78	1.72	8.58	481.97	
STA. 108 + 58 TO 109 + 93	64.00	135.00	960.00			960.00	0.38	1.92	107.80	
STA. 109 + 93 TO 112 + 01		208.00	1733.34			1733.34	0.69	3.47	194.57	
STA. 112 + 01 TO 112 + 30	84.00	29.00	270.67			270.67	0.11	0.54	30.37	
STA. 112 + 30 TO 113 + 87	84.00	157.00	1611.75			1611.75	0.64	3.22	180.84	
STA. 113 + 87 TO 115 + 08	86.20	121.20	1160.83			1160.83	0.46	2.32	130.26	
STA. 115 + 08 TO 115 + 59	79.00	50.30	441.52			441.52	0.18	0.88	49.55	
STA. 115 + 59 TO 115 + 96	94.00	37.50	391.67			391.67	0.16	0.78	43.94	
STA. 115 + 96 TO 117 + 51	84.00	155.00	1446.67			1446.67	0.58	2.89	162.35	
STA. 117 + 51 TO 120 + 00	0.00	249.00	2040.72			2040.72	0.82	4.08	229.08	
STA. 120 + 00 TO 120 + 67	62.00	67.00	461.56			461.56	0.18	0.92	51.83	
STA. 120 + 67 TO 123 + 27	62.00	260.00	1969.57			1969.57	0.79	3.94	221.13	
STA. 123 + 27 TO 142 + 40	62.00	1912.50	13175.00			13175.00	5.27	26.35	1479.57	
STA. 142 + 40 TO 144 + 16	74.00	176.50	1451.22			1451.22	0.58	2.90	162.90	
STA. 144 + 16 TO 144 + 64	75.00	48.00	400.00			400.00	0.16	0.80	44.90	
STA. 144 + 64 TO 146 + 52	66.50	188.00	1595.00			1595.00	0.64	3.19	179.03	
GRAND-TOTAL				450	116	78,962	31.7	158.7	8,910	

PRIME COAT CONVERSION FACTORS		
SURFACE TYPE	BIT PR COAT	AGG PR COAT
	(GAL/SQ YD)	(LB/SQ YD)
COLD MILLED SURFACES	0.1	4
EXISTING PAVEMENT	0.05	4
NEW BITUMINOUS COURSES	0.03	2

BITUMINOUS & AGGREGATE CONVERSION FACTORS	
SURFACE TYPE	
BIT. SURF. COURSES	112 LB /SQ YD/IN
ALL OTHER BIT.	112 LB /SQ YD/IN
AGGREGATE SHOULDERS	2.05 TONS/CUYD