

STANDARD BAR SPLICER ASSEMBLY

Minimum Lap Lengths						
Bar size to be spliced	I able I		Table 3	Table 4		
<i>3, 4</i>	1'-5''	1'-11''	2'-1''	2'-4"		
5	5 1'-9'' 6 2'-1''		2'-7''	2'-11''		
6			3'-1''	3′-6′′		
7	2'-9''	3′-10′′	4'-2''	4'-8''		
8	3'-8''	5′-1′′	5′-5′′	6'-2"		
9	9 4'-7''		6'-10''	7′-9′′		

Table 1: Black bar, 0.8 Class C

Table 2: Black bar, Top bar lap, 0.8 Class C


Table 3: Epoxy bar, 0.8 Class C

Table 4: Epoxy bar, Top bar lap, 0.8 Class C

Threaded splicer bar length = min. lap length + l_2''' + thread length

* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.


Location	Bar size	No. assemblies required	Table for minimum lap length		
Pier 1	#5 128		Table 3		
Pier 2	#5	176	Table 3		



BAR SPLICER ASSEMBLY FOR #5 BAR ON INTEGRAL OR SEMI-INTEGRAL ABUTMENTS


No. required =


STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION



INSTALLATION AND SETTING METHODS

"A": Set bar splicer assembly by means of a template bolt.
"B": Set bar splicer assembly by nailing to wood forms or cementing to steel forms.
(E): Indicates epoxy coating.





STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required

NOTES

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.

All reinforcement shall be lapped and tied to the splicer bars.

Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications.

See special provision for Mechanical Splicers.

See approved list of bar splicer assemblies and mechanical splicers for alternatives.

BAR SPLICER ASSEMBLY AND MECHANICAL SPLICER DETAILS STRUCTURE NO. 005-0500



SHEET NO.24
29 SHEETS

	3771007 071E 710: 003 0300						
0.24	F.A.P. RTE.	SECTIO	NC		COUNTY	TOTAL SHEETS	SHEET NO.
	317	(10B-1)R		BROWN/SCHUYLER	196	143
TS					CONTRACT	NO. 7	2432
			ILLINOIS	FE	D. AID PROJECT		