


**TYPICAL SIDEWALK REPLACEMENT DETAIL**  
(NOT TO SCALE)


**NOTES:**

1. USE 1/2" PREMOULDED JOINT FILLER AT SIDEWALK AND STRUCTURE INTERFACES. SIDEWALK SHALL CONFORM TO SECTION 424 - PORTLAND CEMENT CONCRETE SIDEWALK OF THE ILLINOIS STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION.
2. REQUIRED MIN. COMPRESSIVE STRENGTH OF CONC. = 3500 PSI @ 14 DAYS
3. CONTRACTOR MUST SAWCUT EXISTING SIDEWALK AT EXISTING TOOL JOINT



WHERE PERMANENT STRUCTURE IS LOCATED IN SIDE WALK, PLACE EXPANSION MATERIAL AROUND STRUCTURE & ADJUST JOINT PATTERN TO INTERSECT STRUCTURE AS SHOWN.

**TYPICAL SIDEWALK JOINT LAYOUT**



**TYPICAL SIDEWALK JOINT DETAIL**  
APPLIES TO NEW SIDEWALK & SIDEWALK REPLACEMENT

NOTE:  
ONE-HALF INCH EXPANSION JOINT TO BE PLACED BETWEEN THE SIDEWALK AND ANY STRUCTURE, DRIVEWAY, CURB & GUTTER, ETC.

FILE NAME = G:\S07009-01\cadd\7009-01_Detail01.dgn	USER NAME = IE Consultants	DESIGNED -	REVISED -	<b>VILLAGE OF SHERMAN</b>	<b>SIDEWALK DETAILS</b>	F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
		DRAWN -	REVISED -				08-00014-00-SW	SANGAMON	47	9	
	PLOT SCALE = 10.0000 "/ IN.	CHECKED -	REVISED -			CONTRACT NO. <b>93486</b>					
	PLOT DATE = 2/12/2009	DATE -	REVISED -			FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT					
						SCALE:	SHEET NO.	OF	SHEETS	STA.	TO STA.