












STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

ROUTE NO.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	SHEET NO. 2 3 SHEETS
FAP 623	*	GRUNDY	12	11	
FED. ROAD DIST. NO. 7		ILLINOIS		FED. AID PROJECT	
Contract Number: 66808 * (0-BR-11)					



NOTES
Prestressing steel shall be uncoated high strength, low relaxation 7-wire strand, Grade 270. The nominal diameter shall be 1/2" and the nominal cross-sectional area shall be 0.153 sq. in. The 1" rods in the transverse tie assembly shall be tightened to a snug fit and the threads set. Pockets on exterior faces of bridge shall be filled with grout after transverse tie assembly is in place.
Reinforcement bars shall conform to ASTM A 706 (1L MOD), Grade 60. (See Special Provisions)
Two 1/8" fabric adjusting shims of the dimensions shown shall be provided for each bearing pad location. A minimum 2 1/2" lifting pin shall be used to engage the lifting loops during handling.
Corrosion Inhibitor, per Article 1020.05(b)(12) and 1021.06 of the Standard Specifications, shall be used in the concrete for precast prestressed concrete deck beams.
Compressive strength of prestressed concrete, f'_c, shall be 6000 psi.
Compressive strength of prestressed concrete at release, f'_{ci}, shall be 5000 psi.

BILL OF MATERIAL

Precast Prestressed Conc. Deck Bms.	Sq. Ft.	463

REPAIR DETAILS
FAP 623
GRUNDY COUNTY
SN 032-0084

DESIGNED	AJB
CHECKED	VHV
DRAWN	baliva
CHECKED	AJB VHV

EXAMINED MAY 2, 2008
Ralph E. Anderson
ENGINEER OF STRUCTURAL SERVICES
ENGINEER OF BRIDGES AND STRUCTURES