

GENERAL NOTES

1. THICKNESS OF RESURFACING:
THE THICKNESS OF BITUMINOUS MIXTURE SHOWN ON THE PLANS IS THE NOMINAL THICKNESS. DEVIATIONS FROM THE NOMINAL THICKNESS WILL BE PERMITTED WHEN SUCH DEVIATIONS OCCUR DUE TO IRREGULARITIES IN THE EXISTING SURFACE OR BASE ON WHICH THE BITUMINOUS MIXTURE IS PLACED.
2. ALL ELEVATIONS SHOWN ON THE PLANS ARE ESTABLISHED FROM U.S.G.S. MEAN SEA LEVEL DATUM.
3. THE LOCATIONS OF EXISTING WATER MAINS, GAS MAINS, SEWERS, ELECTRICAL POWER LINES, TELEPHONE LINES AND OTHER UTILITIES AS SHOWN ON THE PLANS, ARE BASED ON CAREFUL FIELD INVESTIGATION AND THE BEST INFORMATION AVAILABLE, BUT THEY ARE NOT GUARANTEED. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO ASCERTAIN THEIR EXACT LOCATION FROM THE UTILITY COMPANIES AND BY FIELD INSPECTION.
4. WHERE SECTION OR SUBSECTION MONUMENTS ARE ENCOUNTERED, THE ENGINEER SHALL BE NOTIFIED BEFORE SUCH MONUMENTS ARE REMOVED. THE CONTRACTOR SHALL PROTECT AND CAREFULLY PRESERVE ALL PROPERTY MARKERS AND MONUMENTS UNTIL THE OWNER, AN AUTHORIZED SURVEYOR OR AGENT HAS WITNESSED OR OTHERWISE REFERENCED THEIR LOCATION.
5. ANY REFERENCE TO A STANDARD IN THESE PLANS SHALL BE INTERPRETED TO MEAN THE EDITION, AS INDICATED BY THE SUB-NUMBER LISTED IN THE INDEX OF SHEETS, OR THE COPY OF THE STANDARD INCLUDED IN THESE PLANS.
6. ALL DETAILS IN THE PLANS SHALL GOVERN CONSTRUCTION OF THIS PROJECT, AND IN CASE OF CONFLICT WITH ANY STANDARD DRAWINGS INCLUDED, THE SAID DETAILS SHALL TAKE PRECEDENCE AND GOVERN.
7. MIXTURE REQUIREMENTS:
THE FOLLOWING MIXTURE REQUIREMENTS ARE APPLICABLE FOR THIS PROJECT (BOTH LOCATIONS)

MIXTURE USE(S)	LEVELING BINDER 3/4"	HOT-MIX ASPHALT CSE. 1 1/2"
AC/PG	PG 64-22	SBS PG 64-28
RAP% (MAX)	RAP 25%	RAP 10%
DESIGN AIR VOIDS	4.0% @ NDESIGN=50	4.0% @ NDESIGN=50
MIXTURE COMPOSITION (GRADATION MIXTURE)	IL 9.5	IL 9.5 OR 12.5
FRICITION AGGREGATE	NA	MIX "C"

8. THE FOLLOWING UTILITIES HAVE FACILITIES WITHIN THE PROJECT LIMITS.
CITY OF QUINCY SEWER DEPARTMENT, 730 MAINE STREET, QUINCY, ILL
CITY OF QUINCY WATER DEPARTMENT, 730 MAINE STREET, QUINCY, ILL
AMERENCIPS GAS DEPARTMENT, 7TH AND JERSEY, QUINCY, ILL
AMERENCIPS ELECTRIC DEPARTMENT, 7TH AND JERSEY, QUINCY, ILL
INSIGHT COMMUNICATIONS, CABLEVISION, 2930 STATE STREET, QUINCY, ILL
AT&T, TELEPHONE, 6TH AND BROADWAY, QUINCY, ILL
CITY OF QUINCY, TRAFFIC DEPARTMENT

SUB-BASE GRANULAR MATERIAL 4"
CALCULATED AS
S.Y. OF BASIC WIDENING +
S.Y. OF PCCP + (FEET OF ALL TYPE B AND B6.12)(2.5')/9
+ (FEET OF B6.24)(3.5')/9 = XX S.Y.

RATES OF APPLICATION TABLE

THE FOLLOWING APPLICATION RATES HAVE BEEN USED TO DETERMINE PLAN QUANTITIES:

BITUMINOUS MATERIALS PRIME COAT PAVEMENT	0.0038 TON/GAL 0.1 GAL/SQ YD
AGGREGATE PRIME GOAT	0.002 TON/SQ YD
HOT-MIX ASPHALT	112 LB/SQ YD/1"
NITROGEN FERTILIZER NUTRIENTS	90 LB/ACRE
PHOSPHORUS FERTILIZER NUTRIENTS	90 LB/ACRE
POTASSIUM FERTILIZER NUTRIENTS	90 LB/ACRE
MULCH, METHOD 2	2 TONS/ACRE

FILE NAME = D6XXXX-sht-2-Genote	USER NAME = MDL	DESIGNED - TJM/DRP/MJP	REVISED - _____	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	GENERAL NOTES			F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
	PLOT SCALE = 1" = 40'	CHECKED - _____	REVISED - _____					63	09-00309-00-LS	ADAMS	39	2
PLOT DATE = #DATE#	DATE - _____	REVISED - _____	SCALE: 1" = 20'		SHEET NO. 1 OF 1 SHEETS	STA. _____ TO STA. _____	CONTRACT NO. 9-2-578		ILLINOIS FED. AID PROJECT			