

TABULATION OF RESURFACING QUANTITIES										
LOCATION	HMA BASE CSE	BITUMINOUS MATERIALS (PRIME COAT)	AGGREGATE (PRIME COAT)	HMA SURFACE REMOVAL - BUTT JOINT	HMA BINDER COURSE, IL-19.0, N50	HMA SURFACE CSE, MIX "D", N50	AGGREGATE SHOULDERS, TYPE B		SUB-BASE GRAN. MAT. TYPE B	TEMPORARY RAMP
	TON	TONS	TONS	SQ YD	TONS	TONS	LT.	RT.	TON	SQ YD
STA. 723+25 TO STA. 724+00		0.43	0.3	225	28	25	8.6	8.6		63
STA. 724+00 TO STA. 724+40		0.04	0.2		21	13.5	4.6	4.6		
STA. 724+40 TO STA. 724+90		0.05	0.3		34	17	5.7	5.7		
STA. 724+90 TO STA. 725+40	42	0.07	0.4		34	17	5.7	5.7	103	
STA. 725+40 TO STA. 725+90		0.05	0.4		34	17	5.7	5.7		
STA. 725+90 TO STA. 726+30		0.04	0.2		21	13.5	4.6	4.6		
STA. 726+30 TO STA. 727+05		0.12	0.2	225	28	25	8.6	8.6		63
SUBTOTAL							43.5	43.5		
TOTAL	42	0.8	2.0	450	200	128	87		103	126

PRIME COAT APPLICATION RATES		
SURFACE TYPE	BIT MATLS	AGGREGATE
	GAL/SQ YD	LB/SQ YD
GRANULAR BASE	0.5	-
MILLED SURFACE	0.1	4
EXISTING PAVEMENT	0.05	4
FOG COAT	0.03	2

PAINT PAVEMENT MARKING - LINE 4"		
LOCATION	WHITE	YELLOW
	FOOT	FOOT
☉ STA. 723+25 TO STA. 727+05		95
LT. STA. 723+25 TO STA. 727+05	380	
RT. STA. 726+25 TO STA. 727+05	380	
SUBTOTAL	760	95
TOTAL	855	

SHORT-TERM PAVEMENT MARKING	
LOCATION	FT
STA. 723+25 TO STA. 727+05	40
X 3 APPLICATIONS	120
TOTAL	120

HMA AND AGGREGATE CONVERSION FACTORS (FOR INFORMATION ONLY)		
SURFACE TYPE	BIT MATLS	AGGREGATE
	LB/SQ YD/IN	TON/CU YD
HMA SURFACE COURSE	112	2.016
ALL OTHER HMA	112	2.016
AGGREGATE SHOULDERS	114	2.05

TEMPORARY PAVEMENT MARKING - LINE 4"		
LOCATION	WHITE	YELLOW
	FOOT	FOOT
☉ STA. 723+25 TO STA. 727+05		95
LT. STA. 723+25 TO STA. 727+05	380	
RT. STA. 726+25 TO STA. 727+05	380	
SUBTOTAL	760	95
TOTAL	855	

WORK ZONE PAVEMENT MARKING REMOVAL	
LOCATION	SQ FT
STA. 723+25 TO STA. 727+05	14
TOTAL	14

PAVEMENT REMOVAL	
LOCATION	SQ YD
STA. 724+70 TO STA. 725+40	150
TOTAL	150