


NOTES

- ① Diameter of drilled hole (d) shall be in accordance with the chemical anchor system manufacturer's instructions.

PAVEMENT THICKNESS, D	LONGITUDINAL CONSTRUCTION JOINT Tie-bars at 900 c/c	
	TIE-BAR SIZE	MIN. LENGTH OF EMBEDMENT, l_e
Less than 225	#16	300
225 to 300	#22	300
Greater than 300	#25	450



RETROFIT CONSTRUCTION TIE-BAR EMBEDMENT DETAIL

All dimensions are in mm unless otherwise specified.

INDIANA DEPARTMENT OF TRANSPORTATION	
LONGITUDINAL CONSTRUCTION JOINT	
SEPTEMBER 1999	
STANDARD DRAWING NO. 503-CCPJ-08	
	/s/ Anthony L. Uremovich 9-01-99 DESIGN STANDARDS ENGINEER DATE
	/s/ Donald W. Lucas 9-01-99 CHIEF HIGHWAY ENGINEER DATE

Source Sheet: CCPJ2