


STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION





STEEL BEAMS



SECTION A-A

| DESIGNED | 200 |
|----------|--|
| CHECKED | EXAMINED |
| DRAWN | ENGINEER OF STRUCTURAL SERVICES PASSED |
| CHECKED | ENGINEER OF BRIDGES AND STRUCTURES |
| PPS-1 | 01-22-09 |

TIMBER SPACING

| | Timber Sizes (in.) | | | | | | |
|--------------------------|--|--|--|--|--|--|--|
| Beam Spacing (ft.) | 4" x 4" with min. Fb=775 psi Fv=135 psi | 4" x 6" with min. Fb=775 psi Fv=135 psi | 6" x 6" with min. Fb=575 psi Fv=125 psi | | | | |
| | Maximum Timber Spacing (in.) | | | | | | |
| 4.5 | <i>1</i> 6 | <i>1</i> 6 | 16 | | | | |
| 4.75 | 16 | 16 | 16 | | | | |
| 5.0 | <i>1</i> 6 | 16 | <i>1</i> 6 | | | | |
| 5.25 | <i>1</i> 6 | 16 | 16 | | | | |
| 5.5 | <i>1</i> 6 | <i>1</i> 6 | 16 | | | | |
| 5.75 | <i>1</i> 6 | <i>1</i> 6 | <i>1</i> 6 | | | | |
| 6.0 | <i>1</i> 6 | <i>1</i> 6 | 16 | | | | |
| 6.25 | 12 | <i>1</i> 6 | <i>1</i> 6 | | | | |
| 6.5 | 12 | <i>1</i> 6 | 16 | | | | |
| 6.75 | 12 | 16 | 16 | | | | |
| 7.0 | 8 | <i>1</i> 6 | 16 | | | | |
| 7.25 | 8 | 16 | 16 | | | | |
| 7.5 | 8 | <i>1</i> 6 | 16 | | | | |
| 7.75 | 8 | 16 | 16 | | | | |
| 8.0 | 8 | 12 | 16 | | | | |
| 8.25 | 8 | 12 | 16 | | | | |
| 8.5 | 6 | 12 | 12 | | | | |
| 8,75 | 6 | 12 | 12 | | | | |
| 9.0 | 6 | 8 | 12 | | | | |

PPC I-BEAMS AND BULB-T's

| BEAM | "A" |
|-------------|--------------------|
| 36″ I-Beam | 1'2" |
| 42″ I-Beam | 12" |
| 48'' I-Beam | 12" |
| 54″ I-Beam | 1 ⁵ 8'' |
| 63'' Bulb-T | 338" |
| 72'' Bulb-T | 338" |

Notes.

See special provision for Permanent Protective Shield System.
Timber sizes shown are nominal sizes. Rough sawn timber of the dimensions shown will also be considered acceptable.

The minimum Fb and Fv values shown are the tabulated design values given in the National Design Specification for Wood Construction for No. 2 Spruce-Pine-Fir without adjustment factors applied. Better grades or other species with equal or higher allowable stresses will also be considered acceptable.

The timber spacings shown have been determined using allowable stresses with all adjustment factors necessary for the anticipated service conditions.

All timber shall be treated.

Plywood shall be $\frac{5}{8}$ " rated Exterior type plywood by APA.

Plywood shall be placed such that the face grain is perpendicular to the timber supports. When less than a full sheet (4' width) of plywood is used, the width of the strip used shall not be less than 2'.

Transverse plywood joints shall be supported by timbers. When 4" x 6" timbers are used, they shall be placed such that the wide face is horizontal and the narrow face is vertical.

Design load = 200 psf.

BILL OF MATERIAL

| Item | Unit | Total | |
|-------------------------------|---------|-------|--|
| Protective Shield (Permanent) | Sq. Yd. | 3995 | |

PERMANENT PROTECTIVE SHIELD

| SHEET NO. | F.A. RTE. | SECTION | | COUNTY | TOTAL SHEETS | SHEET NO. |
|-----------|---|-----------------|--|--------------------|-----------------|--------------|
| | 373 | 0707-608 HB-I-4 | | COOK | 40 | 40 |
| SHEETS | | | | CONTRACT NO. 60C94 | | |
| | FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT | | | | | |