

Midwest Testing Services, Inc.
3705 Progress Blvd.
Peru, IL 61354

BORING LOG

Sheet 1 of 4

Phone: 815-223-6696
Fax: 815-223-6659
E-Mail: Midwest@TheRamp.net


Client: Farnsworth Group
Project Name: Section 02-00203-01-BR
Project Site: Livingston County, Germanville Township

Boring No. B-1
Surface Elev. 99.90
Auger Depth 71' Rotary Depth NA
Start Date 02/18/04 Finish Date 02/18/04

Location: 7' Rt. of centerline of road.
Station 173 + 62.5

(DEPTH) ELEV.	DESCRIPTION OF MATERIALS	Graphic Log	Depth in feet	SAMPLES					DRILLED BY		REMARKS
				Sample No.	Sample Type	Qu (TSF)	N Value (Blows)	Bulge / Shear	Moisture (%)	Dry Density (PCF)	
99.90			1							Randy Safranski Diedrich D-120	
98.90	Stiff Black And Brown Silty Clay (Fill)		2								
97.90			3	1	SS	1.2	8	S	15		
96.90	Stiff Brown Silty Clay		4								
95.90			5	2	SS	1.7	11	B	24		
94.90	Stiff Brown Silty Clay		6								
93.90			7	3	SS	1.6	10	B	19		
92.90	Stiff Brown Silty Clay		8								
91.90			9	4	SS	1.4	10	B	18		
90.90	Stiff Brown Silty Clay		10								
89.90			11	4	SS	1.4	10	B	18		
88.90	Hard Brownish Gray Silty Clay Till		12								
87.90			13	5	SS	4.7	21	B	12		
86.90	Hard Brownish Gray Silty Clay Till		14								
85.90			15	6	SS	4.1	20	B	13		
84.90	Hard Brownish Gray Silty Clay Till		16								
83.90			17	7	SS	4.3	20	B	13		
82.90	Hard Brownish Gray Silty Clay Till		18								
81.90			19	7	SS	4.3	20	B	13		
80.90	Medium Gray Fine To Coarse Sand		20								
79.90			20	8	SS	--	16	--	--		

Groundwater Data: Static water level after auger removal elevation 80.5
Comments: Assumed center of existing bridge deck as 100.0



Midwest Testing Services, Inc.
3705 Progress Blvd.
Peru, IL 61354

BORING LOG

Sheet 2 of 4

Phone: 815-223-6696
Fax: 815-223-6659
E-Mail: Midwest@TheRamp.net

Client: Farnsworth Group
Project Name: Section 02-00203-01-BR
Project Site: Livingston County, Germanville Township

Boring No. B-1
Surface Elev. 99.90
Auger Depth 71' Rotary Depth NA
Start Date 02/18/04 Finish Date 02/18/04

Location: 7' Rt. of centerline of road.
Station 173 + 62.5

(DEPTH) ELEV.	DESCRIPTION OF MATERIALS	Graphic Log	Depth in feet	SAMPLES					DRILLED BY		REMARKS
				Sample No.	Sample Type	Qu (TSF)	N Value (Blows)	Bulge / Shear	Moisture (%)	Dry Density (PCF)	
78.90			22							Randy Safranski Diedrich D-120	
77.90	Very Stiff Brownish Gray Silty Clay Till		23	9	SS	3.6	18	B	14		
76.90			24								
75.90	Very Stiff Brownish Gray Silty Clay Till		25	10	SS	3.7	18	B	14		
74.90			26								
73.90	Very Stiff Brownish Gray Silty Clay Till		27	11	SS	3.3	16	B	16		
72.90			28								
71.90	Very Stiff Brownish Gray Silty Clay Till		29	12	SS	3.5	19	B	15		
70.90			30								
69.90	Very Stiff Brownish Gray Silty Clay Till		31	13	SS	4.5	21	B	13		
68.90			32								
67.90	Hard Gray Silty Clay Till		33	14	SS	4.3	21	B	12		
66.90			34								
65.90	Hard Gray Silty Clay Till		35	15	SS	4.0	20	B	13		
64.90			36								
63.90	Hard Gray Silty Clay Till		37	16	SS	4.4	22	B	12		
62.90			38								
61.90	Hard Gray Silty Clay Till		39								
60.90			40								
59.90	Hard Gray Silty Clay Till		41								
58.90			41								

Groundwater Data: Static water level after auger removal elevation 80.5
Comments: Assumed center of existing bridge deck as 100.0

NOTE:
Elevation 100.00 = Plan Elevation ±76.9.

SECTION 02-00208-01-BR
LIVINGSTON COUNTY
F.A.S. 342/C.H. 3

BORING LOGS

DRAWN BY DMM	 Farnsworth GROUP 2709 McGraw Drive Bloomington, Illinois 61704 808/888-9438, 808/888-1671 fax	FILE NO. 24-7131
DATE 12/01/06		BOOK NO. 2606
CHECKED BY MSW		SHEET NO. 18 OF 24