


# SCHEDULES OF QUANTITIES

INCIDENTAL HMA (SHEET 4 OF 5)

STATION	LT. OR RT.	TYPE	W1 (feet)	W2 (feet)	L (feet)	M1 (feet)	AREA (SY)	40600982 HMA SURFACE REMOVAL BUTT JOINT	40600985 PCC SURFACE REMOVAL BUTT JOINT	40800010 BITUMINOUS MATERIALS (PRIME COAT)	40800030 AGGREGATE (PRIME COAT)	40800050 INCIDENTAL HMA SURFACING
2341+58	RT.	P.E.	30	14	5	5	12.2	12.2		1.2	0.0	1.0
2341+85.9	LT.	P.E.	33	16	5	5	13.6	13.6		1.4	0.0	1.1
2342+09.4	RT.	P.E.	30	14	5	5	12.2	12.2		1.2	0.0	1.0
2342+77.8	LT.	P.E.	30	16	5	5	12.8	12.8		1.3	0.0	1.1
2342+87.4	RT.	C.E.	58	40	5	5	27.2	27.2		2.7	0.0	2.3
2344+02	RT.	C.E.	51	35	5	5	23.9	23.9		2.4	0.0	2.0
2344+08	LT.	C.E.	56	37	5	5	25.8	25.8		2.6	0.0	2.2
2344+90	RT.	Prairieview	89	47	10	10	75.6	75.6		7.6	0.1	6.3
2344+97.5	LT.	C.E.	61	37	5	5	27.2	27.2		2.7	0.0	2.3
2345+60	LT.	C.E.	56	39	5	5	26.4	26.4		2.6	0.0	2.2
2346+06	RT.	P.E.	30	14	5	5	12.2	12.2		1.2	0.0	1.0
2346+19	LT.	C.E.	56	39	5	5	26.4	26.4		2.6	0.0	2.2
2346+71	LT.	C.E.	47	26	5	5	20.3	20.3		2.0	0.0	1.7
2346+72	RT.	P.E.	18	12	5	5	8.3	8.3		0.8	0.0	0.7
2347+30	RT.	P.E.	18	12	5	5	8.3	8.3		0.8	0.0	0.7
2347+41.4	LT.	C.E.	49	23	5	5	20.0	20.0		2.0	0.0	1.7
2347+99	RT.	P.E.	21	9	5	5	8.3	8.3		0.8	0.0	0.7
2348+57	RT.	P.E.	18	9	5	5	7.5	7.5		0.8	0.0	0.6
2349+00	LT.	Grove	184	144	7	4	127.6		65.6	12.8	0.2	10.7
2349+22	RT.	P.E.	21	9	5	5	8.3	8.3		0.8	0.0	0.7
2349+85.5	RT.	P.E.	18	9	5	5	7.5	7.5		0.8	0.0	0.6
2350+44.2	RT.	P.E.	23	12	5	5	9.7	9.7		1.0	0.0	0.8
2351+55	RT.	P.E.	23	11	5	5	9.4	9.4		0.9	0.0	0.8
2352+12	RT.	P.E.	18	9	5	5	7.5	7.5		0.8	0.0	0.6
2352+38	LT.	C.E.	37	30	5	5	18.6	18.6		1.9	0.0	1.6
2352+77.1	RT.	P.E.	18	9	5	5	7.5	7.5		0.8	0.0	0.6
2353+16	RT.	C.E.	21	16	5	5	10.3	10.3		1.0	0.0	0.9
2354+03	RT.	P.E.	23	14	5	5	10.3	10.3		1.0	0.0	0.9
2354+69.1	RT.	P.E.	21	9	5	5	8.3	8.3		0.8	0.0	0.7
2355+10.6	LT.	C.E.	44	26	5	5	19.4	19.4		1.9	0.0	1.6
2355+30	RT.	P.E.	21	14	5	5	9.7	9.7		1.0	0.0	0.8
2355+44.6	LT.	C.E.	40	25	5	5	18.1	18.1		1.8	0.0	1.5
2355+92.5	RT.	P.E.	18	14	5	5	8.9	8.9		0.9	0.0	0.7
2357+12.3	RT.	Arcadia	91	35	30	30	210.0	210.0		21.0	0.3	17.6
2358+26.2	RT.	P.E.	26	14	5	5	11.1	11.1		1.1	0.0	0.9
2358+35.4	LT.	C.E.	53	30	5	5	23.1	23.1		2.3	0.0	1.9
2358+64.6	LT.	C.E.	53	30	5	5	23.1	23.1		2.3	0.0	1.9
2358+82.8	RT.	P.E.	26	12	5	5	10.6	10.6		1.1	0.0	0.9
2359+32.6	RT.	P.E.	28	14	5	5	11.7	11.7		1.2	0.0	1.0
<b>SHEET 4 SUBTOTALS</b>							<b>938.9</b>	<b>811.3</b>	<b>65.6</b>	<b>93.9</b>	<b>1.4</b>	<b>78.5</b>



W1 = FRONT WIDTH OF HMA APPROACH  
W2 = BACK WIDTH OF HMA APPROACH  
L = DISTANCE FROM MAINLINE FACE OF CURB TO LIMITS OF HMA APPROACH  
M1 = PROPOSED LENGTH OF PCC OR HMA BUTT JOINT

\* BUTT JOINT SHALL BE MILLED TO PROVIDE 1/2" DEPTH AT W2 AND A MINIMUM OF 1" HMA DEPTH AT ALL OTHER LOCATIONS. A STRINGLINE SHALL BE USED TO ASSURE THIS REQUIREMENT