


• • STA. 20+950 TO STA. 20+990



LEGEND - PROPOSED

- ⑨ AGGREGATE SUBGRADE, 300 mm
- ⑩ PORTLAND CONCRETE CEMENT PAVEMENT 260 mm (JOINTED)
- ⑪ COMBINATION CONCRETE CURB AND GUTTER, TYPE B-15.60
- ⑬ PORTLAND CEMENT CONCRETE SIDEWALK 125 mm
- ⑮ SAWED LONGITUDINAL JOINT WITH 750 mm DEFORMED EPOXY-COATED No. 20 TIE BARS @ 750mm CTS.
- ⑯ LONGITUDINAL CONSTRUCTION JOINT WITH 600 mm GROUTED IN PLACE DEFORMED EPOXY-COATED No. 25 TIE BARS @ 600 mm CTS.
- ⑰ 600 mm DEFORMED EPOXY-COATED No. 20 TIE BARS @ 600 mm CTS.
- ⑱ TOPSOIL, 100 mm
- ⑳ SODDING, SALT TOLERANT
- ㉑ SEEDING, CLASS 2A
- ㉒ GEOTECHNICAL FABRIC FOR GROUND STABILIZATION

REVISIONS	
NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION
US RTE 6 FROM I-294 TO IL RTE 1
PROPOSED TYPICAL SECTIONS
DIXIE HIGHWAY, WOOD STREET
AND HALSTED STREET

DRAWN BY VAP
CHECKED BY NAP

DATE 01/28/09