



**PROPOSED TYPICAL SECTION**  
**STA. 50+24 to STA. 50+81, IL ROUTE 68**

PORTLAND CEMENT CONCRETE SIDEWALK 5"	431	SF
AGGREGATE BASE COURSE TYPE B, 4"	45	SY




**PROPOSED TYPICAL SECTION**  
**STA. 51+18 to STA. 51+50, IL ROUTE 68**  
**STA. 64+93 to STA. 65+03, IL ROUTE 68**

PORTLAND CEMENT CONCRETE SIDEWALK 5"	429	SF
AGGREGATE BASE COURSE TYPE B, 4"	48	SY




**PROPOSED TYPICAL SECTION**  
**STA. 54+00 to STA. 64+93, IL ROUTE 68**

HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50, 3"	204	TON
AGGREGATE BASE COURSE, TYPE B 5"	1214	SY



**PROPOSED TYPICAL SECTION**  
**STA. 51+50 to STA. 52+00, IL ROUTE 68**  
**STA. 53+50 to STA. 54+00, IL ROUTE 68**

PORTLAND CEMENT CONCRETE SIDEWALK 5"	750	SF
AGGREGATE BASE COURSE TYPE B, 4"	84	SY



**PROPOSED TYPICAL SECTION**  
**STA. 52+00 to STA. 53+50, IL ROUTE 68**

PORTLAND CEMENT CONCRETE SIDEWALK 5"	750	SF
AGGREGATE BASE COURSE TYPE B, 4"	84	SY

**HOT-MIX ASPHALT MIXTURE REQUIREMENTS**

MIXTURE TYPE	AIR VOIDS @ NDES
HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50 (IL 9.5 mm), 3" (2 LIFTS)	4% @ 50 GYR.

THE UNIT WEIGHT USED TO CALCULATE ALL HOT-MIX ASPHALT SURFACE MIXTURES IS 112 LBS/SY YD/IN.

THE "AC TYPE" FOR NON-POLYMERIZED HMA MIXES SHALL BE "PG 64-22" UNLESS MODIFIED BY DISTRICT ONE SPECIAL PROVISIONS FOR "PERCENT OF RAP". SEE SPECIAL PROVISIONS.



77 W. Hintz Rd, Wheeling, IL 60090 (847) 279-6900

DATE:	DESIGNED: SW	REVISED:
	DRAWN: MT	REVISED:
PLOT SCALE:	CHECKED: JS	REVISED:
PLOT DATE:	DATE: 1/30/13	REVISED:

STATE OF ILLINOIS  
 DEPARTMENT OF TRANSPORTATION

TYPICAL SECTIONS: NORTH PARKWAY

SCALE: N/A SHEET NO. OF SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
343	10-00072-00-BT	COOK	39	5
CONTRACT NO. 63805				
FED. ROAD DIST. NO. 1	ILLINOIS	FED. AID PROJECT	FAP-343	