


TYPICAL SECTION

MILE MARKER 0.00 TO 0.98
(MILE MARKER 0.00 STARTS 150' WEST OF YERK STREET)

	HMA LEVEL BINDER	HMA SURFACE
PG GRADE	PG 64-22	PG 64-22
MAX % RAP ALLOWABLE**	25%	15%
DESIGN AIR VOIDS	4% @ N50	4% @ N50
MIXTURE COMPOSITION	IL 9.5	IL 12.5 OR IL 9.5
FRICTION AGGREGATE		MIXTURE C
DENSITY CONTROL LIMITS	SATISFACTION OF THE ENGINEER	CORRELATION

** IF RAP OPTION IS SELECTED, THE ASPHALT CEMENT GRADE MAY NEED TO BE ADJUSTED. THIS WILL BE DETERMINED BY THE ENGINEER.



TYPICAL SECTION

MILE MARKER 0.98 TO 1.08
(PROJECT ENDS 200' EAST OF VALLEY VIEW DR)