



F.A.S. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
317	(36,37) RS-2	IROQUOIS	13	4
STA.		TO STA.		
FED. ROAD DIST. NO.		ILLINOIS FED. AID PROJECT		

**CONTRACT #66338**



**PROPOSED TYPICAL SECTION**

STA. 1080+27 TO 1250+63.8  
 STA. 1251+06.2 TO 1294+19



**PROPOSED TYPICAL SECTION**

SN. 038-0040  
 STA. 1250+63.8 TO 1251+06.2

MIX DESIGN							
MIX	PG GRADE	MAX % RAP ALLOWABLE	DESIGN AIR VOIDS	MIX COMPOSITION	FRICTION AGG	PLANT CONTROL LIMITS	DENSITY CONTROL
SUPERPAVE SURFACE	PG 58-22	15%	4.0% @N50	IL 12.5 OR IL 9.5	MIXTURE "C"	CLASS I	CORRELATION
SUPERPAVE LEVEL BINDER (HM)	PG 58-22	25%	4.0% @N50	IL 9.5		CLASS I	SATISFACTION OF ENGINEER

•• IF RAP OPTION IS SELECTED, THE ASPHALT CEMENT GRADE MAY NEED TO BE ADJUSTED. THIS WILL BE DETERMINED BY THE ENGINEER

OMISSIONS  
 STA 1120+04 TO 1120+30  
 STA 1173+06 TO 1173+54

3/18/2005  
 c:\projects\ed02603\detail\is.dgn