



PLAN	SURVEYED	DATE
	PLOTTED	BY
	CHECKED	
	RT. WAY CHECKED	
	LDG. FILE NAME	
	NO.	

PROFILE	SURVEYED	DATE
	PLOTTED	BY
	CHECKED	
	RT. WAY CHECKED	
	LDG. FILE NAME	
	NO.	




EXISTING TYPICAL SECTION
STA. 0+98 TO STA. 26+83, 119TH STREET




PROPOSED TYPICAL SECTION
STA. 0+98 TO STA. 26+83, 119TH STREET

SEE DETAILS FOR PARKWAY TREATMENT
 PROPOSED PORTLAND CEMENT CONCRETE SIDEWALK, 5 INCH OR 7 INCH
 SUB-BASE GRANULAR MATERIAL, TYPE B, 4"
 SEE DETAILS FOR PARKWAY TREATMENT
 - SEE PLAN FOR OFFSETS *



SIDEWALK DETAIL THROUGH DRIVEWAY



SIDEWALK DETAIL THROUGH PARKWAY

HOT-MIX ASPHALT MIXTURE REQUIREMENTS

ITEM	AIR VOIDS @ Ndes
DRIVEWAYS	
HOT-MIX ASPHALT SURFACE COURSE, MIX C, NS0, (IL 9.5mm) 2"	4% @ 50 GYR
HMA BASE COURSE (HMA BINDER IL-19mm), 5"	4% @ 50 GYR
PATCHING	
CLASS D PATCHES, TYPE I, (HMA BINDER IL-19mm) 5"	4% @ 70 GYR
HOT-MIX ASPHALT SURFACE COURSE, MIX C, NS0 (IL-9.5mm) 2"	4% @ 50 GYR

NOTES:
 THE UNIT WEIGHT USED TO CALCULATE ALL HMA SURFACE MIXTURE QUANTITIES IS 112 LBS/SY/IN.
 THE 'AC TYPE' FOR POLYMERIZED HMA MIXES SHALL BE 'SBS/SBR PG 70-22' AND FOR NON-POLYMERIZED HMA THE 'AC-TYPE' SHALL BE 'PG 64-22' UNLESS MODIFIED BY DISTRICT ONE SPECIAL PROVISIONS. FOR PERCENT OF RAP SEE DISTRICT ONE SPECIAL PROVISIONS.

FILE NAME = 10246-TYPX-01 - P01	USER NAME =	DESIGNED -- TRL	REVISED --	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	119TH STREET SIDEWALK PLAN TYPICAL CROSS SECTIONS ALSIP, ILLINOIS		F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
	PLOT SCALE = N/A	CHECKED -- TRL	REVISED --		SCALE: N/A	SHEET NO. 3 OF 10 SHEETS	STA. 0+98 TO STA. 26+83	1585	10-00088-00-SW	COOK	10	3
	PLOT DATE = 05-28-10	DRAWN -- RG	REVISED --					CONTRACT NO. 63491				
		CHECKED -- AG	REVISED --					FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT ARA-8003(683)				