


DEAD LOAD DEFLECTION DIAGRAM

(Includes weight of concrete only.)

Note: The above deflections are not for use in the field if the Engineer is working from the "Theoretical Grade Elevations Adjusted For Dead Load Deflection".



To determine "t": After all structural steel has been erected, elevations of the top flanges of the beams shall be taken at intervals shown above. These elevations subtracted from the "Theoretical Grade Elevations Adjusted for Dead Load Deflection" on sheets SA7 and SA8, minus 8" slab thickness, equals the fillet heights "t" above top flange of beams.

FILLET HEIGHTS

FILE NAME =	USER NAME = jsurber	DESIGNED - JOB	REVISED -
0161000.60J16.006.slabelevs.1.dgn		CHECKED - RMM	REVISED -
	PLOT SCALE =	DRAWN - MAK	REVISED -
	PLOT DATE = 12/20/2012	CHECKED - RMM	REVISED -

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
372	2013-038B-R	COOK	821	254
CONTRACT NO. 60J16			ILLINOIS FED. AID PROJECT	