

### STANDARD BAR SPLICER ASSEMBLY

Minimum Lap Lengths							
Bar size to be spliced	Table 1	Table 2	Table 3	Table 4	Table 5	Table 6	
3, 4	1'-5''	1'- 11''	2'-1''	2'-4''	2'-7''	2'-11''	
5	1'-9''	2'-5"	2'-7''	2'-11''	3'-3''	3'-8''	
6	2'-1''	2'-11''	3'-1''	3′-6′′	3′-10′′	4'-5''	
7	2'-9''	3′-10′′	4'-2"	4'-8''	5′-2′′	5′- <i>10′′</i>	
8	3′-8′′	5′-1′′	5′-5′′	6'-2''	6′-9′′	7′-8′′	
9	4'-7''	6′-5′′	6′-10′′	7′-9′′	8'-7''	9′-8′′	

Table 1: Black bar, 0.8 Class C

Table 2: Black bar, Top bar lap, 0.8 Class C

Table 3: Epoxy bar, 0.8 Class C

Table 4: Epoxy bar, Top bar lap, 0.8 Class C


Table 5: Epoxy bar, Class C

Table 6: Epoxy bar, Top bar top, Class C

Threaded splicer bar length = min. lap length +  $1\frac{1}{2}$ " + thread length

\* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.

Location	Bar size	No. assemblies required	Table for minimum lap length
Deck at N. Abut.	#5	16	Table 5
	#6	4	Table 5
Deck at S. Abut.	#5	16	Table 5
	#6	4	Table 5



## BAR SPLICER ASSEMBLY FOR #5 BAR ON INTEGRAL OR SEMI-INTEGRAL ABUTMENTS

No. required =

BSD-1

1-27-12



Alfred Benesch & Company 205 North Michigan Avenue, Suite 2400 Chlcago, Illinois 60601 Job No. 10056

USER NAME = mbecker DESIGNED -REVISED JDC CHECKED MRB/AAY REVISED 900141\_68620\_14\_brsplc.dgn JDC REVISED PLOT DATE = 7/16/2012 CHECKED MRB/AAY REVISED


<u>Template</u> bar (E) <u>''A ''</u> Stage construction line -Positive stop or end of approach slab Threaded coupler (E) Form bar (E)

Form

### INSTALLATION AND SETTING METHODS

"A": Set bar splicer assembly by means of a template bolt. "B" : Set bar splicer assembly by nailing to wood forms or cementing to steel forms.


(E): Indicates epoxy coating.



# 6'-0" Abutment Approach slab hatch block <u>Threaded</u> Threaded splicer couplers (E) bar (E) BAR SPLICER ASSEMBLY FOR #5 BAR ON STUB ABUTMENTS No. required = Threaded splicer bar (E)

STATE OF ILLINOIS

**DEPARTMENT OF TRANSPORTATION** 



### STANDARD MECHANICAL SPLICER

Location	Bar size	No. assemblies required			

### *NOTES*

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.

All reinforcement shall be lapped and tied to the splicer bars. Bar splicer assemblies shall be epoxy coated according to the requirements

for reinforcement bars. See Section 508 of the Standard Specifications. See approved list of bar splicer assemblies and mechanical splicers for alternatives.

						$\sim$
BAR SPLICER ASSEMBLY DETAILS	F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	201
STRUCTURE NO. 090-0141		90-[14R;(14HB-4,14,14HVB)BR]	TAZEWELL	2433	2053	9
		CONTRACT NO.		NO. 6	8620	7
SHEET NO. SD14 OF SD29 SHEETS		THE INDICE FEB. AND PROJECT				