

# Span Porous granular material

END VIEW

# GENERAL NOTES

Box Culvert End Sections shall be constructed according to the requirements of Section 540 of the Standard Specifications except as modified herein. This work will be measured for payment as each, with each end of each culvert being one each. End sections will be paid for at the contract unit price per each for Box Culvert End Sections of the culvert number specified.

Typical box section dimensions, materials, and reinforcement details for Box Culvert End Sections shall be according to the requirements of ASTM C 1577 as required for the design of the portion of the culvert within the limits of Precast Concrete Box Culverts except as modified herein.

Number of segments shown in Side Elevation is for example only. Length and number of precast box sections required to construct Box Culvert End Sections shall be determined by the Contractor.

See roadway plans for embankment slope (V:H).

1''  $\phi$  anchor rods for the culvert ties shall conform to the requirements of ASTM F1554, Grade 105. Structural steel for tie plate and restraint angle shall conform to the requirements of Article 1006.04 of the Standard Specifications. All components of the culvert tie detail shall be galvanized according to the requirements of AASHTO M 111 or M 232 as applicable.  $2^l_4$  ''  $\times$   $2^l_4$  ''  $\times$   $2^l_6$  '' plate washers shall be provided under each nut required for the anchor rods. Anchor rods connecting precast sections shall be brought to a snug tight condition followed by an additional  $l_2$  turn on one of the nuts. Match marks shall be provided on the bolt and nut to verify relative rotation between the bolt and the nut. Holes in the walls for the culvert tie assembly may be drilled using core bits in lieu of using formed holes.

All costs associated with furnishing and installing or constructing the geotextile fabric, toewall, and culvert ties will not be measured for payment but shall be included in the contract unit price for Box Culvert End Sections of the culvert number specified.


Reinforcement bars designated (E) shall be epoxy coated.


Drain holes shall conform to the requirements of Article 503.11 of the Standard Specifications unless noted otherwise.

Nonwoven geotextile fabric shall conform to the requirements of Article 1080.01. The minimum weight of the fabric shall be 6 oz. / sq. yd..

For end sections with traversable pipe grate systems, see grate detail sheet for required modifications.

# ELEVATION





# RESTRAINT ANGLE DETAIL

12" x 12" block of CA5, CA7, or CA11
coarse aggregate placed over drain
opening. Block of aggregate shall be
completely wrapped in nonwoven
geotextile fabric.

Provide a double layer of 12" x 12"
nonwoven geotextile fabric centered
over the drain hole. Fabric shall
be sealed to the concrete with mastic.

3" \$\phi\$ PVC drain cast with the
concrete (Adjust location to
clear reinforcement).

2" Square foam blockout around PVC drain
(to be removed with formwork)


# SECTION A-A

(All costs associated with furnishing and constructing the above drain details will not be measured for payment but shall be included in the contract unit price for the end section.)

(Sheet 1 of 2)

# $\frac{1^34''}{typ}.$ $\frac{1^34''}{typ}.$ $\frac{1'-4''}{2'4''} \times \frac{5}{16}'' \text{ $\mathbb{R}$ washers installed in $1'8''$ $$ formed holes in culvert walls}$

### <u>SECTION B-B</u> (Showing end section tie details)



## TIE PLATE DETAIL

### 10 - 16 - 12

ſ	FILE NAME \$FILES\$	DESIGNED -	REVISED -
		CHECKED -	REVISED -
	PLOT DATE 5/7/2013	DRAWN -	REVISED -
		CHECKED -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SINGLE CELL	PRECAST	вох	CULVERT	END	SECTIONS	

SHEET NO. 1 OF 2 SHEETS

F.A.P. RTE.			COUNTY	TOTAL SHEETS	SHE
303	129R	WINNEBAGO	968	69	
			CONTRACT	NO. 6	498
	ILLINOIS	FED. Al	ID PROJECT		