

STANDARD BAR SPLICER ASSEMBLY

Minimum Lap Lengths						
Bar size to be spliced	Table 1	Table 2	Table 3	Table 4	Table 5	Table 6
3, 4	1'-5''	1'-11''	2'-1''	2'-4''	2'-7''	2'-11''
5	1'-9''	2'-5''	2'-7''	2'-11''	3'-3''	3′-8″
6	2'-1''	2'-11''	3'-1''	3′-6′′	3′-10′′	4'-5''
7	2'-9''	3′-10′′	4'-2''	4'-8''	5'-2''	5′-10′′
8	3'-8''	5′-1′′	5′-5″	6'-2''	6′-9′′	7'-8''
9	4'-7''	6′-5′′	6′-10′′	7′-9′′	8'-7''	9'-8''

Table 1: Black bar, 0.8 Class C

Table 2:Black bar, Top bar lap, 0.8 Class CTable 3:Epoxy bar, 0.8 Class CTable 4:Epoxy bar, Top bar lap, 0.8 Class CTable 5:Epoxy bar, Class C


Table 6: Epoxy bar, Top bar top, Class C

BSD-1


Threaded splicer bar length = min. lap length + $1_{2}^{\prime\prime}$ + thread length

* Epoxy not required on Bar Splicer Assembly components used in conjunction with black bars.

	1				
l ocation	Bar	No. assemblies	Table for minimum		
Econition	size	required	lap length		
Pier 1 (NB)	#5	180	6		
Pier 2 (NB)	#5	252	6		
Pier 3 (NB)	#5	264	6		
Pier 4 (NB)	#5	180	6		
Pier 1 (SB)	#5	180	6		
Pier 2 (SB)	#5	252	6		
Pier 3 (SB)	#5	264	6		
Pier 4 (SB) #5		180	6		




1-27-12




INSTALLATION AND SETTING METHODS

"A" : Set bar splicer assembly by means of a template bolt. "B" : Set bar splicer assembly by nailing to wood forms or cementing to steel forms.

(E) : Indicates epoxy coating.



	_								
DESIGNED - DAVID H. RICHTER	EXAMINED	mumer Frish Pdd.	DATE - OCTOBER 4, 2013		BAR SPLICER ASSEMBLY AND MECHANICAL SPLICER DETAILS		SECTION	COUNTY SHEFTS	SHEET NO.
CHECKED - JUSTIN T. BELUE		ACTING ENGINEER OF BRIDGE DEGIN		STATE OF ILLINOIS		57	(140)BR&BR-1	KANKAKEE 183	106
DRAWN - MICHAEL B. MOSSMAN	PASSED	& Carl Prover	REVISED	DEPARTMENT OF TRANSPORTATION	STRUCTURE NO. 046-0135 (NB) & 046-0136 (SB)			CONTRACT NO. 66	ô750
CHECKED - J.T.B. / D.H.R.	-	ACTING ENGINEER OF BRIDGES AND STRUCTURES	REVISED		SHEET NO. 66 OF 79 SHEETS		ILLINOIS FED.	AID PROJECT	



STANDARD MECHANICAL SPLICER

Location	Bar	No. assemblies
Locanon	size	required
Pier 1 (NB)	#14	96
Pier 2 (NB)	#14	96
Pier 3 (NB)	#14	96
Pier 4 (NB)	#14	96
Pier 1 (SB)	#14	96
Pier 2 (SB)	#14	96
Pier 3 (SB)	#14	96
Pier 4 (SB)	#14	96

<u>NOTES</u>

Splicer bars shall be deformed with threaded ends and have a minimum 60 ksi yield strength.

All reinforcement shall be lapped and tied to the splicer bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars. See Section 508 of the Standard Specifications. See approved list of bar splicer assemblies and mechanical splicers for alternatives.