

GENERAL NOTES: GUARDRAIL AGGREGATE EROSION CONTROL

- shall be removed from the area to be covered.
- guardrail post installation is necessary.
- filled and the aggregate returned to line and grade.
- 6. Materials shall meet the following requirements:
- A. The crushed aggregate shall be CA1 gradation in accordance with Article 1004.01(c) of the Standard Specifications.
- B. The Geotextile Fabric shall be nonwoven fabric in accordance with Article 1080.02 of the Standard Specifications.

01-01-97 RENUM. C-22.01, NEW REVISION BOX	T.P.		DISTRICT 4 STANDARDS		F.A.P RTE.	SECTION	COUNTY	TOTAL SHEL SHEETS NO
03-01-97 CORRECT STD. NUMBERS IN NOTES PG. 2	J.A.	STATE OF ILLINOIS	GUARDRAIL EROSION CONTROL TREATMENT	2	626	(44-B-1) BR	KNOX	122 10
11-03-00 CORRECTION TO NOTES	M.A.	DEPARTMENT OF TRANSPORTATION		SHT. 1 OF 2			CONTRACT	T NO. 6875
10-16-06 REVISED TO 2007 SPEC.	M.A.		NOT TO SCALE CAD	D STD. 630101-D4	FED. ROAD DIST.	NO. ILLINOIS FED. A	ID PROJECT	

1. This work shall consist of grading as needed, furnishing and installing geotextile fabric and staples, and furnishing, placing and shaping crushed aggregate around and behind Steel Plate Beam Guardrail posts in accordance with Plan Details.

2. Before placing the aggregate and the Geotextile Fabric, weeds and grass

3. After the area has been prepared, and in a dry condition, the Geotextile fabric shall be placed with a 12(300) minimum overlap. A knife cut for

4. The aggregate shall be deposited, compacted and shaped by either mechanical or hand methods, in a manner reasonably true to line and grade.

5. The Contractor shall have the option of placing the guardrail before or after the Geotextile Fabric and Aggregate are in place. If the guardrail is placed after the Geotextile Fabric and Aggregate, then any voids must be

All dimensions are in inches (millimeters) unless otherwise noted.