



DATE	BY
REVISIONS	
PLANNED	CHECKED
NOTED	FILE NAME
NO.	
PLAN	

DATE	BY
REVISIONS	
PLANNED	CHECKED
NOTED	FILE NAME
NO.	
PROFILE	



EXISTING TYPICAL CROSS SECTION

STA. 00+41 TO STA. 15+78
 STA. 16+83 TO STA. 20+48
 STA. 21+31 TO STA. 27+56
 STA. 28+51 TO STA. 34+63
 STA. 34+94 TO STA. 54+19




PROPOSED TYPICAL CROSS SECTION

STA. 20+48 TO STA. 21+31
 STA. 27+56 TO STA. 28+51

Note: Contractor shall Mill before Patching.

HOT MIX ASPHALT MIXTURE REQUIREMENT CHART	
ITEM	AIR VOIDS @ Ndes
Roadway	
HMA Surface Course, Mix "D", N50 (IL 9.5 mm); 1 1/2"	4% @ 50 Gyr.
Polymerized Leveling Binder (Machine Method), IL-4.75, N50 (IL 9.5 mm); 3/4"	4% @ 50 Gyr.
Patching	
Class D Patches (HMA Binder IL-19.0 mm); 8"	4% @ 70 Gyr.
HMA Driveways	
HMA Surface Course, Mix "C", N50 (IL 9.5 mm); 2"	4% @ 50 Gyr.
HMA Base Course (HMA Binder IL-19.0 mm); PE-6", CE-8"	4% @ 50 Gyr.

- The unit weight used to calculate all Hot-Mix Asphalt Surface Mixtures is 112 lbs/sq yd/in.
 - The "AC Type" for Polymerized HMA Mixes shall be "SBS/SBR PG 70-22" and for Non-Polymerized HMA the "AC Type" shall be "PG 64-22" unless modified by District One Special Provisions. For "Percent of RAP" see District One Special Provisions.



PROPOSED TYPICAL CROSS SECTION

STA. 00+41 TO STA. 15+78
 STA. 16+83 TO STA. 20+48
 STA. 21+31 TO STA. 27+56
 STA. 28+51 TO STA. 34+63
 STA. 34+94 TO STA. 54+19

FILE NAME = 06173_01-TYPK-01 - P01

USER NAME =	DESIGNED — MPN	REVISED —
	CHECKED — JMN	REVISED —
PLOT SCALE = N/A	DRAWN — PS, MJD	REVISED —
PLOT DATE = 10-16-09	CHECKED — JMN	REVISED —

STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION

LOCAL AGENCY PAVEMENT PRESERVATION
 EAST END AVENUE
 TYPICAL CROSS SECTION

SCALE: N/A	SHEET NO. 3 OF 18 SHEETS	STA. N/A TO STA. N/A
------------	--------------------------	----------------------

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
2887	09-00225-00-RS	COOK	18	3
CONTRACT NO. 63314				
FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT ARA-9003(337)				