




ELEVATION AT ABUTMENT

SECTION A-A

TYPE II TFE ELASTOMERIC EXP. BRG.








SECTION THRU TFE

TOP BEARING ASSEMBLY (Lookina North)





434

SIDE RETAINER

Equivalent rolled angle with stiffeners will be allowed in lieu of welded plates.

STATE OF ILLINOIS

DEPARTMENT OF TRANSPORTATION

TYII/REPS 12-03-2008

DESIGNED	VHV	EXAMINED	I most A Man at	DATE	-	JANUARY 22. 2014
CHECKED	DAB		ACTING ENGINEER OF STRUCTURAL SERVICES			
DRAWN	baliva	PASSED	& Carl Prayer			
CHECKED	VHV DAR		ACTIVO ENGINEED OF DOIDGES AND STOUGTUDES			

BEAM REACTIONS

R₽	(K)	22.7
R4	(K)	42.9
Imp.	(K)	12.4
R (Total)	(K)	77.7

Diaphragm removal and reinstallation may be required to facilitate drilling holes. Cost included with Furnishing and Erecting Structural Steel.

New steel extensions, shim plates and connection bolts are included with Furnishing and Erecting Structural Steel.

Prior to ordering any material, the Contractor shall verify in the field all bearing height and shim thickness dimensions.

Min. jack capacity = 40 Tons.

Anchor bolts shall be ASTM F1554 all-thread (or an

Engineer-approved alternate material) of the grade(s) and diameter(s) specified. ASTM A307 Grade anchor bolts may be used in lieu of ASTM F1554 Grade 36 (Fy=36ksi). The corresponding specified grade of AASHTO M314 anchor bolts may be used in lieu of ASTM F1554.

Anchor bolts for Type II bearings shall be placed in holes drilled through the bottom bearing plate after members are in place. Side retainers shall be placed after bolts are installed.


Drilled and set anchor bolts shall be installed according to Article 521.06 of the Standard Specifications.
Side retainers shall be included in the cost of Elastomeric Bearing Assembly, Type II.
The '8' PTFE sheet shall be bonded directly to the


top steel plate with a two-component, medium viscosity epoxy resin, conforming to the requirements of the Federal Specification MMM-A-134, Type I. The bond agent shall be applied on the full area of the contact

Bonding of $^{\prime}g^{\prime\prime}$ PTFE sheet during vulcanizing process will be permitted provided the process and method of adjusting assembly height is approved by the Engineer.

1'-2" · © ⁷8''¢ Holes


PLAN TOP AND BOTTOM PLATE






SECTION B-B

STEEL EXTENSION DETAIL



EXISTING BEARING REMOVAL DETAIL

Cost included with Jack and Remove Existing Bearings.



BELOW 50° F. (Move bott, brg, away from fixed brg.)

ABOVE 50° F. (Move bott. brg. toward fixed brg.)

SETTING ANCHOR BOLTS AT EXP. BRG.

 $D = {}^{l}_{8}$ " per each 100' of expansion for every 15° temp. change from the normal temp. of 50°F.

Elastomeric Bearing Assembly Type II	Each	10
Jack and Remove Existing Bearings	Each	10
Furnishing and Erecting Structural Steel	Pound	1150

Anchor Bolts 1"0

BILL OF MATERIAL

ABUTMENT BEARING REPLACEMENT DETAILS	F.A. RTE.	SECTION
SN 096-0061	823	D7 BRIDGE REPAIR
CUEET NO. 31 OF 35 CUEETC		

COUNTY RS 2014-3 WAYNE 60 52 CONTRACT NO. 74618

20

Each