

Contract #72C32



Bar splicer assemblies shall be of an approved type and shall develop in tension at least 125 percent of the yield strength of the lapped reinforcement bars.

Splicer rods shall be of minimum 60 ksi yield strength, threaded or coiled full length. All reinforcement bars shall be lapped and tied to the splicer rods or dowel bars. Bar splicer assemblies shall be epoxy coated according to the requirements for reinforcement bars.

Other systems of similar design may be submitted to the Engineer for approval. Approval shall be based on certified test results from an approved testing laboratory that the proposed bar splicer assembly satisfies the following requirements:


Minimum Capacity (Tension in kips) = 1.25 x fy x  $A_t$ 

Minimum \*Pull-out Strength = 0.66 x fy x A<sub>t</sub> (Tension in kips)

Where fy = Yield strength of lapped reinforcement bars in ksi.

 $\dot{A}_t$  = Tensile stress area of lapped reinforcement bars. \* = 28 day concrete

#### BAR SPLICER ASSEMBLIES Strength Requirements Bar Size to Splicer Rod or Min. Capacity | Min. Pull-Out Strength be Spliced Dowel Bar Length kips - tension kips - tension 7.9 #4 1'-8'' 14.7 12.3 #5 2'-2" 23.0 17.4 2'-7" *33.1* #6 #7 23.8 3'-5" 45.1 58.9 4'-6' #8 31.3 #9 5′-9′′ 75.0 39.6 #10 7'-3" 95.0 50.3 #11 9'-0" 117.4 61.8



#### STANDARD


Bar Size	No. Assemblies Required	Location

ILLINOIS DEPARTMENT OF TRANSPORTATION

BAR SPLICER ASSEMBLY DETAILS I 55 OVER MACOUPIN CREEK F.A.I. ROUTE 55 - SEC. (68-4)F **MONTGOMERY COUNTY** STATION 1066+03.18 STRUCTURE NO. 068-0038 N.B. STRUCTURE NO. 068-0039 S.B.

DATE: 04-08 REVISED:

DRAWN BY: MLO CHECKED BY: PBB




# \*\* ONE PIECE - Wire Connector

of the bar spliced.

### BAR SPLICER ASSEMBLY ALTERNATIVES


**WELDED SECTIONS** 

\*\*Heavy Hex Nuts conforming to ASTM A 563, Grade C, D or DH may be used.




#### INSTALLATION AND SETTING METHODS

"A" :Set bar splicer assembly by means of a template bolt. "B" :Set bar splicer assembly by nailing to wood forms or cementing to steel forms. (E): Indicates epoxy coating.



## FOR INTEGRAL OR SEMI-INTEGRAL ABUTMENTS

Bar Splicer for #5 bar
Min. Capacity = 23.0 kips - tension
Min. Pull-out Strength = 12.3 kips - tension
No. Required =



Bar Splicer for #5 bar	
Min. Capacity = 23.0 kips - tension	
Min. Pull-out Strength = 12.3 kips - tension	
No. Required = 160	

BSD-1

10-1-08