## INDEX OF SHEETS

- COVER SHEET
- 2. INDEX OF SHEETS, HIGHWAY STANDARDS, GENERAL NOTES, COMMITMENTS
- 3. 4. SUMMARY OF QUANTITIES
  - 5. TYPICAL SECTIONS AND MILLING DETAILS
- 6. SCHEDULES OF QUANTITIES
- 7. 14. STRUCTURE PLANS

## HIGHWAY STANDARDS

000001-06

001001-02

001006 701006-03

701011-02

701306-03

701311-03

701321-12 701901-02

704001-07

780001-03

781001-03

## COMMITMENTS

NONE

## GENERAL NOTES

- 1. THE STANDARDS AND REVISION NUMBERS SHALL APPLY TO THIS PROJECT.
- 2. THE CONTRACTOR AND THE ENGINEER SHALL BE AWARE THAT NO SURVEY WAS PERFORMED FOR THIS PROJECT. THE STATIONING AND TOPOGRAPHY SHOWN IN THE PLANS WAS CREATED USING MICROFILM AND FIELD MEASUREMENTS. BOTH SHALL BE ASSUMED TO BE APPROXIMATE. THE CONTRACTOR SHALL VERIFY DIMENSIONS AND CONDITIONS IN THE FIELD PRIOR TO CONSTRUCTION AND ORDERING OF MATERIALS.
- 3. ILLINOIS STATE LAW REQUIRES A 48-HOUR NOTICE BE GIVEN TO ALL UTILITIES BEFORE DIGGING. FIELD MARKING OF FACILITIES MAY BE OBTAINED BY CONTACTING J.U.L.I.E. OR FOR NON-MEMBERS, THE UTILITY COMPANY DIRECTLY. AGENCIES KNOWN TO HAVE FACILITIES WITHIN THE PROJECT AREA ARE AS FOLLOWS:
  - \* EGYPTIAN TELEPHONE COOP. ASSN.
  - \* FRONTIER NORTH, INC.
  - \* VILLAGE OF STEELEVILLE

MEMBERS OF J.U.L.I.E. CALL TOLL FREE (800) 892-0123 OR 811 AND ARE INDICATED BY \*. NON-J.U.L.I.E. MEMBERS MUST BE NOTIFIED INDIVIDUALLY.

- 4. ALL TURF AREAS DISTURBED BY THE CONTRACTOR SHALL BE SEEDED WITH THE APPROPRIATE EROSION CONTROL AS DIRECTED BY THE ENGINEER AT THE CONTRACTOR'S EXPENSE.
- 6. TWO CHANGEABLE MESSAGE BOARDS SHALL BE REQUIRED FOR THIS PROJECT. THEY SHALL BE PLACED ONE WEEK PRIOR TO ANY LANE CLOSURE. THE CHANGEABLE MESSAGE BOARDS SHALL BE PLACED ALONG IL 150 AS DIRECTED OF THE ENGINEER.
- 7. OVERNIGHT DROP-OFFS WILL NOT BE PERMITTED NEXT TO AN OPEN LANE OF TRAFFIC.
- 8. THE PROPOSED PAVEMENT MARKING SHALL MATCH THE LOCATIONS OF THE EXISTING PAVEMENT MARKING, AS DIRECTED BY THE ENGINEER.
- 9. THE FOLLOWING MIXTURE REQUIREMENTS ARE APPLICABLE FOR THIS CONTRACT:

MIXTURE USE	SURFACE	BINDER/WIDENING
AC/PG	PG 64~22	PG 64-22
RAP % (MAX)	SEE SPEC.	SEE SPEC.
DESIGN AIR VOIDS	4.0% @ Ndes=90	4.0% @ Ndes=90
MIX COMPOSITION	IL 12.5/9.5	IL 19.0
(GRADATION MIXTURE)		FINE GRADED BIND
FRICTION AGG	MIXTURE "D"	MIXTURE "B"

PLAN QUANTITIES FOR HOT-MIX ASPHALT SURFACE COURSE ITEMS ARE CALCULATED USING A UNIT WEIGHT OF 112 LB/SQ YD/IN (59.8 KG/SQ M/25 MM THICKNESS).

FILE NAME =	USER NAME = gelinh	DESIGNED -	-		REVISED	-	
c:\pw_work\pwidot\gelinh\d0266267\D876F	77-st-plan.dgn	DRAWN -			REVISED	~	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	PLOT SCALE = 100.0000 '/ in.	CHECKED -	•		REVISED	-	~~~
ļ	PLOT DATE = 2/7/2012	DATE -			REVISED	-	

INDEX OF SHEETS, HIGHWAY STANDARDS GENERAL NOTES, COMMITMENTS					
SCALE:	SHEET NO OF SHEETS   STA TO STA				