


PROPOSED IRVING PARK ROAD



NOTES:


1. SEE THE ROADWAY SCHEDULES AND PLAN AND PROFILE SHEETS FOR THE LOCATION OF BARRIER MEDIAN, CONCRETE MEDIAN, TYPE SB-6.18 (MODIFIED), MOUNTABLE MEDIAN, AND CORRUGATED MEDIAN.
2. PROPOSED SIDEWALKS ARE LOCATED INTERMITTENTLY THROUGHOUT THE PROJECT. SEE PLAN AND PROFILE SHEETS FOR LOCATIONS.
3. SEE THE LANDSCAPING DETAIL SHEETS FOR THE LOCATIONS OF: TOPSOIL FURNISH AND PLACE, 4", 6", 8", 12", AND 24" SODDING, SALT TOLERANT SEEDING, CLASS 2A AND SEEDING, CLASS 4

P-15 IRVING PARK ROAD STA. 11+19.79 TO STA. 15+00.00

LEGEND

- PROPOSED
- 1 PCC PAVEMENT 10" (JOINTED)
- 2 AGGREGATE SUBGRADE 12"
- 3 CONCRETE MEDIAN, TYPE SB-6.18 (MODIFIED) (SEE DETAIL A)
- 4 COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.18
- 5 COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.24
- 6 CONCRETE MEDIAN SURFACE, 4 INCH
- 7 AGGREGATE BACKFILL (INCLUDED IN THE COST OF CONCRETE MEDIAN SURFACE)
- 8 PORTLAND CEMENT CONCRETE SIDEWALK
- 9 LONGITUDINAL CONSTRUCTION JOINT, NO. 8 EPOXY COATED TIE 24" LONG AT 24" CENTERS
- 10 LONGITUDINAL SAWED JOINT, NO. 6 EPOXY COATED TIE BARS 30" BARS LONG AT 30" CENTERS
- 11 LONGITUDINAL CONSTRUCTION JOINT, NO. 6 EPOXY COATED TIE BARS 24" LONG AT 24" CENTERS, DRILL AND GROUT (INCLUDED IN THE COST OF COMBINATION CONCRETE CURB AND GUTTER, CONCRETE MEDIAN AND CORRUGATED MEDIAN)
- 12 EROSION CONTROL BLANKET (FOR USE ON ALL SEEDED AREAS)
- 13 TOPSOIL FURNISH AND PLACE, - 4" (SEE NOTE 3)
- 14 SODDING, SALT TOLERANT (SEE NOTE 3)
- 15 POROUS GRANULAR EMBANKMENT, SUBGRADE

PROPOSED IRVING PARK ROAD



P-16 IRVING PARK ROAD STA. 15+00.00 TO STA. 21+54.00

* PGE SUBGRADE 12" FROM: STA. 20+50.00 TO STA. 24+45.00

- 19 PORTLAND CEMENT CONCRETE PAVEMENT 10 1/4" (JOINTED)
- 20 STABILIZED SUBBASE - HOT-MIX ASPHALT, 4 1/2"


- PAVEMENT WIDENING AND RESURFACING ARMY TRAIL ROAD AND IRVING PARK ROAD
- 16 POLYMERIZED HOT-MIX ASPHALT SURFACE COURSE, MIX "F", N90 - 1 3/4"
- 17 POLYMERIZED LEVELING BINDER (MACHINE METHOD), IL-4.75, N50 - 3/4"
- 18 HOT-MIX ASPHALT BASE COURSE, 12 1/4"
- PAVEMENT WIDENING AND RESURFACING (ALL OTHER SIDESTREETS)
- 19 HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70 - 1 1/2"
- 17 POLYMERIZED LEVELING BINDER (MACHINE METHOD), IL-4.75, N50 - 3/4"
- 18 HOT-MIX ASPHALT BASE COURSE, 9 1/4"

PATRICK ENGINEERING INC.
4870 VARSITY DRIVE
LISLE, IL 60532
patrickengineering.com

USER NAME = ckarsten@lisle.R
PLOT CONFIG = PDFFigLarge.plt
PLOT SCALE = 1:6.66667
PLOT DATE = 3/9/2011

DESIGNED - CPK
DRAWN - ERC
CHECKED - CPK
DATE - 12/3/2010

REVISED - 03/11/2011
REVISED -
REVISED -
REVISED -



IRVING PARK ROAD PROPOSED TYPICAL SECTIONS

SCALE: NA SHEET TYP-17 OF 22 STA. TO STA.

F.A. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
2578	532B		781	58
FED. ROAD DIST. NO.			CONTRACT NO. 60477	
ILLINOIS			FED. AID PROJECT	