





Concrete Removal

Bk. of Abutment

2'-6"

FAP 614

<u>SECTION A - A</u> (Existing)

***Epoxy grout bars v(E) in 9" min. drilled holes according to Section 584 of the Standard Specifications.

TOTAL SHEET NO.

39 20

MORGAN

FED. ROAD DIST. NO. 7 ILLINOIS PROJECT

* 148BR-2

SHEET NO. 6 12 SHEETS

CONTRACT NO. 72991

<u>BILL OF MATERIAL</u> TWO ABUTMENTS

				-
Bar	No.	Size	Length	Shape
v(E)	50	#5	3'-7"	٦
Concrete Removal			Cu. Yd.	0.8
Reinforcement Bars, Epoxy Coated			Lbs.	190

* Existing Dowel Rods shall be burned off flush with the top of existing concrete, ground smooth, and sealed with epoxy. Cost to be included in the cost of Removal of Existing Superstructures. After beams have been erected, holes shall be drilled into substructure and anchor dowels placed. Dowel holes shall be filled with non-shrink grout to top of beam and allowed to cure min. 24 hrs. prior to grouting the shear keys.

**Existing reinforcement bars extending into new construction shall be cleaned, straightened and incorporated into the new construction.

Cost to be included with Concrete Removal.

DESIGNED	BAN
CHECKED	JOН
DRAWN	TC/TD
CHECKED	BAN
CHECKED	

ILLINOIS ROUTE 78 OVER
MAUVAISE TERRE CREEK
F.A.P. 614 SEC. 148BR-2

MORGAN COUNTY

STATION 16+34.85

STR. NO. 069-0005

<u>ABUTMENTS</u>

HUTCHISON ENGINEERING, INC. JACKSONVILLE, ILLINOIS