



BORING LOG RW-49

 <b>Geo Services, Inc.</b> Geotechnical, Environmental & Civil Engineering 805 Amherst Court, Suite 204 Naperville, Illinois 60565 (630) 355-3838		<b>SOIL BORING LOG</b>		PAGE 1 of 1 DATE 3/14/2011 LOGGED BY RJ GSI JOB No. 09173	
ROUTE <u>Il. Route 59 (FAP 338)</u> DESCRIPTION <u>Illinois Route 59-Aurora Avenue/New York Street To Ferry Road</u>		SECTION <u>(112 &amp; 113) WRS-5</u> LOCATION <u>SEC. 3, 9-10, 15-16, 21-22 TWP. 38N, RNG. 9E, Naperville Township</u>			
COUNTY <u>DuPage</u> DRILLING METHOD <u>Hollow Stem Auger</u> HAMMER TYPE <u>CME Automatic</u>		STRUCT. NO. <u>022-W053</u> Station: <u>4032+15 to 4034+49</u>			
BORING NO. <u>RW-47</u> Station: <u>4032+16 IL RTE-59</u> Offset: <u>72.5' Left</u> Ground Surface Elev. <u>710.8</u>		Surface Water Elev. <u>n/a</u> Stream Bed Elev. <u>n/a</u> Groundwater Elevation: First Encounter <u>693.3</u> $\nabla$ Upon Completion <u>693.3</u> $\nabla$ After _____ Hrs. $\nabla$		DEPT H S Qu T B L O C S U C S M O I S T	
4.0" ASPHALT, 7.0" CRUSHED STONE 710.0					
CLAY LOAM-brown-stiff (A-6) Possible Fill 707.8					
SANDY LOAM-brown-loose to medium dense (A-2) 699.8					
SILTY LOAM-gray-loose to medium dense (A-4) 694.8					
SAND & GRAVEL-gray-medium dense (A-1) 693.3					
CLAY-gray-very stiff (A-6) 690.8					
End Of Boring @ -20.0' Hollow Stem Augers CME Automatic Hammer 690.8 - 20 13 2.2B 14					

BORING LOG RW-50

 <b>Geo Services, Inc.</b> Geotechnical, Environmental & Civil Engineering 805 Amherst Court, Suite 204 Naperville, Illinois 60565 (630) 355-3838		<b>SOIL BORING LOG</b>		PAGE 1 of 1 DATE 3/14/2011 LOGGED BY RJ GSI JOB No. 09173	
ROUTE <u>Il. Route 59 (FAP 338)</u> DESCRIPTION <u>Illinois Route 59-Aurora Avenue/New York Street To Ferry Road</u>		SECTION <u>(112 &amp; 113) WRS-5</u> LOCATION <u>SEC. 3, 9-10, 15-16, 21-22 TWP. 38N, RNG. 9E, Naperville Township</u>			
COUNTY <u>DuPage</u> DRILLING METHOD <u>Hollow Stem Auger</u> HAMMER TYPE <u>CME Automatic</u>		STRUCT. NO. <u>022-W053</u> Station: <u>4032+15 to 4034+49</u>			
BORING NO. <u>RW-48</u> Station: <u>4032+74 IL RTE-59</u> Offset: <u>72.5' Left</u> Ground Surface Elev. <u>711.8</u>		Surface Water Elev. <u>n/a</u> Stream Bed Elev. <u>n/a</u> Groundwater Elevation: First Encounter <u>Dry</u> $\nabla$ Upon Completion <u>Dry</u> $\nabla$ After _____ Hrs. $\nabla$		DEPT H S Qu T B L O C S U C S M O I S T	
3.0" ASPHALT, 6.0" CRUSHED STONE 711.0					
CLAY to CLAY LOAM-brown-medium stiff to stiff (A-6) Wet 706.3					
SILTY LOAM to LOAM-brown-loose to medium dense (A-4) 701.3					
SILTY CLAY-gray-medium stiff (A-6) 698.8					
SAND & GRAVEL-brown-medium dense (A-1) 696.3					
SAND & GRAVEL-gray-medium dense (A-1) 693.8					
CLAY-gray-very stiff (A-6) 691.8					
End Of Boring @ -20.0' Hollow Stem Augers CME Automatic Hammer 691.8 - 20 9 2.0P 20					

FILE NAME = ...60R31-W053-010-BoringLog2.dgn



Zroka Engineering, P.C.  
 4216 North Hermitage  
 Chicago, IL 60613

DESIGNED - LAS	REVISED -
CHECKED - DAZ	REVISED -
DRAWN - SAW	REVISED -
CHECKED - LAS	REVISED -

**STATE OF ILLINOIS**  
**DEPARTMENT OF TRANSPORTATION**

**SOIL BORING LOGS 2**  
**STA. 4032+14.15 TO STA. 4034+06.00 SN 022-W053**

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-6	DUPAGE	734	530
CONTRACT NO. 60R31				

SHEET NO. SD-10 OF SD-10 SHEETS

ILLINOIS FED. AID PROJECT