

GENERAL NOTES  
(Revised January 23, 2009)

ALL SOILS DISTURBED BY ANY CONSTRUCTION OPERATION SHALL BE LEFT ON, AND INCORPORATED WITHIN, THE PROJECT LIMITS AND EXISTING RIGHT OF WAY.

THE THICKNESS OF HMA SHOWN ON THE PLANS IS THE NOMINAL THICKNESS. DEVIATIONS FROM THE NOMINAL THICKNESS WILL BE PERMITTED WHEN SUCH DEVIATIONS OCCUR DUE TO IRREGULARITIES IN THE EXISTING SURFACE OR BASE ON WHICH THE HMA IS PLACED.

THE HMA SURFACE OF ALL ALLEYS AND SIDE STREETS SHALL BE MADE NEATLY, IN A WORKMANLIKE MANNER, AND SHALL ACCURATELY CONFORM TO THE SHAPES AND DIMENSIONS SHOWN ON THE PLAN DETAILS. IF REQUIRED BY THE ENGINEER, THE CONTRACTOR SHALL BE REQUIRED TO SAW CUT THE HMA SURFACE TO CONFORM TO THE SHAPES AND DIMENSIONS SHOWN ON THE PLAN DETAILS. THIS WORK SHALL BE INCLUDED IN THE COST OF THE HMA SURFACE.

THE ENGINEER WILL BE THE SOLE JUDGE CONCERNING CURING TIME FOR THE VARIOUS HMA LIFTS.

FOR STABILIZATION, ALL TYPE III BARRICADES SHALL REQUIRE A MINIMUM OF FOUR SAND BAGS PER BARRICADE.

THE FINISHED EARTHWORK SHALL HAVE A VEGETATION SUSTAINING SOIL COVERING THE TOP FOUR INCHES IN AREAS TO BE SEED OR SODDED. THE VEGETATION SUSTAINING SOIL REQUIRED WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE INCLUDED IN THE COST OF EARTH EXCAVATION.

ANY REFERENCE TO A STANDARD IN THESE PLANS SHALL BE INTERPRETED TO MEAN THE EDITION AS INDICATED BY THE SUBNUMBER SHOWN IN THE LIST OF STANDARDS OR THE COPY INCLUDED IN THESE PLANS.

THE FOLLOWING RATES OF APPLICATION HAVE BEEN USED IN CALCULATING PLAN QUANTITIES:

|  |        |                            |
|--|--------|----------------------------|
| GRANULAR MATERIALS                     | 2.05   | TONS / CU YD               |
| BITUMINOUS MATERIALS<br>(PRIME COAT)   | 0.08   | GAL / SQ YD                |
| FOR ADDITIONAL HMA LIFTS<br>"FOG COAT" | 0.05   | GAL / SQ YD                |
| AGGREGATE PRIME COAT                   | 0.002  | TONS / SQ YD               |
| HMA RESURFACING                        | 112    | LBS / SQ YD / IN           |
| SHORT TERM PAVEMENT MARKING            | 10     | FT / 100 FT OF APPLICATION |
| MIX FOR CRACKS, JTS & FLGWYS           | 0.0003 | TONS / SQ YD               |
| LEVEL BINDER (HAND METHOD)             | 0.0005 | TONS / SQ YD               |

THE CONTRACTOR SHALL CONTACT JULIE AT LEAST 48 HOURS PRIOR TO EXCAVATION TO DETERMINE WHICH UTILITIES ARE IN THE AREA.

FOR ANY WATER VALVES REQUIRING ADJUSTMENT CONTACT:

CITY OF GENOA  
PUBLIC WORKS DIRECTOR  
333 EAST FIRST STREET  
GENOA, ILLINOIS 60135  
PHONE (815) 784-2271

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION  
DISTRICT THREE

PREPARED BY: Red Powell  
DISTRICT STUDIES & PLANS ENGINEER

DATE: 10/2/09

EXAMINED BY: [Signature]  
DISTRICT CONSTRUCTION ENGINEER

[Signature]  
DISTRICT MATERIALS ENGINEER

[Signature]  
DISTRICT OPERATIONS ENGINEER

|   |  |            |           |   |                      |   |           |        |              |           |  |
|---|--|------------|-----------|---|----------------------|---|-----------|--------|--------------|-----------|--|
| FILE NAME =                             | USER NAME = verdinemi                  | DESIGNED - | REVISED - | <b>STATE OF ILLINOIS<br/>DEPARTMENT OF TRANSPORTATION</b> | <b>GENERAL NOTES</b> | F.A.P. RTE.   | SECTION   | COUNTY | TOTAL SHEETS | SHEET NO. |  |
| es:\pe_work\PM\2007\VERDINEMI\66746.dwg | 66746-ahtrcover.dgn                    | DRAWN -    | REVISED - |   |                      | 553   | (128)RS-4 | DEKALB | 13           | 2         |  |
|   | PLOT SCALE = 58.0000' / IN.            | CHECKED -  | REVISED - |   |                      | SCALE: SHEET NO. OF SHEETS STA. TO STA. FED. ROAD DIST. NO. [ILLINOIS] FED. AID PROJECT |           |        |              |           |  |
|   | PLOT DATE = Oct 01, 2009 - 02:46:59 PM | DATE -     | REVISED - |   |                      | CONTRACT NO. 66746  |           |        |              |           |  |