

ENTRANCE / SIDEROAD IMPROVEMENT SCHEDULE																	
LOCATION	TYPE OF ENTRANCE	EX MATERIAL TYPE	WIDTH	RT OFFSET	LT OFFSET	LENGTH (FROM EDGE OF PVT/ HMA SHLD TO LIMITS OF IMPROVEMENT)	PR HMA. CONC. THICKNESS	HMA. SURF. REM. - BUTT JOINT	PAVEMENT REMOVAL	PREP OF BASE	AGG. BASE REPAIR	AGGREGATE BASE COURSE TY - B	BIT (P. C.)	AGG (P. C.)	INCIDENTAL HMA. SURF.	P. C. C. DRIVEWAY PAVEMENT 6"	P. C. C. DRIVEWAY PAVEMENT 8"
(LT / RT) (STA) (+)	(FE / PE / CE / MB) (RURAL)	(EARTH / AGG. / HMA. / P. C. C.)	FOOT	FOOT	FOOT	FOOT	INCH	SQ. YD.	SQ. YD.	SQ. YD.	TON	TON	TON	TON	TON	SQ. YD.	SQ. YD.
RT STA. 804+21	P. E.	AGG	16	39		19					35						14
RT STA. 805+40	P. E.	AGG	16	39		19					6						14
RT STA. 810+70	P. E.	AGG	16	49		29					6						20
RT STA. 813+70	P. E.	AGG	32	49		29					58						31
TOTAL =									105			79					