

STR. NO.	STATION	OFFSET (NOTE 1) FEET	ELEVATION (NOTE 2, 3) FEET	STRUCTURE TYPE								END SECTION 24"	
				ADJUST NEW F&G SP EACH	INLETS				MANHOLE, TYPE A, 4' DIAMETER,		MANHOLE, TYPEA, 5' DIAMETER T 8 GRATE EACH		
					SPECIAL F&G EACH	T 3 F&G EACH	TY 8 GRATE EACH	T 3 F&G EACH	TY 8 GRATE EACH	T 3 F&G EACH			T 8 GRATE EACH
171	STA 32+25.00	LT 30.00	712.71										
172	STA 32+25.00	LT 19.50	713.44			1							
173	STA 32+77.50	RT 28.00	712.87				1						
174	STA 32+77.50	RT 19.50	713.68					1					
175	STA 33+10.00	LT 30.00	713.24						1				
176	STA 33+10.00	LT 19.50	713.80			1							
177	STA 34+38.51	LT 30.00	714.20					1					
178	STA 34+32.00	RT 28.00	713.64				1						
179	STA 34+32.00	RT 19.50	714.34					1					
180	STA 34+67.65	LT 30.00	714.30			1							
181	STA 35+66.00	LT 30.00	713.54				1						
182	STA 36+50.00	RT 19.50	714.58			1							
183	STA 36+50.00	RT 28.00	713.49						1				
184	STA 36+89.00	LT 30.00	714.51						1				
185	STA 36+89.00	LT 19.50	713.36			1							
186	STA 37+55.00	LT 30.00	713.58						1				
187	STA 37+55.00	LT 19.50	714.44			1							
188	STA 37+40.00	RT 19.50	714.48			1							
189	STA 37+40.00	RT 30.00	713.35						1				
190	STA 38+00.00	LT 30.00	713.37						1				
191	STA 38+00.00	LT 19.50	714.41			1							
192	STA 38+05.00	RT 19.50	714.41			1							
193	STA 38+05.00	RT 30.00	713.16						1				
194	STA 38+70.00	LT 30.00	712.92						1				
195	STA 38+70.00	LT 19.50	714.28			1							
196	STA 38+56.00	RT 19.50	714.34			1							
197	STA 38+56.00	RT 30.00	713.01						1				
198	STA 39+25.00	LT 30.00	712.71						1				
199	STA 39+25.00	LT 19.50	714.04			1							
200	STA 39+30.00	RT 19.50	714.03			1							
201	STA 39+30.00	RT 30.00	712.45						1				
202	STA 40+25.00	LT 30.00	712.11						1				
203	STA 40+15.00	RT 30.00	711.54						1				
204	STA 41+90.00	LT 30.00	710.15						1				
205	STA 41+90.00	LT 19.50	711.50			1							
206	STA 42+25.00	RT 19.50	711.15			1							
207	STA 42+25.00	RT 30.00	709.04						1				
208	STA 43+00.00	LT 30.00	708.69							1			
209	STA 44+12.50	LT 30.00	707.53							1			
210	STA 44+12.50	LT 19.50	709.15			1							
211	STA 44+12.50	RT 19.50	709.17			1							
212	STA 44+12.50	RT 30.00	707.19						1				
213	STA 45+30.00	LT 30.00	706.43							1			
214	STA 45+25.00	RT 19.50	707.43			1							
215	STA 45+25.00	RT 30.00	706.18							1			
216	STA 46+10.00	LT 30.00	705.84							1			
217	STA 46+10.00	LT 19.50	707.05			1							
218	STA 48+00.00	LT 30.00	703.41								1		
219	STA 48+00.00	LT 19.50	704.78					1					
220	STA 48+00.00	RT 19.50	704.78					1					
221	STA 48+00.00	RT 30.00	703.29								1		
222	STA 44+74.12	RT 30.00	707.37							1			
223	STA 49+40.00	RT 32.40	701.51							1			
224	STA 46+59.93	RT 30.00	705.10							1			
225	STA 49+75.00	RT 35.00	698.36									1	
226	STA 51+07.00	RT 35.8	697.28									1	
227	STA 51+47.00	RT 35.8	696.95									1	
228	STA 55+39.00	RT 40.6	693.75									1	
229	STA 55+99.00	RT 39.5	693.33									1	
230	STA 20+63.71	LT 52.61	711.88										
231	STA 21+02.56	LT 52.79	712.05										
232	STA 34+35.51	LT 47.79	713.59										
233	IL 99 STA 1+76.34	RT 28.00	710.99							1			
234	IL 99 STA 2+25.00	RT 28.00	710.81							1			
235	IL 99 STA 4+20.00	RT 28.00	709.90							1			
236	IL 99 STA 5+20.00	RT 28.00	709.55							1			
237	IL 99 STA 7+00.00	RT 28.00	708.98							1			
238	IL 99 STA 8+00.00	RT 28.00	708.66							1			
EX 239	IL 99 STA 10+33.14	RT 28.00	707.91										
EX 240	SS BL STA 11+33.80	0.00	712.09										
NHS LIMIT TOTALS				0	0	19	6	5	17	0	14	2	5
GRAND TOTALS				1	1	30	24	29	26	4	15	3	5

NOTE: SEE LOCATION MAP ON COVER SHEET FOR FUNDING LIMITS to SAFETY, STP, AND NHS.

- NOTE:
1. REFERENCE LOCATION FOR MANHOLES AND INLETS IS THE CENTERLINE OF STRUCTURE.
 2. REFERENCE ELEVATION FOR TYPE 3 FRAME AND GRATES IS AT THE EDGE OF PAVEMENT.
 3. REFERENCE ELEVATION FOR TYPE 8 GRATES IS ON TOP OF FLANGE.
 4. REFERENCE ELEVATION FOR END SECTIONS IS AT THE PIPE INVERT.