



STORM SEWERS

NO.	LOCATION	STORM SEWERS, TYPE 1, RCCP, CL 4, 12' FOOT	USFL ELEVATION	DSFL ELEVATION	CLSM CU YD
MONROE ST					
S12	48.75' LT - 43.2' LT STA 51+88	5.5	604.40	604.34	0.2
S13	17.25' RT STA 52+20 TO 48.00' RT STA 51+88	46	604.40	602.70	7.5
S14	32.4' RT - 46.50' RT STA 51+88	14.1	602.80	602.70	3.4
S15	47.50' LT STA 54+26.5 TO 44.42' LT STA 54+59	32.5	602.30	602.20	1.5
S16	37.6' LT - 43.42' LT STA 54+60	5.82	602.20	602.15	1.1
S17	17.25' RT STA 54+70 TO 44.83' RT STA 54+77.4	26.5	601.40	601.23	13.6
S18	14.6' RT STA 7+09 TO 1.0' RT STA 7+55	46	604.40	603.30	6.3
TOTAL		176.42			33.6

STRUCTURE

STRUCTURE NO.	LOCATION	INLETS, TYPE A, TYPE 3 FRAME AND GRATE	INLETS, TYPE B, TYPE 3 FRAME AND GRATE	RESTRICTED DEPTH MANHOLES, 4'- DIAMETER, TYPE 3 FRAME AND GRATE	RESTRICTED DEPTH MANHOLES, 4'- DIAMETER, TYPE 1 FRAME, CLOSED LID	FLOWLINE GRATE	FLOWLINE 12' EAST	FLOWLINE 12' WEST	FLOWLINE 12' NORTH	FLOWLINE 12' SOUTH
MONROE ST										
A16	49.25' LT STA 51+88	1				606.32				604.40
A17	17.25' RT STA 52+20	1				607.00		604.40		
M18	48.00' RT STA 51+88			1		606.55	602.70		602.70	601.10
A19	47.50' LT STA 54+26	1				604.42	602.30			
B20	44.42' LT STA 54+60		1			604.62		602.20		602.20
B21	17.25' RT STA 54+70		1			607.00			601.50	601.40
M23	1.00' RT STA 7+55				1	606.97		603.30		603.00
A24	14.64' RT STA 7+10	1				606.64	604.40			
SHEET TOTAL		4	2	1	1					