If you plan to submit a bid directly to the Department of Transportation

PREQUALIFICATION

Any contractor who desires to become pre-qualified to bid on work advertised by IDOT must submit the properly completed pre-qualification forms to the Bureau of Construction no later that 4:30 p.m. prevailing time twenty-one days prior to the letting of interest. This pre-qualification requirement applies to first time contractors, contractors renewing expired ratings, contractors maintaining continuous pre-qualification or contractors requesting revised ratings. To be eligible to bid, existing pre-qualification ratings must be effective through the date of letting.

REQUESTS FOR AUTHORIZATION TO BID

Contractors wanting to bid on items included in a particular letting must submit the properly completed "Request for Authorization to Bid/or Not For Bid Status" (BDE 124INT) and the ORIGINAL "Affidavit of Availability" (BC 57) to the proper office no later than 4:30 p.m. prevailing time, three (3) days prior to the letting date.

WHO CAN BID ?

Bids will be accepted from only those companies that request and receive written **Authorization to Bid** from IDOT's Central Bureau of Construction.

WHAT CONSTITUTES WRITTEN AUTHORIZATION TO BID?: When a prospective prime bidder submits a "Request for Authorization to Bid/or Not For Bid Status" (BDE 124INT) he/she must indicate at that time which items are being requested For Bidding purposes. Only those items requested For Bidding will be analyzed. After the request has been analyzed, the bidder will be issued a **Proposal Denial** and/or Authorization Form, approved by the Central Bureau of Construction, that indicates which items have been approved For Bidding. If Authorization to Bid cannot be approved, the **Proposal Denial** and/or Authorization Form will indicate the reason for denial.

ABOUT AUTHORIZATION TO BID: Firms that have not received an authorization form within a reasonable time of complete and correct original document submittal should contact the department as to status. This is critical in the week before the letting. These documents must be received three days before the letting date. Firms unsure as to authorization status should call the Prequalification Section of the Bureau of Construction at the number listed at the end of these instructions.

ADDENDA AND REVISIONS: It is the contractor's responsibility to determine which, if any, addenda or revisions pertain to any project they may be bidding. Failure to incorporate all relevant addenda or revisions may cause the bid to be declared unacceptable.

Each addendum will be placed with the contract number. Addenda and revisions will also be placed on the Addendum/Revision Checklist and each subscription service subscriber will be notified by e-mail of each addendum and revision issued.

The Internet is the Department's primary way of doing business. The subscription server e-mails are an added courtesy the Department provides. It is suggested that bidders check IDOT's website at http://www.dot.il.gov/desenv/delett.html before submitting final bid information.

IDOT IS NOT RESPONSIBLE FOR ANY E-MAIL FAILURES.

Addenda Questions may be directed to the Contracts Office at (217)782-7806 or D&Econtracts@dot.il.gov

Technical Questions about downloading these files may be directed to Tim Garman (217)524-1642 or <u>Timothy.Garman@illinois.gov.</u>

WHAT MUST BE INCLUDED WHEN BIDS ARE SUBMITTED?: Bidders need not return the entire proposal when bids are submitted. That portion of the proposal that must be returned includes the following:

- 1. All documents from the Proposal Cover Sheet through the Proposal Bid Bond
- 2. Other special documentation and/or information that may be
 - required by the contract special provisions

All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed by IDOT personnel.

ABOUT SUBMITTING BIDS: It is recommended that bidders deliver bids in person to insure they arrive at the proper location prior to the time specified for the receipt of bids. Any bid received at the place of letting after the time specified will not be accepted.

WHO SHOULD BE CALLED IF ASSISTANCE IS NEEDED?

Questions Regarding	Call
Prequalification and/or Authorization to Bid	217/782-3413
Preparation and submittal of bids	217/782-7806
Mailing of plans and proposals	217/782-7806

ADDENDUMS AND REVISIONS TO THE PROPOSAL FORMS

Planholders should verify that they have received and incorporated any addendum and/or revision prior to submitting their bid. Failure by the bidder to include and addendum or revision could result in a bid being rejected as irregular.

Proposal Submitted By

2	5
J	

Name

Address

City

Letting January 16, 2009

NOTICE TO PROSPECTIVE BIDDERS

This proposal can be used for bidding purposes by only those companies that request and receive written AUTHORIZATION TO BID from IDOT's Central Bureau of Construction. (SEE INSTRUCTIONS ON THE INSIDE OF COVER)

BIDDERS NEED NOT RETURN THE ENTIRE PROPOSAI (See instructions inside front cover)

Notice To Bidders, Specifications, Proposal, Contract and Contract Bond



Springfield, Illinois 62764

Contract No. 68835 PEORIA County Section D4 SIGNAL WORK 2009 District 4 Construction Funds Route FAP 646

PLEASE MARK THE APPROPRIATE BOX BELOW:

A <u>Bid</u> Bond is included.

A Cashier's Check or a Certified Check is included.

Plans Included Herein

Prepared by

S Checked by Printed by authority of the State of Illinois

INSTRUCTIONS

ABOUT IDOT PROPOSALS: All proposals issued by IDOT are potential bidding proposals. Each proposal contains all Certifications and Affidavits, a Proposal Signature Sheet and a Proposal Bid Bond required for Prime Contractors to submit a bid after written **Authorization to Bid** has been issued by IDOT's Central Bureau of Construction.

WHO CAN BID?: Bids will be accepted from only those companies that request and receive written **Authorization to Bid** from IDOT's Central Bureau of Construction. To request authorization, a potential bidder <u>must complete and submit Part</u> <u>B of the Request for Authorization to Bid/or Not For Bid Status form (BDE 124 INT) and submit an original Affidavit of Availability (BC 57).</u>

WHAT CONSTITUTES WRITTEN AUTHORIZATION TO BID?: When a prospective prime bidder submits a "Request for Proposal Forms and Plans" he/she must indicate at that time which items are being requested For Bidding purposes. Only those items requested For Bidding will be analyzed. After the request has been analyzed, the bidder will be issued a **Proposal Denial and/or Authorization Form**, approved by the Central Bureau of Construction, that indicates which items have been approved For Bidding. If **Authorization to Bid** cannot be approved, the **Proposal Denial and/or Authorization Form**, they should contact the Central Bureau of Construction in advance of the letting date.

WHAT MUST BE INCLUDED WHEN BIDS ARE SUBMITTED?: Bidders need not return the entire proposal when bids are submitted. That portion of the proposal that must be returned includes the following:

- 1. All documents from the Proposal Cover Sheet through the Proposal Bid Bond
- 2. Other special documentation and/or information that may be required by the contract special provisions

All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed by IDOT personnel.

ABOUT SUBMITTING BIDS: It is recommended that bidders deliver bids in person to insure they arrive at the proper location prior to the time specified for the receipt of bids. Any bid received at the place of letting after the time specified will not be accepted.

WHO SHOULD BE CALLED IF ASSISTANCE IS NEEDED?

Questions Regarding	Call
Prequalification and/or Authorization to Bid	217/782-3413
Preparation and submittal of bids	217/782-7806
Mailing of CD-ROMS	217/782-7806



PROPOSAL

TO THE DEPARTMENT OF TRANSPORTATION

1. Proposal of ______

Taxpayer Identification Number (Mandatory) ______a

for the improvement identified and advertised for bids in the Invitation for Bids as:

Contract No. 68835 PEORIA County Section D4 SIGNAL WORK 2009 Route FAP 646 District 4 Construction Funds

This project consists of installing fiber optic cable and modifying existing signal controllers for traffic signal interconnect along IL Route 40 from the Pennsylvania/Interstate 74 ramps to the intersection of Glen Avenue in Peoria.

2. The undersigned bidder will furnish all labor, material and equipment to complete the above described project in a good and workmanlike manner as provided in the contract documents provided by the Department of Transportation. This proposal will become part of the contract and the terms and conditions contained in the contract documents shall govern performance and payments.

BD 353A (Rev. 12/2005)

- 3. ASSURANCE OF EXAMINATION AND INSPECTION/WAIVER. The undersigned further declares that he/she has carefully examined the proposal, plans, specifications, form of contract and contract bond, and special provisions, and that he/she has inspected in detail the site of the proposed work, and that he/she has familiarized themselves with all of the local conditions affecting the contract and the detailed requirements of construction, and understands that in making this proposal he/she waives all right to plead any misunderstanding regarding the same.
- 4. EXECUTION OF CONTRACT AND CONTRACT BOND. The undersigned further agrees to execute a contract for this work and present the same to the department within fifteen (15) days after the contract has been mailed to him/her. The undersigned further agrees that he/she and his/her surety will execute and present within fifteen (15) days after the contract has been mailed to him/her contract bond satisfactory to and in the form prescribed by the Department of Transportation, in the penal sum of the full amount of the contract, guaranteeing the faithful performance of the work in accordance with the terms of the contract.
- 5. **PROPOSAL GUARANTY.** Accompanying this proposal is either a bid bond on the department form, executed by a corporate surety company satisfactory to the department, or a proposal guaranty check consisting of a bank cashier's check or a properly certified check for not less than 5 per cent of the amount bid or for the amount specified in the following schedule:

			Proposal				Proposal
	Amount of	of Bid	<u>Guaranty</u>	<u>An</u>	nount o	<u>f Bid</u>	<u>Guaranty</u>
Up to		\$5,000	\$150	\$2,000,000	to	\$3,000,000	\$100,000
\$5,000	to	\$10,000	\$300	\$3,000,000	to	\$5,000,000	\$150,000
\$10,000	to	\$50,000	\$1,000	\$5,000,000	to	\$7,500,000	\$250,000
\$50,000	to	\$100,000	\$3,000	\$7,500,000	to	\$10,000,000	\$400,000
\$100,000	to	\$150,000	\$5,000	\$10,000,000	to	\$15,000,000	\$500,000
\$150,000	to	\$250,000	\$7,500	\$15,000,000	to	\$20,000,000	\$600,000
\$250,000	to	\$500,000	\$12,500	\$20,000,000	to	\$25,000,000	\$700,000
\$500,000	to	\$1,000,000	\$25,000	\$25,000,000	to	\$30,000,000	\$800,000
\$1,000,000	to	\$1,500,000	\$50,000	\$30,000,000	to	\$35,000,000	\$900,000
\$1,500,000	to	\$2,000,000	\$75,000	over		\$35,000,000	. \$1,000,000

Bank cashier's checks or properly certified checks accompanying proposals shall be made payable to the Treasurer, State of Illinois, when the state is awarding authority; the county treasurer, when a county is the awarding authority; or the city, village, or town treasurer, when a city, village, or town is the awarding authority.

If a combination bid is submitted, the proposal guaranties which accompany the individual proposals making up the combination will be considered as also covering the combination bid.

The amount of the proposal guaranty check is _______(). If this proposal is accepted and the undersigned shall fail to execute a contract bond as required herein, it is hereby agreed that the amount of the proposal guaranty shall become the property of the State of Illinois, and shall be considered as payment of damages due to delay and other causes suffered by the State because of the failure to execute said contract and contract bond; otherwise, the bid bond shall become void or the proposal guaranty check shall be returned to the undersigned.

Attach Cashier's Check or Certified Check Here

In the event that one proposal guaranty check is intended to cover two or more proposals, the amount must be equal to the sum of the proposal guaranties which would be required for each individual proposal. If the guaranty check is placed in another proposal, state below where it may be found.

Mark the proposal cover sheet as to the type of proposal guaranty submitted.

6. **COMBINATION BIDS.** The undersigned further agrees that if awarded the contract for the sections contained in the following combination, he/she will perform the work in accordance with the requirements of each individual proposal comprising the combination bid specified in the schedule below, and that the combination bid shall be prorated against each section in proportion to the bid submitted for the same. If an error is found to exist in the gross sum bid for one or more of the individual sections included in a combination, the combination bid shall be corrected as provided in the specifications.

When a combination bid is submitted, the schedule below must be completed in each proposal comprising the combination.

If alternate bids are submitted for one or more of the sections comprising the combination, a combination bid must be submitted for each alternate.

Schedule of Combination Bids

Combination		Combination Bid						
No.	Sections Included in Combination	Dollars	Cents					

- 7. SCHEDULE OF PRICES. The undersigned bidder submits herewith, in accordance with the rules and instructions, a schedule of prices for the items of work for which bids are sought. The unit prices bid are in U.S. dollars and cents, and all extensions and summations have been made. The bidder understands that the quantities appearing in the bid schedule are approximate and are provided for the purpose of obtaining a gross sum for the comparison of bids. If there is an error in the extension of the unit prices, the unit prices shall govern. Payment to the contractor awarded the contract will be made only for actual quantities of work performed and accepted or materials furnished according to the contract. The scheduled quantities of work to be done and materials to be furnished may be increased, decreased or omitted as provided elsewhere in the contract.
- 8. **CERTIFICATE OF AUTHORITY.** The undersigned bidder, if a business organized under the laws of another State, assures the Department that it will furnish a copy of its certificate of authority to do business in the State of Illinois with the return of the executed contract and bond. Failure to furnish the certificate within the time provided for execution of an awarded contract may be cause for cancellation of the award and forfeiture of the proposal guaranty to the State.

ILLINOIS DEPARTMENT OF TRANSPORTATION SCHEDULE OF PRICES CONTRACT 68835 NUMBER -

C-94-105-08 State Job # -PPS NBR -0-00849-4015 County Name -PEORIA- -Code -143 - -4 - -District -

Project Number

Route

FAP 646

Section Number -D4 SIGNAL WORK 2009

ltem Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
X8710020	FOCC62.5/125 MM12SM12	FOOT	15,639.500				
44004610	SIDEWLK REM & REPL SP	SQ FT	448.000				
67100100	MOBILIZATION	L SUM	1.000				
70102632	TR CONT & PROT 701602	L SUM	1.000				
70102635	TR CONT & PROT 701701	L SUM	1.000				
70102640	TR CONT & PROT 701801	L SUM	1.000				
81012600	CON T 2 PVC	FOOT	5,611.000				
81021330	CON P 2 PVC	FOOT	3,616.000				
81400700	HANDHOLE PCC	EACH	19.000				
81400705	HANDHOLE PCC SPL	EACH	2.000				
	TR & BKFIL F ELECT WK	FOOT	5,611.000				
	DRILL EX HANDHOLE	EACH	7.000				
89502210		EACH	9.000				
			0.000				
I	L				L	l	L

Page 1 12/11/2008 CONTRACT NUMBER

68835

THIS IS THE TOTAL BID <u>\$</u>

NOTES:

- 1. Each PAY ITEM should have a UNIT PRICE and a TOTAL PRICE.
- 2. The UNIT PRICE shall govern if no TOTAL PRICE is shown or if there is a discrepancy between the product of the UNIT PRICE multiplied by the QUANTITY.
- 3. If a UNIT PRICE is omitted, the TOTAL PRICE will be divided by the QUANTITY in order to establish a UNIT PRICE.
- 4. A bid may be declared UNACCEPTABLE if neither a unit price nor a total price is shown.

STATE REQUIRED ETHICAL STANDARDS GOVERNING CONTRACT PROCUREMENT: ASSURANCES, CERTIFICATIONS AND DISCLOSURES

I. GENERAL

A. Article 50 of the Illinois Procurement Code establishes the duty of all State chief procurement officers, State purchasing officers, and their designees to maximize the value of the expenditure of public moneys in procuring goods, services, and contracts for the State of Illinois and to act in a manner that maintains the integrity and public trust of State government. In discharging this duty, they are charged by law to use all available information, reasonable efforts, and reasonable actions to protect, safeguard, and maintain the procurement process of the State of Illinois.

B. In order to comply with the provisions of Article 50 and to carry out the duty established therein, all bidders are to adhere to ethical standards established for the procurement process, and to make such assurances, disclosures and certifications required by law. By execution of the Proposal Signature Sheet, the bidder indicates that each of the mandated assurances has been read and understood, that each certification is made and understood, and that each disclosure requirement has been understood and completed.

C. In addition to all other remedies provided by law, failure to comply with any assurance, failure to make any disclosure or the making of a false certification shall be grounds for termination of the contract and the suspension or debarment of the bidder.

II. ASSURANCES

A. The assurances hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous assurance, and the surety providing the performance bond shall be responsible for the completion of the contract.

B. Felons

1. The Illinois Procurement Code provides:

Section 50-10. Felons. Unless otherwise provided, no person or business convicted of a felony shall do business with the State of Illinois or any state agency from the date of conviction until 5 years after the date of completion of the sentence for that felony, unless no person held responsible by a prosecutorial office for the facts upon which the conviction was based continues to have any involvement with the business.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-10.

C. Conflicts of Interest

1. The Illinois Procurement Code provides in pertinent part:

Section 50-13. Conflicts of Interest.

(a) Prohibition. It is unlawful for any person holding an elective office in this State, holding a seat in the General Assembly, or appointed to or employed in any of the offices or agencies of state government and who receives compensation for such employment in excess of 60% of the salary of the Governor of the State of Illinois, or who is an officer or employee of the Capital Development Board or the Illinois Toll Highway Authority, or who is the spouse or minor child of any such person to have or acquire any contract, or any direct pecuniary interest in any contract therein, whether for stationery, printing, paper, or any services, materials, or supplies, that will be wholly or partially satisfied by the payment of funds appropriated by the General Assembly of the State of Illinois or in any contract of the Capital Development Board or the Illinois Toll Highway authority.

(b) Interests. It is unlawful for any firm, partnership, association or corporation, in which any person listed in subsection (a) is entitled to receive (i) more than 7 1/2% of the total distributable income or (ii) an amount in excess of the salary of the Governor, to have or acquire any such contract or direct pecuniary interest therein.

(c) Combined interests. It is unlawful for any firm, partnership, association, or corporation, in which any person listed in subsection (a) together with his or her spouse or minor children is entitled to receive (i) more than 15%, in the aggregate, of the total distributable income or (ii) an amount in excess of 2 times the salary of the Governor, to have or acquire any such contract or direct pecuniary interest therein.

(d) Securities. Nothing in this Section invalidates the provisions of any bond or other security previously offered or to be offered for sale or sold by or for the State of Illinois.

(e) Prior interests. This Section does not affect the validity of any contract made between the State and an officer or employee of the State or member of the General Assembly, his or her spouse, minor child or any combination of those persons if that contract was in existence before his or her election or employment as an officer, member, or employee. The contract is voidable, however, if it cannot be completed within 365 days after the officer, member, or employee takes office or is employed.

The current salary of the Governor is \$171,000.00. Sixty percent of the salary is \$102,600.00.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-13, or that an effective exemption has been issued by the Board of Ethics to any individual subject to the Section 50-13 prohibitions pursuant to the provisions of Section 50-20 of the Code and Executive Order Number 3 (1998). Information concerning the exemption process is available from the Department upon request.

D. Negotiations

1. The Illinois Procurement Code provides in pertinent part:

Section 50-15. Negotiations.

(a) It is unlawful for any person employed in or on a continual contractual relationship with any of the offices or agencies of State government to participate in contract negotiations on behalf of that office or agency with any firm, partnership, association, or corporation with whom that person has a contract for future employment or is negotiating concerning possible future employment.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-15, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

E. Inducements

1. The Illinois Procurement Code provides:

Section 50-25. Inducement. Any person who offers or pays any money or other valuable thing to any person to induce him or her not to bid for a State contract or as recompense for not having bid on a State contract is guilty of a Class 4 felony. Any person who accepts any money or other valuable thing for not bidding for a State contract or who withholds a bid in consideration of the promise for the payment of money or other valuable thing is guilty of a Class 4 felony.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-25, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

F. Revolving Door Prohibition

1. The Illinois Procurement Code provides:

Section 50-30. Revolving door prohibition. Chief procurement officers, associate procurement officers, State purchasing officers, their designees whose principal duties are directly related to State procurement, and executive officers confirmed by the Senate are expressly prohibited for a period of 2 years after terminating an affected position from engaging in any procurement activity relating to the State agency most recently employing them in an affected position for a period of at least 6 months. The prohibition includes, but is not limited to: lobbying the procurement process; specifying; bidding; proposing bid, proposal, or contract documents; on their own behalf or on behalf of any firm, partnership, association, or corporation. This Section applies only to persons who terminate an affected position on or after January 15, 1999.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-30, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

G. Reporting Anticompetitive Practices

1. The Illinois Procurement Code provides:

Section 50-40. Reporting anticompetitive practices. When, for any reason, any vendor, bidder, contractor, chief procurement officer, State purchasing officer, designee, elected official, or State employee suspects collusion or other anticompetitive practice among any bidders, offerors, contractors, proposers, or employees of the State, a notice of the relevant facts shall be transmitted to the Attorney General and the chief procurement officer.

2. The bidder assures the Department that it has not failed to report any relevant facts concerning the practices addressed in Section 50-40 which may involve the contract for which the bid is submitted.

H. Confidentiality

1. The Illinois Procurement Code provides:

Section 50-45. Confidentiality. Any chief procurement officer, State purchasing officer, designee, or executive officer who willfully uses or allows the use of specifications, competitive bid documents, proprietary competitive information, proposals, contracts, or selection information to compromise the fairness or integrity of the procurement, bidding, or contract process shall be subject to immediate dismissal, regardless of the Personnel code, any contract, or any collective bargaining agreement, and may in addition be subject to criminal prosecution.

2. The bidder assures the Department that it has no knowledge of any fact relevant to the practices addressed in Section 50-45 which may involve the contract for which the bid is submitted.

I. Insider Information

1. The Illinois Procurement Act provides:

Section 50-50. Insider information. It is unlawful for any current or former elected or appointed State official or State employee to knowingly use confidential information available only by virtue of that office or employment for actual or anticipated gain for themselves or another person.

2. The bidder assures the Department that it has no knowledge of any facts relevant to the practices addressed in Section 50-50 which may involve the contract for which the bid is submitted.

III. CERTIFICATIONS

A. The certifications hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous certification, and the surety providing the performance bond shall be responsible for completion of the contract.

B. Bribery

1. The Illinois Procurement Code provides:

Section 50-5. Bribery.

(a) Prohibition. No person or business shall be awarded a contract or subcontract under this Code who:

(1) has been convicted under the laws of Illinois or any other state of bribery or attempting to bribe an officer or employee of the State of Illinois or any other state in that officer's or employee's official capacity; or

(2) has made an admission of guilt of that conduct that is a matter of record but has not been prosecuted for that conduct.

(b) Businesses. No business shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of the business if the employee or agent is no longer employed by the business and:

(1) the business has been finally adjudicated not guilty; or

(2) the business demonstrates to the governmental entity with which it seeks to contract, and that entity finds that the commission of the offense was not authorized, requested, commanded, or performed by a director, officer, or high managerial agent on behalf of the business as provided in paragraph (2) of subsection (a) of Section 5-4 of the Criminal Code of 1961.

(c) Conduct on behalf of business. For purposes of this Section, when an official, agent, or employee of a business committed the bribery or attempted bribery on behalf of the business and in accordance with the direction or authorization of a responsible official of the business, the business shall be chargeable with the conduct.

(d) Certification. Every bid submitted to and contract executed by the State shall contain a certification by the contractor that the contractor is not barred from being awarded a contract or subcontract under this Section. A contractor who makes a false statement, material to the certification, commits a Class 3 felony.

2. The bidder certifies that it is not barred from being awarded a contract under Section 50.5.

C. Educational Loan

1. Section 3 of the Educational Loan Default Act provides:

§ 3. No State agency shall contract with an individual for goods or services if that individual is in default, as defined in Section 2 of this Act, on an educational loan. Any contract used by any State agency shall include a statement certifying that the individual is not in default on an educational loan as provided in this Section.

2. The bidder, if an individual as opposed to a corporation, partnership or other form of business organization, certifies that the bidder is not in default on an educational loan as provided in Section 3 of the Act.

D. Bid-Rigging/Bid Rotating

1. Section 33E-11 of the Criminal Code of 1961 provides:

§ 33E-11. (a) Every bid submitted to and public contract executed pursuant to such bid by the State or a unit of local government shall contain a certification by the prime contractor that the prime contractor is not barred from contracting with any unit of State or local government as a result of a violation of either Section 33E-3 or 33E-4 of this Article. The State and units of local government shall provide the appropriate forms for such certification.

(b) A contractor who makes a false statement, material to the certification, commits a Class 3 felony.

A violation of Section 33E-3 would be represented by a conviction of the crime of bid-rigging which, in addition to Class 3 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be barred for 5 years from the date of conviction from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

A violation of Section 33E-4 would be represented by a conviction of the crime of bid-rotating which, in addition to Class 2 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be permanently barred from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of state or local government. No corporation shall be barred from contracting with any unit of state or local government. No corporation shall be barred from contracting with any unit of state or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

2. The bidder certifies that it is not barred from contracting with the Department by reason of a violation of either Section 33E-3 or Section 33E-4.

E. International Anti-Boycott

1. Section 5 of the International Anti-Boycott Certification Act provides:

§ 5. State contracts. Every contract entered into by the State of Illinois for the manufacture, furnishing, or purchasing of supplies, material, or equipment or for the furnishing of work, labor, or services, in an amount exceeding the threshold for small purchases according to the purchasing laws of this State or \$10,000.00, whichever is less, shall contain certification, as a material condition of the contract, by which the contractor agrees that neither the contractor nor any substantially-owned affiliated company is participating or shall participate in an international boycott in violation of the provisions of the U.S. Export Administration Act of 1979 or the regulations of the U.S. Department of Commerce promulgated under that Act.

2. The bidder makes the certification set forth in Section 5 of the Act.

F. Drug Free Workplace

1. The Illinois "Drug Free Workplace Act" applies to this contract and it is necessary to comply with the provisions of the "Act" if the contractor is a corporation, partnership, or other entity (including a sole proprietorship) which has 25 or more employees.

2. The bidder certifies that if awarded a contract in excess of \$5,000 it will provide a drug free workplace by:

(a) Publishing a statement notifying employees that the unlawful manufacture, distribution, dispensation, possession or use of a controlled substance, including cannabis, is prohibited in the contractor's workplace; specifying the actions that will be taken against employees for violations of such prohibition; and notifying the employee that, as a condition of employment on such contract, the employee shall abide by the terms of the statement, and notify the employer of any criminal drug statute conviction for a violation occurring in the workplace no later than five (5) days after such conviction.

(b) Establishing a drug free awareness program to inform employees about the dangers of drug abuse in the workplace; the contractor's policy of maintaining a drug free workplace; any available drug counseling, rehabilitation, and employee assistance programs; and the penalties that may be imposed upon employees for drug violations.

(c) Providing a copy of the statement required by subparagraph (1) to each employee engaged in the performance of the contract and to post the statement in a prominent place in the workplace.

(d) Notifying the Department within ten (10) days after receiving notice from an employee or otherwise receiving actual notice of the conviction of an employee for a violation of any criminal drug statute occurring in the workplace.

(e) Imposing or requiring, within 30 days after receiving notice from an employee of a conviction or actual notice of such a conviction, an appropriate personnel action, up to and including termination, or the satisfactory participation in a drug abuse assistance or rehabilitation program approved by a federal, state or local health, law enforcement or other appropriate agency.

(f) Assisting employees in selecting a course of action in the event drug counseling, treatment, and rehabilitation is required and indicating that a trained referral team is in place.

(g) Making a good faith effort to continue to maintain a drug free workplace through implementation of the actions and efforts stated in this certification.

G. Debt Delinquency

1. The Illinois Procurement Code provides:

Section 50-11 and 50-12. Debt Delinquency.

The contractor or bidder certifies that it, or any affiliate, is not barred from being awarded a contract under 30 ILCS 500. Section 50-11 prohibits a person from entering into a contract with a State agency if it knows or should know that it, or any affiliate, is delinquent in the payment of any debt to the State as defined by the Debt Collection Board. Section 50-12 prohibits a person from entering into a contract with a State agency if it, or any affiliate, has failed to collect and remit Illinois Use Tax on all sales of tangible personal property into the State of Illinois in accordance with the provisions of the Illinois Use Tax Act. The contractor further acknowledges that the contracting State agency may declare the contract void if this certification is false or if the contractor, or any affiliate, is determined to be delinquent in the payment of any debt to the State during the term of the contract.

H. Sarbanes-Oxley Act of 2002

1. The Illinois Procurement Code provides:

Section 50-60(c).

The contractor certifies in accordance with 30 ILCS 500/50-10.5 that no officer, director, partner or other managerial agent of the contracting business has been convicted of a felony under the Sarbanes-Oxley Act of 2002 or a Class 3 or Class 2 felony under the Illinois Securities Law of 1953 for a period of five years prior to the date of the bid or contract. The contractor acknowledges that the contracting agency shall declare the contract void if this certification is false.

I. Addenda

The contractor or bidder certifies that all relevant addenda have been incorporated in to this contract. Failure to do so may cause the bid to be declared unacceptable.

J. Section 42 of the Environmental Protection Act

The contractor certifies in accordance with 30 ILCS 500/50-12 that the bidder or contractor is not barred from being awarded a contract under this Section which prohibits the bidding on or entering into contracts with the State of Illinois or a State agency by a person or business found by a court or the Pollution Control Board to have committed a willful or knowing violation of Section 42 of the Environmental Protection Act for a period of five years from the date of the order. The contractor acknowledges that the contracting agency may declare the contract void if this certification is false.

K. Apprenticeship and Training Certification (Does not apply to federal aid projects)

In accordance with the provisions of Section 30-22 (6) of the Illinois Procurement Code, the bidder certifies that it is a participant, either as an individual or as part of a group program, in the approved apprenticeship and training programs applicable to each type of work or craft that the bidder will perform with its own forces. The bidder further certifies for work that will be performed by subcontract that each of its subcontractors submitted for approval either (a) is, at the time of such bid, participating in an approved, applicable apprenticeship and training program; or (b) will, prior to commencement of performance of work pursuant to this contract, begin participation in an approved apprenticeship and training program applicable to the work of the subcontract. The Department, at any time before or after award, may require the production of a copy of each applicable Certificate of Registration issued by the United States Department of Labor evidencing such participation by the contractor and any or all of its subcontractors. Applicable apprenticeship and training programs are those that have been approved and registered with the United States Department of Labor. The bidder shall list in the space below, the official name of the program sponsor holding the Certificate of Registration for all of the types of work or crafts in which the bidder is a participant and that will be performed with the bidder's forces. Types of work or craft work that will be subcontracted shall be included and listed as subcontract work. The list shall also indicate any type of work or craft job category that does not have an applicable apprenticeship or training program. The bidder is responsible for making a complete report and shall make certain that each type of work or craft job category that will be utilized on the project as reported on the Construction Employee Workforce Projection (Form BC-1256) and returned with the bid is accounted for and listed.

The requirements of this certification and disclosure are a material part of the contract, and the contractor shall require this certification provision to be included in all approved subcontracts. In order to fulfill this requirement, it shall not be necessary that an applicable program sponsor be currently taking or that it will take applications for apprenticeship, training or employment during the performance of the work of this contract.

L. Executive Order Number 1 (2007) Regarding Lobbying on Government Procurements

The bidder hereby warrants and certifies that they have complied and will comply with the requirements set forth in this Order. The requirements of this warrant and certification are a material part of the contract, and the contractor shall require this warrant and certification provision to be included in all approved subcontracts.

M. Disclosure of Business Operations in Iran

Public Act 95-0616 provides that each bid, offer, or proposal submitted for a State contract shall include a disclosure of whether or not the Company acting as the bidder, offeror, or proposing entity, or any of its corporate parents or subsidiaries, within the 24 months before submission of the bid, offer, or proposal had business operations that involved contracts with or provision of supplies or services to the Government of Iran, companies in which the Government of Iran has any direct or indirect equity share, consortiums or projects commissioned by the Government of Iran, or companies involved in consortiums or projects commissioned by the Government of Iran and either of the following conditions apply:

- (1) More than 10% of the Company's revenues produced in or assets located in Iran involve oil-related activities or mineral-extraction activities; less than 75% of the Company's revenues produced in or assets located in Iran involve contracts with or provision of oil-related or mineral-extraction products or services to the Government of Iran or a project or consortium created exclusively by that government; and the Company has failed to take substantial action.
- (2) The Company has, on or after August 5, 1996, made an investment of \$20 million or more, or any combination of investments of at least \$10 million each that in the aggregate equals or exceeds \$20 million in any 12-month period, which directly or significantly contributes to the enhancement of Iran's ability to develop petroleum resources of Iran.

The terms "Business operations", "Company", "Mineral-extraction activities", "Oil-related activities", "Petroleum resources", and "Substantial action" are all defined in the Act.

Failure to make the disclosure required by the Act shall cause the bid, offer or proposal to be considered not responsive. The disclosure will be considered when evaluating the bid, offer, or proposal or awarding the contract. The name of each Company disclosed as doing business or having done business in Iran will be provided to the State Comptroller.

Check the appropriate statement:

/___/ Company has no business operations in Iran to disclose.

/___/ Company has business operations in Iran as disclosed the attached document.

TO BE RETURNED WITH BID

IV. DISCLOSURES

A. The disclosures hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous disclosure, and the surety providing the performance bond shall be responsible for completion of the contract.

B. Financial Interests and Conflicts of Interest

1. Section 50-35 of the Illinois Procurement Code provides that all bids of more than \$10,000 shall be accompanied by disclosure of the financial interests of the bidder. This disclosed information for the successful bidder, will be maintained as public information subject to release by request pursuant to the Freedom of Information Act.

The financial interests to be disclosed shall include ownership or distributive income share that is in excess of 5%, or an amount greater than 60% of the annual salary of the Governor, of the bidding entity or its parent entity, whichever is less, unless the contractor or bidder is a publicly traded entity subject to Federal 10K reporting, in which case it may submit its 10K disclosure in place of the prescribed disclosure. If a bidder is a privately held entity that is exempt from Federal 10K reporting, but has more than 400 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any person or entity holding any ownership share that is in excess of 5%. The disclosure shall include the names, addresses, and dollar or proportionate share of ownership of each person making the disclosure, their instrument of ownership or beneficial relationship, and notice of any potential conflict of interest resulting from the current ownership or beneficial interest of each person making the disclosure having any of the relationships identified in Section 50-35 and on the disclosure form.

In addition, all disclosures shall indicate any other current or pending contracts, proposals, leases, or other ongoing procurement relationships the bidding entity has with any other unit of state government and shall clearly identify the unit and the contract, proposal, lease, or other relationship.

2. <u>Disclosure Forms</u>. Disclosure Form A is attached for use concerning the individuals meeting the above ownership or distributive share requirements. Subject individuals should be covered each by one form. In addition, a second form (Disclosure Form B) provides for the disclosure of current or pending procurement relationships with other (non-IDOT) state agencies. The forms must be included with each bid or incorporated by reference.

C. Disclosure Form Instructions

Form A: For bidders that have previously submitted the information requested in Form A

The Department has retained the Form A disclosures submitted by all bidders responding to these requirements for the April 24, 1998 or any subsequent letting conducted by the Department. The bidder has the option of submitting the information again or the bidder may check the following certification statement indicating that the information previously submitted by the bidder is, as of the date of submission, current and accurate. Before checking this certification, the bidder should carefully review its prior submissions to ensure the Certification is correct. If the Bidder checks the Certification, the Bidder should proceed to Form B instructions.

CERTIFICATION STATEMENT

I have determined that the Form A disclosure information previously submitted is current and accurate, and all forms are hereby incorporated by reference in this bid. Any necessary additional forms or amendments to previously submitted forms are attached to this bid.

	(Bidding Company)	
-	Signature of Authorized Representative	Date

Form A: For bidders who have NOT previously submitted the information requested in Form A

If the bidder is a publicly traded entity subject to Federal 10K reporting, the 10K Report may be submitted to meet the requirements of Form A. If a bidder is a privately held entity that is exempt from Federal 10K reporting, but has more than 400 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any person or entity holding any ownership share that is in excess of 5%. If a bidder is not subject to Federal 10K reporting, the bidder must determine if any individuals are required by law to complete a financial disclosure form. To do this, the bidder should answer each of the following questions. A "YES" answer indicates Form A must be completed. If the answer to each of the following questions is "NO", then the <u>NOT APPLICABLE STATEMENT</u> on the second page of Form A must be signed and dated by a person that is authorized to execute contracts for the bidding company. Note: These questions are for assistance only and are not required to be completed.

- 1. Does anyone in your organization have a direct or beneficial ownership share of greater than 5% of the bidding entity or parent entity? YES ____ NO
- 2. Does anyone in your organization have a direct or beneficial ownership share of less than 5%, but which has a value greater than \$102,600.00? YES <u>NO</u>
- Does anyone in your organization receive more than \$102,600.00 of the bidding entity's or parent entity's distributive income? (Note: Distributive income is, for these purposes, any type of distribution of profits. An annual salary is not distributive income.) YES ____ NO ___
- 4. Does anyone in your organization receive greater than 5% of the bidding entity's or parent entity's total distributive income, but which is less than \$102,600.00? YES ____ NO ___

(Note: Only one set of forms needs to be completed <u>per person per bid</u> even if a specific individual would require a yes answer to more than one question.)

A "YES" answer to any of these questions requires the completion of Form A. The bidder must determine each individual in the bidding entity or the bidding entity's parent company that would cause the questions to be answered "Yes". Each form must be signed and dated by a person that is authorized to execute contracts for your organization. **Photocopied or stamped signatures are not acceptable**. The person signing can be, but does not have to be, the person for which the form is being completed. The bidder is responsible for the accuracy of any information provided.

If the answer to each of the above questions is "NO", then the <u>NOT APPLICABLE STATEMENT</u> on page 2 of Form A must be signed and dated by a person that is authorized to execute contracts for your company.

Form B: Identifying Other Contracts & Procurement Related Information Disclosure Form B must be completed for each bid submitted by the bidding entity. Note: Checking the <u>NOT APPLICABLE STATEMENT</u> on Form A <u>does not</u> allow the bidder to ignore Form B. Form B must be completed, checked, and dated or the bidder may be considered nonresponsive and the bid will not be accepted.

The Bidder shall identify, by checking Yes or No on Form B, whether it has any pending contracts (including leases), bids, proposals, or other ongoing procurement relationship with any other (non-IDOT) State of Illinois agency. If "No" is checked, the bidder only needs to complete the check box on the bottom of Form B. If "Yes" is checked, the bidder must do one of the following:

Option I: If the bidder did not submit an Affidavit of Availability to obtain authorization to bid, the bidder must list all non-IDOT State of Illinois agency pending contracts, leases, bids, proposals, and other ongoing procurement relationships. These items may be listed on Form B or on an attached sheet(s). Do not include IDOT contracts. Contracts with cities, counties, villages, etc. are not considered State of Illinois agency contracts and are not to be included. Contracts with other State of Illinois agencies such as the Department of Natural Resources or the Capital Development Board must be included. Bidders who submit Affidavits of Availability are suggested to use Option II.

Option II: If the bidder is required and has submitted an Affidavit of Availability in order to obtain authorization to bid, the bidder may write or type "See Affidavit of Availability" which indicates that the Affidavit of Availability is incorporated by reference and includes all non-IDOT State of Illinois agency pending contracts, leases, bids, proposals, and other ongoing procurement relationships. For any contracts that are not covered by the Affidavit of Availability, the bidder must identify them on Form B or on an attached sheet(s). These might be such things as leases.

D. Bidders Submitting More Than One Bid

Bidders submitting multiple bids may submit one set of forms consisting of all required Form A disclosures and one Form B for use with all bids. Please indicate in the space provided below the bid item that contains the original disclosure forms and the bid items which incorporate the forms by reference.

• The bid submitted for letting item _____ contains the Form A disclosures or Certification Statement and the Form B disclosures. The following letting items incorporate the said forms by reference:

RETURN WITH BID/OFFER

ILLINOIS DEPARTMENT OF TRANSPORTATION

Form A Financial Information & Potential Conflicts of Interest Disclosure

Yes No___

Contractor Name					
Legal Address					
City, State, Zip					
Telephone Number		Email Address		Fax Number (if available)	
 (30 ILCS 500). Vendo, and potential conflict of the publicly available ended contracts. A satisfaction of the rest 1. Disclosure of Fi terms of ownership of \$102,600.00 (60% of separate Disclosure 	ors desiring to enter into of interest information a contract file. This Form publicly traded comp equirements set forth i <u>DISCLOS</u> nancial Information. T or distributive income sh f the Governor's salary e Form A for each indi	a contract with the St s specified in this Disc m A must be complete any may submit a n Form A. <u>See Discle</u> <u>URE OF FINANCIAL</u> The individual named b are in excess of 5%, o as of 7/1/07). (Make c vidual meeting these	ate of Illinois closure Form. ed for bids in 10K disclos <u>osure Form</u> <u>INFORMA</u> elow has an or an interest opies of this	TION interest in the BIDDER (or its p which has a value of more that s form as necessary and att	nformation me part of all open- i cable) in barent) in an
NAME:	(type or print informat				
ADDRESS					
Type of owne	rship/distributable incon	ie share:			
stock % or \$ value o	sole proprietorship f ownership/distributable ir	Partners	ship	other: (explain on separate	sheet):
	tential Conflicts of Int	erect Obeels "Vee" er	«•••••••••	este udsiele if environfithe fellen	

2. Disclosure of Potential Conflicts of Interest. Check "Yes" or "No" to indicate which, if any, of the following potential conflict of interest relationships apply. If the answer to any question is "Yes", please attach additional pages and describe.

(a) State employment, currently or in the previous 3 years, including contractual employment of services.

If your answer is yes, please answer each of the following questions.

- 1. Are you currently an officer or employee of either the Capitol Development Board or the Illinois Toll Highway Authority? Yes ____No ___
- Are you currently appointed to or employed by any agency of the State of Illinois? If you are currently appointed to or employed by any agency of the State of Illinois, and your annual salary exceeds \$102,600.00, (60% of the Governor's salary as of 7/1/07) provide the name the State agency for which you are employed and your annual salary.

RETURN WITH BID/OFFER

- If you are currently appointed to or employed by any agency of the State of Illinois, and your annual salary exceeds \$102,600.00, (60% of the Governor's salary as of 7/1/07) are you entitled to receive (i) more than 7 1/2% of the total distributable income of your firm, partnership, association or corporation, or (ii) an amount in excess of the salary of the Governor? Yes ____No ___
- 4. If you are currently appointed to or employed by any agency of the State of Illinois, and your annual salary exceeds \$102,600.00, (60% of the Governor's salary as of 7/1/07) are you and your spouse or minor children entitled to receive (i) more than 15 % in the aggregate of the total distributable income of your firm, partnership, association or corporation, or (ii) an amount in excess of 2 times the salary of the Governor? Yes No ___
- (b) State employment of spouse, father, mother, son, or daughter, including contractual employment services in the previous 2 years.

Yes No

If your answer is yes, please answer each of the following questions.

- 1. Is your spouse or any minor children currently an officer or employee of the Capitol Development Board or the Illinois Toll Highway Authority? Yes ____No ___
- 2. Is your spouse or any minor children currently appointed to or employed by any agency of the State of Illinois? If your spouse or minor children is/are currently appointed to or employed by any agency of the State of Illinois, and his/her annual salary exceeds \$102,600.00, (60 % of the Governor's salary as of 7/1/07) provide the name of your spouse and/or minor children, the name of the State agency for which he/she is employed and his/her annual salary.
- 3. If your spouse or any minor children is/are currently appointed to or employed by any agency of the State of Illinois, and his/her annual salary exceeds \$102,600.00, (60% of the salary of the Governor as of 7/1/07) are you entitled to receive (i) more then 71/2% of the total distributable income of your firm, partnership, association or corporation, or (ii) an amount in excess of the salary of the Governor? Yes No
- 4. If your spouse or any minor children are currently appointed to or employed by any agency of the State of Illinois, and his/her annual salary exceeds \$102,600.00, (60% of the Governor's salary as of 7/1/07) are you and your spouse or minor children entitled to receive (i) more than 15 % in the aggregate of the total distributable income of your firm, partnership, association or corporation, or (ii) an amount in excess of 2 times the salary of the Governor?

Yes No

- (c) Elective status; the holding of elective office of the State of Illinois, the government of the United States, any unit of local government authorized by the Constitution of the State of Illinois or the statutes of the State of Illinois currently or in the previous 3 years.
 Yes ____No ___
- (d) Relationship to anyone holding elective office currently or in the previous 2 years; spouse, father, mother, son, or daughter. Yes ____No ___
- (e) Appointive office; the holding of any appointive government office of the State of Illinois, the United States of America, or any unit of local government authorized by the Constitution of the State of Illinois or the statutes of the State of Illinois, which office entitles the holder to compensation in excess of the expenses incurred in the discharge of that office currently or in the previous 3 years. Yes ____No ___
- (f) Relationship to anyone holding appointive office currently or in the previous 2 years; spouse, father, mother, son, or daughter. Yes <u>No</u>

(g) Employment, currently or in the previous 3 years, as or by any registered lobbyist of the State government. Yes ___No ___

RETURN WITH BID/OFFER

- (h) Relationship to anyone who is or was a registered lobbyist in the previous 2 years; spouse, father, mother, son, or daughter. Yes ____No ___
- (i) Compensated employment, currently or in the previous 3 years, by any registered election or reelection committee registered with the Secretary of State or any county clerk of the State of Illinois, or any political action committee registered with either the Secretary of State or the Federal Board of Elections. Yes No
- (j) Relationship to anyone; spouse, father, mother, son, or daughter; who was a compensated employee in the last 2 years by any registered election or re-election committee registered with the Secretary of State or any county clerk of the State of Illinois, or any political action committee registered with either the Secretary of State or the Federal Board of Elections.

Yes No

APPLICABLE STATEMENT

This Disclosure Form A is submitted on behalf of the INDIVIDUAL named on previous page.

Completed by:

Signature of Individual or Authorized Representative

Date

NOT APPLICABLE STATEMENT

I have determined that no individuals associated with this organization meet the criteria that would require the completion of this Form A.

This Disclosure Form A is submitted on behalf of the CONTRACTOR listed on the previous page.

Signature of Authorized Representative

Date

ILLINOIS DEPARTMENT OF TRANSPORTATION

Form B Other Contracts & Procurement Related Information Disclosure

Contractor Name		
Legal Address		
City, State, Zip		
Telephone Number	Email Address	Fax Number (if available)

Disclosure of the information contained in this Form is required by the Section 50-35 of the Illinois Procurement Act (30 ILCS 500). This information shall become part of the publicly available contract file. This Form B must be completed for bids in excess of \$10,000, and for all open-ended contracts.

DISCLOSURE OF OTHER CONTRACTS AND PROCUREMENT RELATED INFORMATION

1. Identifying Other Contracts & Procurement Related Information. The BIDDER shall identify whether it has any pending contracts (including leases), bids, proposals, or other ongoing procurement relationship with any other State of Illinois agency: Yes No

If "No" is checked, the bidder only needs to complete the signature box on the bottom of this page.

2. If "Yes" is checked. Identify each such relationship by showing State of Illinois agency name and other descriptive information such as bid or project number (attach additional pages as necessary). SEE DISCLOSURE FORM INSTRUCTIONS:

THE FOLLOWING STATEMENT MUST BE CHECKED

 Signature of Authorized Representative	Date

SPECIAL NOTICE TO CONTRACTORS

The following requirements of the Illinois Department of Human Rights' Rules and Regulations are applicable to bidders on all construction contracts advertised by the Illinois Department of Transportation:

CONSTRUCTION EMPLOYEE UTILIZATION PROJECTION

- (a) All bidders on construction contracts shall complete and submit, along with and as part of their bids, a Bidder's Employee Utilization Form (Form BC-1256) setting forth a projection and breakdown of the total workforce intended to be hired and/or allocated to such contract work by the bidder including a projection of minority and female employee utilization in all job classifications on the contract project.
- (b) The Department of Transportation shall review the Employee Utilization Form, and workforce projections contained therein, of the contract awardee to determine if such projections reflect an underutilization of minority persons and/or women in any job classification in accordance with the Equal Employment Opportunity Clause and Section 7.2 of the Illinois Department of Human Rights' Rules and Regulations for Public Contracts adopted as amended on September 17, 1980. If it is determined that the contract awardee's projections reflect an underutilization of minority persons and/or women in any job classification, it shall be advised in writing of the manner in which it is underutilizing and such awardee shall be considered to be in breach of the contract unless, prior to commencement of work on the contract project, it submits revised satisfactory projections or an acceptable written affirmative action plan to correct such underutilization including a specific timetable geared to the completion stages of the contract.
- (c) The Department of Transportation shall provide to the Department of Human Rights a copy of the contract awardee's Employee Utilization Form, a copy of any required written affirmative action plan, and any written correspondence related thereto. The Department of Human Rights may review and revise any action taken by the Department of Transportation with respect to these requirements.



PART I. IDENTIFICATION

Dept. Human Rights #_____

Duration of Project:

Name of Bidder:

PART II. WORKFORCE PROJECTION

A. The undersigned bidder has analyzed minority group and female populations, unemployment rates and availability of workers for the location in which this contract work is to be performed, and for the locations from which the bidder recruits employees, and hereby submits the following workforce projection including a projection for minority and female employee utilization in all job categories in the workforce to be allocated to this contract: TABLE A TABLE B

TOTAL Workforce Projection for Contract								(CURRENT TO BE		IPLOYEE	S						
				MIN	ORITY I	EMPLO	YEES		TRAINEES							RACT		
JOB CATEGORIES		TAL DYEES	BL/	ACK	HISP	ANIC	*OTI MIN		APPI TIC		-	HE JOB			OTAL OYEES		MINC EMPLC	RITY DYEES
	М	F	М	F	М	F	М	F	М	F	М	F	1	М	F	1	М	F
OFFICIALS (MANAGERS)																		
SUPERVISORS																		
FOREMEN																		
CLERICAL																		
EQUIPMENT OPERATORS																		
MECHANICS																		
TRUCK DRIVERS																		
IRONWORKERS																		
CARPENTERS																		
CEMENT MASONS																		
ELECTRICIANS																		
PIPEFITTERS, PLUMBERS																		
PAINTERS																		
LABORERS, SEMI-SKILLED																		
LABORERS, UNSKILLED																		
TOTAL																		
		BLE C								Г		FOD	-					
TOTAL Training Projection for Contract FOR DEPARTMENT USE ONLY																		
EMPLOYEES	TO	TAL					*01	HER	7									
IN	EMPL	OYEES	BL/	ACK	HISP	ANIC	MIN	NOR.										
TRAINING	М	F	Μ	F	М	F	М	F	1									
APPRENTICES																		
ON THE JOB TRAINEES									1									

* Other minorities are defined as Asians (A) or Native Americans (N). Please specify race of each employee shown in Other Minorities column.

BC 1256 (Rev. 12/11/07)

Note: See instructions on page 2

PART II. WORKFORCE PROJECTION - continued

B. Included in "Total Employees" under Table A is the total number of **new hires** that would be employed in the event the undersigned bidder is awarded this contract.

The undersigned bidder projects that: (number) ____ _____ new hires would be recruited from the area in which the contract project is located; and/or (number) new hires would be recruited from the area in which the bidder's principal

office or base of operation is located.

C. Included in "Total Employees" under Table A is a projection of numbers of persons to be employed directly by the undersigned bidder as well as a projection of numbers of persons to be employed by subcontractors.

The undersigned bidder estimates that (number) persons will The undersigned bidder estimates that (number) ______ persons will be directly employed by the prime contractor and that (number) ______ persons will be employed by subcontractors.

PART III. AFFIRMATIVE ACTION PLAN

- A. The undersigned bidder understands and agrees that in the event the foregoing minority and female employee utilization projection included under PART II is determined to be an underutilization of minority persons or women in any job category, and in the event that the undersigned bidder is awarded this contract, he/she will, prior to commencement of work, develop and submit a written Affirmative Action Plan including a specific timetable (geared to the completion stages of the contract) whereby deficiencies in minority and/or female employee utilization are corrected. Such Affirmative Action Plan will be subject to approval by the contracting agency and the Department of Human Rights.
- B. The undersigned bidder understands and agrees that the minority and female employee utilization projection submitted herein, and the goals and timetable included under an Affirmative Action Plan if required, are deemed to be part of the contract specifications.

Company _____

Telephone Number

Address _____

NOTICE REGARDING SIGNATURE

The Bidder's signature on the Proposal Signature Sheet will constitute the signing of this form. The following signature block needs to be completed if revisions are required.

Signature:

_____ Title: _____ Date: _____

Instructions: All tables must include subcontractor personnel in addition to prime contractor personnel.

- Include both the number of employees that would be hired to perform the contract work and the total number currently employed Table A -(Table B) that will be allocated to contract work, and include all apprentices and on-the-job trainees. The "Total Employees" column should include all employees including all minorities, apprentices and on-the-job trainees to be employed on the contract work.
- Include all employees currently employed that will be allocated to the contract work including any apprentices and on-the-job trainees Table B currently employed.

Table C -Indicate the racial breakdown of the total apprentices and on-the-job trainees shown in Table A.

BC-1256 (Rev. 12/11/07)

PROPOSAL SIGNATURE SHEET

The undersigned bidder hereby makes and submits this bid on the subject Proposal, thereby assuring the Department that all requirements of the Invitation for Bids and rules of the Department have been met, that there is no misunderstanding of the requirements of paragraph 3 of this Proposal, and that the contract will be executed in accordance with the rules of the Department if an award is made on this bid. Firm Name (IF AN INDIVIDUAL) Signature of Owner Business Address Firm Name Ву Business Address (IF A CO-PARTNERSHIP) Name and Address of All Members of the Firm: ____ Corporate Name Ву ____ Signature of Authorized Representative Typed or printed name and title of Authorized Representative (IF A CORPORATION) Attest Signature (IF A JOINT VENTURE, USE THIS SECTION FOR THE MANAGING PARTY AND THE SECOND PARTY SHOULD SIGN BELOW) Business Address Corporate Name Ву Signature of Authorized Representative Typed or printed name and title of Authorized Representative (IF A JOINT VENTURE) Attest Signature Business Address If more than two parties are in the joint venture, please attach an additional signature sheet.



Division of Highways Proposal Bid Bond

(Effective November 1, 1992)

Item No.

Letting Date

KNOW ALL MEN BY THESE PRESENTS, That We

as PRINCIPAL, and

as SURETY, are

held jointly, severally and firmly bound unto the STATE OF ILLINOIS in the penal sum of 5 percent of the total bid price, or for the amount specified in Article 102.09 of the "Standard Specifications for Road and Bridge Construction" in effect on the date of invitation for bids, whichever is the lesser sum, well and truly to be paid unto said STATE OF ILLINOIS, for the payment of which we bind ourselves, our heirs, executors, administrators, successors and assigns.

THE CONDITION OF THE FOREGOING OBLIGATION IS SUCH, that whereas, the PRINCIPAL has submitted a bid proposal to the STATE OF ILLINOIS, acting through the Department of Transportation, for the improvement designated by the Transportation Bulletin Item Number and Letting Date indicated above.

NOW, THEREFORE, if the Department shall accept the bid proposal of the PRINCIPAL; and if the PRINCIPAL shall, within the time and as specified in the bidding and contract documents, submit a DBE Utilization Plan that is accepted and approved by the Department; and if, after award by the Department, the PRINCIPAL shall enter into a contract in accordance with the terms of the bidding and contract documents including evidence of the required insurance coverages and providing such bond as specified with good and sufficient surety for the faithful performance of such contract and for the prompt payment of labor and material furnished in the prosecution thereof; or if, in the event of the failure of the PRINCIPAL to make the required DBE submission or to enter into such contract and to give the specified bond, the PRINCIPAL pays to the Department the difference not to exceed the penalty hereof between the amount specified in the bid proposal and such larger amount for which the Department may contract with another party to perform the work covered by said bid proposal, then this obligation shall be null and void, otherwise, it shall remain in full force and effect.

IN THE EVENT the Department determines the PRINCIPAL has failed to comply with any requirement as set forth in the preceding paragraph, then Surety shall pay the penal sum to the Department within fifteen (15) days of written demand therefor. If Surety does not make full payment within such period of time, the Department may bring an action to collect the amount owed. Surety is liable to the Department for all its expenses, including attorney's fees, incurred in any litigation in which it prevails either in whole or in part.

In TESTIMONY WHEREOF, the said PRINCIPAL and the said SURETY have caused this instrument to be signed by

their respective officers this	day of		A.D.,	·
PRINCIPAL				
(Company Na	ame)		(Company N	lame)
Ву		By:		
(Signatu	re & Title)		(Signature of Att	orney-in-Fact)
Notary Certification for Principal and STATE OF ILLINOIS,	l Surety			
County of				
l,		, a Notary Pub	blic in and for said County,	do hereby certify that
		and		
	(Insert names of individuals	s signing on behalf of PRI	NCIPAL & SURETY)	
who are each personally known to n and SURETY, appeared before me and voluntary act for the uses and p	this day in person and ackn			
Given under my hand and not	arial seal this	day of		A.D.
My commission expires				
			Notar	y Public
In lieu of completing the above sec marking the check box next to the s and the Principal and Surety are firm	Signature and Title line belo	ow, the Principal is ensuri	ng the identified electronic	bid bond has been executed
Electronic Bid Bond ID#	Company / Bidder	Name	Sigr	ature and Title

BDE 356B (Rev. 10/24/07)

PROPOSAL ENVELOPE



PROPOSALS

for construction work advertised for bids by the Illinois Department of Transportation

Item No.	Item No.	Item No.

Submitted By:

ame:	
ddress:	
hone No.	

Bidders should use an IDOT proposal envelope or affix this form to the front of a 10" x 13" envelope for the submittal of bids. If proposals are mailed, they should be enclosed in a second or outer envelope addressed to:

Engineer of Design and Environment - Room 326 Illinois Department of Transportation 2300 South Dirksen Parkway Springfield, Illinois 62764

NOTICE

Individual bids, including Bid Bond and/or supplemental information if required, should be securely stapled.

CONTRACTOR OFFICE COPY OF CONTRACT SPECIFICATIONS

NOTICE

None of the following material needs to be returned with the bid package unless the special provisions require documentation and/or other information to be submitted.

Contract No. 68835 PEORIA County Section D4 SIGNAL WORK 2009 Route FAP 646 District 4 Construction Funds





- 1. TIME AND PLACE OF OPENING BIDS. Sealed proposals for the improvement described herein will be received by the Department of Transportation at the Harry R. Hanley Building, 2300 South Dirksen Parkway, in Springfield, Illinois until 10:00 o'clock a.m., January 16, 2009. All bids will be gathered, sorted, publicly opened and read in the auditorium at the Department of Transportation's Harry R. Hanley Building shortly after the 10:00 a.m. cut off time.
- 2. DESCRIPTION OF WORK. The proposed improvement is identified and advertised for bids in the Invitation for Bids as:

This project consists of installing fiber optic cable and modifying existing signal controllers for traffic signal interconnect along IL Route 40 from the Pennsylvania/Interstate 74 ramps to the intersection of Glen Avenue in Peoria.

- 3. INSTRUCTIONS TO BIDDERS. (a) This Notice, the invitation for bids, proposal and letter of award shall, together with all other documents in accordance with Article 101.09 of the Standard Specifications for Road and Bridge Construction, become part of the contract. Bidders are cautioned to read and examine carefully all documents, to make all required inspections, and to inquire or seek explanation of the same prior to submission of a bid.
 - (b) State law, and, if the work is to be paid wholly or in part with Federal-aid funds, Federal law requires the bidder to make various certifications as a part of the proposal and contract. By execution and submission of the proposal, the bidder makes the certification contained therein. A false or fraudulent certification shall, in addition to all other remedies provided by law, be a breach of contract and may result in termination of the contract.
- 4. AWARD CRITERIA AND REJECTION OF BIDS. This contract will be awarded to the lowest responsive and responsible bidder considering conformity with the terms and conditions established by the Department in the rules, Invitation for Bids and contract documents. The issuance of plans and proposal forms for bidding based upon a prequalification rating shall not be the sole determinant of responsibility. The Department reserves the right to determine responsibility at the time of award, to reject any or all proposals, to readvertise the proposed improvement, and to waive technicalities.

By Order of the Illinois Department of Transportation

Milton R. Sees, Secretary

BD 351 (Rev. 01/2003)

INDEX

FOR SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS

Adopted January 1, 2009

This index contains a listing of SUPPLEMENTAL SPECIFICATIONS and frequently used RECURRING SPECIAL PROVISIONS.

ERRATA Standard Specifications for Road and Bridge Construction (Adopted 1-1-07) (Revised 1-1-09)

SUPPLEMENTAL SPECIFICATIONS

Std. Sp	ec. Sec.	Page No.
201	Clearing, Tree Removal and Protection	1
205	Embankment	2
251	Mulch	
253	Planting Woody Plants	4
280	Temporary Erosion Control	6
443	Reflective Crack Control Treatment	7
502	Excavation for Structures	10
503	Concrete Structures	
504	Precast Concrete Structures	12
505	Steel Structures	
540	Box Culverts	
581	Waterproofing Membrane System	
633	Removing and Reerecting Guardrail and Terminals	16
669	Removal and Disposal of Regulated Substances	
672	Sealing Abandoned Water Wells	
701	Work Zone Traffic Control and Protection	19
733	Overhead Sign Structures	20
783	Pavement Marking and Marker Removal	21
801	Electrical Requirements	22
805	Electrical Service Installation – Traffic Signals	23
836	Pole Foundation	
838	Breakaway Devices	
862	Uninterruptable Power Supply	
873	Electric Cable	28
878	Traffic Signal Concrete Foundation	30
1004	Coarse Aggregates	31
1008	Structural Steel Coatings	
1010	Finely Divided Materials	33
1020	Portland Cement Concrete	34
1022	Concrete Curing Materials	
1024	Nonshrink Grout	44
1042	Precast Concrete Products	
1062	Reflective Crack Control System	47
1069	Pole and Tower	49
1074	Control Equipment	52
1076	Wire and Cable	57
1081	Materials for Planting	
1083	Elastomeric Bearings	
1094	Overhead Sign Structures	
1101	General Equipment	62
1102	Hot-Mix Asphalt Equipment	
1106	Work Zone Traffic Control Devices	

RECURRING SPECIAL PROVISIONS

The following RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

Additional State Requirements For Federal-Aid Construction Contracts (Eff. 2-1-69) (Rev. 1-1-07) 65 Subletting of Contracts (Federal-Aid Contracts) (Eff. 1-1-88) (Rev. 5-1-93) 67 X EEO (Eff. 7-21-78) (Rev. 11-18-80) 68 X Specific Equal Employment Opportunity Responsibilities Non Federal-Aid Contracts (Eff. 3-20-69) (Rev. 1-1-94) 78 X Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 1-1-07) 63 Reserved 88 Reserved 88 Reserved 89 Haul Road Stream Crossings, Other Temporary Stream Crossings, and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98) 90 Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07) 91 Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-99) (Rev. 1-1-07) 97 Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07) 91 Hot-Mix Asphalt Surface Correction (Eff. 10-1-95) (Rev. 1-1-07) 91 Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07) 108 PC Partial Depth Hot-Mix Asphalt Patching (Eff. 10-1-95) (Rev. 1-1-07) 108 PVC Pipeliner (Eff. 4-1-94) (Rev. 1-1-07) 108 PVC Pipeliner (Eff. 4-1-94) (Rev. 1-1-07) 108	CHE	CK	SHEET #	PAGE NO.
(Eff. 2-1-69) (Rev. 1-1-07) 65 2 Subletting of Contracts (Federal-Aid Contracts) (Eff. 1-1-88) (Rev. 5-1-93) 67 3 X EEO (Eff. 7-21-78) (Rev. 11-18-80) 68 4 X Specific Equal Employment Opportunity Responsibilities 78 Non Federal-Aid Contracts (Eff. 4-1-65) (Rev. 1-1-94) 78 78 5 X Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 1-1-07) 83 6 Reserved 88 7 Reserved 89 8 Haul Road Stream Crossings, Other Temporary Stream Crossings, and 90 9 Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07) 91 10 Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07) 94 11 Use of Geotextile Fabric for Ralinoad Crossing (Eff. 1-1-99) (Rev. 1-1-07) 91 11 Use of Geotextile Fabric for Ralinoad Crossing (Eff. 1-1-98) 100 105 12 Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07) 103 14 Pavement and Shoulder Resurfacing (Eff. 1-1-98) (Rev. 1-1-07) 103 14 Pavement and Shoulder R				
3 X EEO (Eff. 7-21-78) (Rev. 11-18-80) 68 4 X Specific Equal Employment Opportunity Responsibilities 78 Non Foderal-Aid Contracts (Eff. 3-20-69) (Rev. 1-1-07) 78 5 X Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 1-1-07) 83 6 Reserved 88 7 Reserved 89 8 Haul Road Stream Crossings, Other Temporary Stream Crossings, and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98) (Rev. 1-1-07) 91 9 Construction Layout Stakes Except for Bridges (Eff. 1-1-95) (Rev. 1-1-07) 91 10 Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07) 94 11 Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07) 97 2 Subsealing of Concrete Pavements (Eff. 11-1-48) (Rev. 1-1-07) 97 3 Hot-Mix Asphalt Surface Correction (Eff. 11-1-84) (Rev. 1-1-07) 105 14 Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-07) 105 15 PCC Partial Depth Hot-Mix Asphalt Patching (Rev. 1-1-07) 106 16 Patching with Hot-Mix Asphalt Patching (Eff. 10-1-95) (Rev. 1-1-07) 108 17 Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-07)<				
3 X EEO (Eff. 7-21-78) (Rev. 11-18-80) 68 4 X Specific Equal Employment Opportunity Responsibilities 78 Non Foderal-Aid Contracts (Eff. 3-20-69) (Rev. 1-1-07) 78 5 X Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 1-1-07) 83 6 Reserved 88 7 Reserved 89 8 Haul Road Stream Crossings, Other Temporary Stream Crossings, and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98) (Rev. 1-1-07) 91 9 Construction Layout Stakes Except for Bridges (Eff. 1-1-95) (Rev. 1-1-07) 91 10 Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07) 94 11 Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07) 97 2 Subsealing of Concrete Pavements (Eff. 11-1-48) (Rev. 1-1-07) 97 3 Hot-Mix Asphalt Surface Correction (Eff. 11-1-84) (Rev. 1-1-07) 105 14 Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-07) 105 15 PCC Partial Depth Hot-Mix Asphalt Patching (Rev. 1-1-07) 106 16 Patching with Hot-Mix Asphalt Patching (Eff. 10-1-95) (Rev. 1-1-07) 108 17 Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-07)<	2		Subletting of Contracts (Federal-Aid Contracts) (Eff. 1-1-88) (Rev. 5-1-93)	
4 X Specific Equal Employment Opportunity Responsibilities Non Federal-Aid Contracts (Eff. 3-20-69) (Rev. 1-1-94) 78 5 X Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 1-1-07) 83 6 Reserved 88 7 Reserved 89 8 Haul Road Stream Crossings, Other Temporary Stream Crossings, and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98) 90 9 Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07) 91 10 Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07) 91 11 Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07) 91 12 Subsealing of Concrete Pavements (Eff. 11-1-87) (Rev. 1-1-09) 103 14 Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-07) 106 15 PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07) 106 16 Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07) 108 17 Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-07) 104 18 PvC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07) 111 19 Ploe Underdrains (Eff. 9-9-87) (3	Х		
Non Federal-Aid Contracts (Eff. 3-20-69) (Rev. 1-1-94) 78 5 X Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 1-1-07) 83 6 Reserved 88 7 Reserved 89 8 Haul Road Stream Crossings, Other Temporary Stream Crossings, and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98) 90 9 Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07) 91 10 Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07) 94 11 Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07) 97 12 Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07) 99 13 Hot-Mix Asphalt Surface Correction (Eff. 11-1-84) (Rev. 1-1-07) 105 14 Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-07) 106 15 PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 10-1-95) (Rev. 1-1-07) 108 16 Patching with Hot-Mix Asphalt Patching (Eff. 10-1-95) (Rev. 1-1-07) 108 17 Polymer Concrete (Eff. 4-1-04) (Rev. 1-1-07) 108 18 PVC Pipeliner (Eff. 4-1-94) (Rev. 1-1-07) 111 19	4	Х	Specific Equal Employment Opportunity Responsibilities	
6 Reserved 88 7 Reserved 89 8 Haul Road Stream Crossings, Other Temporary Stream Crossings, and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98) 90 9 Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07) 91 10 Construction Layout Stakes Except for Bridges (Eff. 1-1-95) (Rev. 1-1-07) 91 11 Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07) 97 12 Subsealing of Concrete Pavements (Eff. 11-1-87) (Rev. 1-1-07) 97 13 Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-07) 99 13 Hot-Mix Asphalt Surface Correction (Eff. 11-1-98) (Rev. 1-1-07) 106 14 Pavement and Shoulder Resurfacing (Eff. 1-0-1-95) (Rev. 1-1-07) 106 15 PCC Partial Depth Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07) 108 17 Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-07) 108 18 PVC Pipeliner (Eff. 4-1-94) (Rev. 1-1-07) 111 19 Pice Inderdrains (Eff. 9-9-87) (Rev. 1-1-07) 113 20 Guardrail and Barrier Wall Delineation (Eff. 1-1-15-93) (Rev. 1-1-07) 113				
7 Reserved 89 8 Haul Road Stream Crossings, Other Temporary Stream Crossings, and In-Stream Work Pads (Eff. 12-92) (Rev. 1-1-98) 90 9 Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07) 91 10 Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07) 91 11 Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07) 94 11 Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07) 97 12 Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07) 99 13 Hot-Mix Asphalt Surface Correction (Eff. 2-1-00) (Rev. 1-1-09) 103 14 Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-07) 106 15 PCC Partial Depth Hot-Mix Asphalt Dverlay Removal (Eff. 10-1-95) (Rev. 1-1-07) 108 16 Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07) 108 17 Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-07) 108 18 PVC Pipeliner (Eff. 4-1-94) (Rev. 1-1-07) 111 19 Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07) 112 20 Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-07) 113 <t< td=""><td>5</td><td>Х</td><td></td><td></td></t<>	5	Х		
8 Haul Road Stream Crossings, Other Temporary Stream Crossings, and In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98) 90 9 Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07) 91 10 Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07) 94 11 Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07) 97 12 Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07) 97 13 Hot-Mix Asphalt Surface Correction (Eff. 11-1-84) (Rev. 1-1-07) 99 13 Hot-Mix Asphalt Surface Correction (Eff. 11-1-84) (Rev. 1-1-07) 103 14 Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-07) 106 15 PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 10-1-95) (Rev. 1-1-07) 108 17 Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-07) 109 18 PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07) 111 19 Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07) 111 20 Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97) 113 21 Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07) 117 22 Temporary Modular Glare Screen System (Eff. 4-1-	6		Reserved	
In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98) 90 Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07) 91 10 Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07) 94 11 Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07) 97 12 Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07) 97 12 Subsealing of Concrete Correction (Eff. 11-1-87) (Rev. 1-1-09) 103 14 Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09) 105 15 PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07) 106 16 Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07) 108 17 Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-07) 111 19 Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07) 111 20 Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97) 113 21 Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07) 117 22 Temporary Modular Glare Screen System (Eff. 5-1-96) 124 23 Night Time Inspection of Roadway Lighting (Eff. 5-1-96) 124 24 <td< td=""><td>7</td><td></td><td>Reserved</td><td></td></td<>	7		Reserved	
9 Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07) 91 10 Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07) 94 11 Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07) 97 12 Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07) 99 13 Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-09) 103 14 Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09) 105 15 PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07) 106 16 Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07) 108 17 Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-07) 108 18 PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07) 111 19 Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07) 112 20 Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97) 113 21 Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07) 117 22 Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07) 113 23 Night Time Inspection of Roadway Lighting (Eff. 5-1-96) 124	8		Haul Road Stream Crossings, Other Temporary Stream Crossings, and	
9 Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07) 91 10 Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07) 94 11 Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07) 97 12 Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07) 99 13 Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-09) 103 14 Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09) 105 15 PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07) 106 16 Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07) 108 17 Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-07) 108 18 PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07) 111 19 Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07) 112 20 Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97) 113 21 Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07) 117 22 Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07) 113 23 Night Time Inspection of Roadway Lighting (Eff. 5-1-96) 124			In-Stream Work Pads (Eff. 1-2-92) (Rev. 1-1-98)	
10 Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-07) 94 11 Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07) 97 12 Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07) 99 13 Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-09) 103 14 Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09) 105 15 PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07) 106 16 Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07) 108 17 Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08) 109 18 PVC Pipeliner (Eff. 4-1-94) (Rev. 1-1-07) 111 19 Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07) 112 20 Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-07) 113 21 Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07) 117 22 Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07) 119 23 Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07) 123 24 Work Zone Public Information Signs (Eff. 5-1-96) 124 25 English Substitution of Metric Reinforcemen	9		Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-07)	
12 Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07)	10			
12 Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 1-1-07)	11		Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-07)	
14 Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09) 105 15 PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07) 106 16 Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07) 108 17 Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08) 109 18 PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07) 111 19 Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07) 112 20 Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97) 113 21 Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07) 117 22 Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07) 119 23 Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07) 121 24 Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07) 123 25 Night Time Inspection of Roadway Lighting (Eff. 5-1-96) 124 26 English Substitution of Metric Bolts (Eff. 7-1-96) 125 27 English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03) 126 28 Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01) 127 29 Reserved 1	12			
14 Pavement and Shoulder Resurfacing (Eff. 2-1-00) (Rev. 1-1-09) 105 15 PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07) 106 16 Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07) 108 17 Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08) 109 18 PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07) 111 19 Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07) 112 20 Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97) 113 21 Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07) 117 22 Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07) 119 23 Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07) 121 24 Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07) 123 25 Night Time Inspection of Roadway Lighting (Eff. 5-1-96) 124 26 English Substitution of Metric Bolts (Eff. 7-1-96) 125 27 English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03) 126 28 Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01) 127 29 Reserved 1	13		Hot-Mix Asphalt Surface Correction (Eff. 11-1-87) (Rev. 1-1-09)	103
16 Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07) 108 17 Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08) 109 18 PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07) 111 19 Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07) 112 20 Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97) 113 21 Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07) 113 22 Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07) 119 23 Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07) 121 24 Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07) 123 25 Night Time Inspection of Roadway Lighting (Eff. 5-1-96) 124 26 English Substitution of Metric Bolts (Eff. 7-1-96) 125 27 English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03) 126 28 Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01) 127 29 Reserved 128 30 Quality Control of Concrete Mixtures at the Plant 129 31 Quality Control/Quality Assurance of Concrete Mixtures 137	14			
16 Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07) 108 17 Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08) 109 18 PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07) 111 19 Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07) 112 20 Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97) 113 21 Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07) 113 22 Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07) 119 23 Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07) 121 24 Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07) 123 25 Night Time Inspection of Roadway Lighting (Eff. 5-1-96) 124 26 English Substitution of Metric Bolts (Eff. 7-1-96) 125 27 English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03) 126 28 Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01) 127 29 Reserved 128 30 Quality Control of Concrete Mixtures at the Plant 129 31 Quality Control/Quality Assurance of Concrete Mixtures 137	15		PCC Partial Depth Hot-Mix Asphalt Patching (Eff. 1-1-98) (Rev. 1-1-07)	106
17 Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08) 109 18 PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07) 111 19 Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07) 112 20 Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97) 113 21 Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07) 117 22 Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07) 119 23 Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07) 121 24 Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07) 123 25 Night Time Inspection of Roadway Lighting (Eff. 5-1-96) 124 26 English Substitution of Metric Bolts (Eff. 7-1-96) 125 27 English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03) 126 28 Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01) 127 29 Reserved 128 30 Quality Control of Concrete Mixtures at the Plant 129 31 Quality Control of Concrete Mixtures at the Plant 129 32 Asbestos Bearing Pad Removal (Eff. 11-1-03) 137	16		Patching with Hot-Mix Asphalt Overlay Removal (Eff. 10-1-95) (Rev. 1-1-07)	108
19 Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07) 112 20 Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97) 113 21 Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07) 117 22 Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07) 119 23 Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07) 121 24 Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07) 123 25 Night Time Inspection of Roadway Lighting (Eff. 5-1-96) 124 26 English Substitution of Metric Bolts (Eff. 7-1-96) 125 27 English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03) 126 28 Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01) 127 29 Reserved 128 30 Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-09) 129 31 Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-09) 137 32 Asbestos Bearing Pad Removal (Eff. 11-1-03) 149	17		Polymer Concrete (Eff. 8-1-95) (Rev. 1-1-08)	
20 Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97) 113 21 Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07) 117 22 Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07) 119 23 Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07) 121 24 Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07) 123 25 Night Time Inspection of Roadway Lighting (Eff. 5-1-96) 124 26 English Substitution of Metric Bolts (Eff. 7-1-96) 125 27 English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03) 126 28 Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01) 127 29 Reserved 128 30 Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-09) 129 31 Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-09) 137 32 Asbestos Bearing Pad Removal (Eff. 11-1-03) 149	18		PVC Pipeliner (Eff. 4-1-04) (Rev. 1-1-07)	111
21 Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07) 117 22 Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07) 119 23 Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07) 121 24 Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07) 123 25 Night Time Inspection of Roadway Lighting (Eff. 5-1-96) 124 26 English Substitution of Metric Bolts (Eff. 7-1-96) 125 27 English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03) 126 28 Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01) 127 29 Reserved 128 30 Quality Control of Concrete Mixtures at the Plant 129 31 Quality Control/Quality Assurance of Concrete Mixtures 137 32 Asbestos Bearing Pad Removal (Eff. 11-1-03) 149	19		Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-07)	112
22Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)11923Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)12124Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)12325Night Time Inspection of Roadway Lighting (Eff. 5-1-96)12426English Substitution of Metric Bolts (Eff. 7-1-96)12527English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)12628Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)12729Reserved12830Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-09)12931Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-09)13732Asbestos Bearing Pad Removal (Eff. 11-1-03)149	20		Guardrail and Barrier Wall Delineation (Eff. 12-15-93) (Rev. 1-1-97)	113
23Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)12124Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)12325Night Time Inspection of Roadway Lighting (Eff. 5-1-96)12426English Substitution of Metric Bolts (Eff. 7-1-96)12527English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)12628Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)12729Reserved12830Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-09)12931Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-09)13732Asbestos Bearing Pad Removal (Eff. 11-1-03)149	21		Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-07)	117
24Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)12325Night Time Inspection of Roadway Lighting (Eff. 5-1-96)12426English Substitution of Metric Bolts (Eff. 7-1-96)12527English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)12628Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)12729Reserved12830Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-09)12931Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-09)13732Asbestos Bearing Pad Removal (Eff. 11-1-03)149	22		Temporary Modular Glare Screen System (Eff. 1-1-00) (Rev. 1-1-07)	119
25Night Time Inspection of Roadway Lighting (Eff. 5-1-96)12426English Substitution of Metric Bolts (Eff. 7-1-96)12527English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)12628Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)12729Reserved12830Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-09)12931Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-09)13732Asbestos Bearing Pad Removal (Eff. 11-1-03)149	23		Temporary Portable Bridge Traffic Signals (Eff. 8-1-03) (Rev. 1-1-07)	121
26English Substitution of Metric Bolts (Eff. 7-1-96)12527English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)12628Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)12729Reserved12830Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-09)12931Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-09)13732Asbestos Bearing Pad Removal (Eff. 11-1-03)149	24		Work Zone Public Information Signs (Eff. 9-1-02) (Rev. 1-1-07)	123
27 English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03) 126 28 Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01) 127 29 Reserved 128 30 Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-09) 129 31 Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-09) 137 32 Asbestos Bearing Pad Removal (Eff. 11-1-03) 149	25		Night Time Inspection of Roadway Lighting (Eff. 5-1-96)	124
28 Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01) 127 29 Reserved 128 30 Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-09) 129 31 Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-09) 137 32 Asbestos Bearing Pad Removal (Eff. 11-1-03) 149	26		English Substitution of Metric Bolts (Eff. 7-1-96)	125
29 Reserved 128 30 Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-09) 129 31 Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-09) 137 32 Asbestos Bearing Pad Removal (Eff. 11-1-03) 149	27		English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03)	126
30 Quality Control of Concrete Mixtures at the Plant (Eff. 8-1-00) (Rev. 1-1-09) 129 31 Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-09) 137 32 Asbestos Bearing Pad Removal (Eff. 11-1-03) 149	28		Calcium Chloride Accelerator for Portland Cement Concrete (Eff. 1-1-01)	127
(Eff. 8-1-00) (Rev. 1-1-09) 129 31 Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-09) 137 32 Asbestos Bearing Pad Removal (Eff. 11-1-03) 149	29		Reserved	128
31Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 1-1-09)	30		Quality Control of Concrete Mixtures at the Plant	
(Eff. 4-1-92) (Rev. 1-1-09)			(Eff. 8-1-00) (Rev. 1-1-09)	129
(Eff. 4-1-92) (Rev. 1-1-09)	31		Quality Control/Quality Assurance of Concrete Mixtures	
32 Asbestos Bearing Pad Removal (Eff. 11-1-03)			(Eff. 4-1-92) (Rev. 1-1-09)	137
33 Asbestos Hot-Mix Asphalt Surface Removal (Eff. 6-1-89) (Rev. 1-1-09) 150	32			
	33		Asbestos Hot-Mix Asphalt Surface Removal (Eff. 6-1-89) (Rev. 1-1-09)	150

TABLE OF CONTENTS

LOCATION OF PROJECT
DESCRIPTION OF PROJECT1
TRAFFIC CONTROL PLAN
LOCATION OF UNDERGROUND STATE MAINTAINED FACILITIES
CONTRACT GUARANTEE
POTHOLING FOR LOCATION OF EXISTING UNDERGROUND UTILITIES
SEEDING, MINOR AREAS
CONDUIT, PUSHED OR TRENCHED
COMPLIANCE WITH LOCAL LAWS, ORDINANCES AND REGULATIONS (CITY OF PEORIA)
HANDHOLE, PORTLAND CEMENT CONCRETE
HANDHOLE, PORTLAND CEMENT CONCRETE, SPECIAL
FIBER OPTIC CABLE IN CONDUIT, NO. 62.5/125, MM12F, SM12F
SIDEWALK REMOVAL AND REPLACEMENT, SPECIAL10
MODIFY EXISTING CONTROLLER CABINET
APPROVAL OF PROPOSED BORROW AREAS, USE AREAS, AND/OR WASTE AREAS INSIDE
ILLINOIS STATE BORDERS (BDE)
EQUIPMENT RENTAL RATES (BDE)11
NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM / EROSION AND SEDIMENT
CONTROL DEFICIENCY DEDUCTION (BDE)12
PAYMENTS TO SUBCONTRACTORS (BDE)13
PERSONAL PROTECTIVE EQUIPMENT (BDE)14
REFLECTIVE SHEETING ON CHANNELIZING DEVICES (BDE)14
SEEDING (BDE)
SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)
WORKING DAYS (BDE)

FAP Route 646 (IL 40) Section D4 Signal Work 2009 Peoria County Contract 68835

STATE OF ILLINOIS

SPECIAL PROVISIONS

The following Special Provisions supplement the "Standard Specifications for Road and Bridge Construction," adopted January 1, 2007, the latest edition of the "Manual on Uniform Traffic Control Devices for Streets and Highways," and the "Manual of Test Procedures for Materials" in effect on the date of invitation for bids, and the Supplemental Specifications and Recurring Special Provisions indicated on the Check Sheet included herein which apply to and govern the construction of FAP Route 646 (IL 40), Section D4 Signal Work 2009 in Peoria County and in case of conflict with any part or parts of said Specifications, the said Special Provisions shall take precedence and shall govern.

LOCATION OF PROJECT

The project is located along Illinois Route 40 (Knoxville Avenue) from the intersection of the Pennsylvania/Interstate 74 ramps to the intersection of Glen Avenue in the city of Peoria, in Peoria County.

DESCRIPTION OF PROJECT

This project consists of installing conduit, handholes, and fiber optic cable for traffic signal interconnect, modifying existing traffic signal controllers and cabinets for fiber optic telemetry, and all other work required to complete the improvement.

TRAFFIC CONTROL PLAN

Effective October 31, 2008

Traffic control shall be in accordance with the applicable sections of the "Standard Specifications for Road and Bridge Construction", the applicable guidelines contained in the "Illinois Manual on Uniform Traffic Control Devices for Streets and Highways", these Special Provisions, and any special details and Highway Standards contained herein and in the plans.

Special attention is called to Section 701 and Articles 107.09 and 107.14 of the "Standard Specifications for Road and Bridge Construction" and the following Highway Standards relating to traffic control:

701001 701006 701101 701106 701602 701701 701801 702001

Traffic shall be maintained on the associated roadways at all times during construction. All lane closures shall be made during off-peak traffic hours, defined as time periods from 8:30 a.m. to 3:30 p.m. and 5:30 p.m. to 7:00 a.m. The Contractor shall notify the Engineer forty-eight (48) hours before the time of a planned closure. The exact time and duration of all lane closures, however, shall be as determined by the Engineer.

FAP Route 646 (IL 40) Section D4 Signal Work 2009 Peoria County Contract 68835

All traffic control devices shall be furnished, erected, maintained, and removed by the Contractor in accordance with the Standard Specifications. Where possible, all post-mounted signs shall be placed a minimum of two feet beyond the curb or edge of shoulder. Proposed sign spacing may be modified as approved by the Engineer in order to meet existing field conditions or to prevent obstruction of the motorist's view of permanent signing.

LOCATION OF UNDERGROUND STATE MAINTAINED FACILITIES

The Contractor shall be responsible for locating existing and proposed IDOT traffic signal and electrical facilities prior to performing any work at his/her own expense if required. The Contractor shall also be liable for any damage to IDOT facilities resulting from inaccurate locating.

The Contractor may obtain, on request, plans for the existing electrical facilities from the Department.

The Contractor shall also be responsible for locating and providing protection for IDOT facilities during all phases of construction. If at any time, the facilities are damaged, the Contractor shall immediately notify the Department and make all necessary arrangements for repair to the satisfaction of the Engineer. This work will not be paid for separately, but shall be included in the contract bid price.

CONTRACT GUARANTEE

The Contractor shall provide a written guarantee for all electrical equipment, apparatus, materials, and workmanship provided under the contract for a period of six months after the date of final acceptance according to Article 801.13.

All instruction sheets and other documentation required to be furnished by the manufacturer for materials and supplies and for operations shall be delivered to the Engineer prior to the acceptance of the project, with the following warranties and guarantees:

- 1. The manufacturer's standard written warranty for each piece of electrical equipment or apparatus furnished under the contract.
- 2. The Contractor's written guarantee that, for a period of six months after the date of final inspection of the project, all necessary repairs to or replacement of said warranted equipment, or apparatus shall be made by the Contractor at no cost to the Department.
- 3. The Contractor's written guarantee for satisfactory operation of all electrical systems furnished and constructed under the contract for a period of six months after final inspection of the project.

The Contractor shall furnish a warranty certificate for each component that includes the equipment description and details, serial numbers, effective dates, and the details of the warranty regarding materials and labor. The warranty period shall begin on the date of installation and the warranty certificate shall reflect this date.

POTHOLING FOR LOCATION OF EXISTING UNDERGROUND UTILITIES

Potholing to locate existing underground utilities shall be included in the contract bid price for the conduit pay items (pushed or trenched).

Removal and replacement of existing sidewalk, pavement, and islands only for utility locating purposes will not be paid for separately, but shall also be included in the contract bid price for the conduit pay items.

SEEDING, MINOR AREAS

Effective July 1, 1990

Revised January 1, 2007

Seeding, fertilizing, and mulching shall be done in accordance with <u>Article 250</u> of the Standard Specifications except for the following revisions:

All areas disturbed by the work performed shall be seeded, fertilized, and mulched in accordance with Article 251.03(a). The materials may be purchased locally and placed as directed by the engineer.

The estimated area is approximately 0.25 acre. The seed mixture shall be applied at <u>100</u> <u>pounds/acre (110 kg/ha)</u>. The mixture shall be one that contains a high percentage of Kentucky Blue Grass. All seeds shall meet the purity and noxious weed requirements of <u>Article 1081.04</u> of the Standard Specifications, and be approved by the engineer.

The fertilizer nutrients shall be applied at a rate of <u>270 lbs. (300 kg)</u> of actual nutrients per <u>acre</u> (<u>hectare</u>). The fertilizer furnished shall be ready mixed material having a ratio of (1-1-1).

The contractor shall provide the engineer with the test results from the seed container and the chemical analysis of the fertilizer nutrients.

The seed, fertilizer, and mulch will not be measured for payment but will be considered included in the cost of TRENCH AND BACKFILL FOR ELECTRICAL WORK.

CONDUIT, PUSHED OR TRENCHED

This work shall consist of furnishing and installing conduit under an existing roadway, driveway, or sidewalk, or trenched into the ground. The Contractor may substitute coilable polyethylene conduit of equal size.

Non-metallic cable marking tape shall be installed in all conduit trenches in accordance with Article 819.05. This item will not be paid for separately, but shall be included in the price of the conduit.

The Contractor may elect to push a conduit that is shown to be trenched on the plans. <u>This</u> work will be measured for payment and paid for as CONDUIT IN TRENCH of the type and size specified and TRENCH AND BACKFILL FOR ELECTRICAL WORK.

<u>Basis of Payment</u>. This work will be paid for at the contract unit price per foot for CONDUIT of the size and type specified which price shall be payment in full for furnishing and installing the conduit and fittings complete.

COMPLIANCE WITH LOCAL LAWS, ORDINANCES AND REGULATIONS (CITY OF PEORIA)

This project is located within the city of Peoria. The Contractor is advised to coordinate with the City of Peoria to determine the requirements for the construction of parking lots, placement of trailers, material storage, staging areas, and work areas outside the right-of-way.

The Contractor may contact the City of Peoria Planning and Growth Management Department, which is located in Room 402 of the Twin Towers Mall at (309) 494-8600, to discuss proposed improvements located outside the right-of-way. The City of Peoria holds One Stop meetings on Mondays at 1:30 p.m. in City Hall Room 400 or 404 where Contractors can present their proposed improvements which are located outside the right-of-way to the appropriate departments. Contractors should contact the Planning and Growth Department to be placed on the One Stop meeting agenda.

The storage or staging of any materials or equipment on the public right of way outside of the state right-of-way must be coordinated with the City of Peoria. The Contractor shall contact the Engineering Department at (309) 494-8826 or (309) 494-8833 prior to the start of any work involving staging/storage of equipment and/or materials in these areas.

HANDHOLE, PORTLAND CEMENT CONCRETE

This work shall consist of furnishing the materials and constructing a handhole in accordance with the applicable Articles of Section 814 and 1088 of the Standard Specifications with the following modifications:

The lift ring for the cover shall consist of a solid closed ring of stainless steel at least 3/8 inch in diameter. The lift ring shall be attached to the cover by a loop of stainless steel at least 3/8 inch in diameter. The lift ring and loop shall be recessed in the cover.

The Contractor shall install heavy-duty, fully-galvanized hooks, with a minimum diameter of $\frac{1}{2}$ " in the proposed handhole. The Contractor shall submit this material to the Engineer prior to construction of the handholes.

The lid shall be marked with the legend "Traffic Signals".

Pre-cast handholes are not allowed.

All unsuitable materials shall be disposed of by the Contractor outside the job limits.

The top of the handhole shall not be poured monolithic to the sidewalk. The sidewalk shall be poured separately from the handhole.

FAP Route 646 (IL 40) Section D4 Signal Work 2009 Peoria County Contract 68835

<u>Basis of Payment</u>: This work will be paid for at the contract unit price each for HANDHOLE, PORTLAND CEMENT CONCRETE which price shall be payment in full for all labor, materials, and equipment required to provide the handhole described above as well as any necessary excavating, backfilling, disposal of unsuitable materials, and furnishing all materials within the limits of the handhole.

HANDHOLE, PORTLAND CEMENT CONCRETE, SPECIAL

This work shall consist of furnishing the materials and constructing a handhole in accordance with the applicable Articles of Section 814 and 1088 of the Standard Specifications with the following modifications:

The lift ring for the cover shall consist of a solid closed ring of stainless steel at least 3/8 inch in diameter. The lift ring shall be attached to the cover by a loop of stainless steel at least 3/8 inch in diameter. The lift ring and loop shall be recessed in the cover.

The Contractor shall install heavy-duty, fully-galvanized hooks, with a minimum diameter of ½" in the proposed handhole. The Contractor shall submit this material to the Engineer prior to construction of the handholes.

The lid shall be marked with the legend "Traffic Signals".

Pre-cast handholes are not allowed.

All unsuitable materials shall be disposed of by the Contractor outside the job limits.

The top of the handhole shall not be poured monolithic to the sidewalk. The sidewalk shall be poured separately from the handhole.

The handhole shall be constructed around an existing cast iron junction box which contains one or more existing conduits and their associated electrical cables.

The Contractor shall remove the existing cast iron junction boxes and dispose of them off of the right of way.

The proposed handhole shall be constructed to allow the removal of the existing junction boxes and conduits without damaging the electrical cables inside. The Contractor, at his option, may elect to remove the cables from the existing conduits, prior to the construction of the handhole to prevent damage to the cables. The Contractor shall re-splice all detector loop lead-in cables with a new Type II splice utilizing a weatherproof splice kit.

The handhole shall be constructed deep enough to allow for a six inch clearance from the bottom of the deepest conduit.

Basis of Payment: This work will be paid for at the contract unit price each for HANDHOLE, PORTLAND CEMENT CONCRETE, SPECIAL which price shall be payment in full for all labor, materials, and equipment required to remove the existing junction box and provide the handhole described above as well as any necessary excavating, backfilling, disposal of unsuitable materials, and furnishing all materials within the limits of the handhole.

FIBER OPTIC CABLE IN CONDUIT, NO. 62.5/125, MM12F, SM12F

This work shall be in accordance with Sections 801, 864, 871, and 1076 of the Standard Specifications except as modified herein.

The fiber optic cable shall be a 24 fiber hybrid cable with 12 multi-mode and 12 single mode fibers.

Six multi-mode fibers from each cable entering the cabinet shall be terminated utilizing mechanical or fusion spliced ST connectors in each traffic signal cabinet. All terminated fibers shall be clearly labeled. All required equipment, including but not limited to fiber optic cables, connectors, and hardware shall be included in this pay item.

Fibers not being used shall be labeled "spare", and fibers not attached to a distribution enclosure shall be capped and sealed.

The Contractor shall furnish and install a 24 fiber wall mountable interconnect center in each existing traffic signal cabinet. The Contractor is responsible for rearranging existing components to facilitate installation. The wall mountable interconnect center shall be equipped with two six-fiber bulkheads, complete with all required fiber termination accessories.

All ancillary components, required to complete the fiber optic cable plant, including but not limited to, moisture and water sealants, cable caps, fan-out kits, weather-proof splice kits, boots, etc., shall be supplied under this pay item and will not be paid for separately.

The fiber optic cable shall be clearly marked in each handhole and cabinet with a brightly colored (orange or yellow) weather resistant label securely attached to the cable.

The Contractor shall provide and install a 12 Ga., stranded THHN, insulated orange tracer cable in all conduits that contain fiber optic cable. This work shall be done at the same time the fiber optic cable is pulled. There will be no additional compensation for this work.

<u>Materials</u>. The single-mode, fiber optic cable shall incorporate a loose, buffer-tube design. The cable shall conform to the requirements of RUS 7 CFR1755.900 (PE-90) for a single sheathed, non-armored cable, and shall be new, unused and of current design and manufacture. The number of fibers in each cable shall be as specified on the plans.

Construction Requirements:

Experience Requirements.

Personnel involved in the installation, splicing and testing of the fiber optic cables shall meet the following requirements:

A minimum of three (3) years experience in the installation of fiber optic cables, including splicing, terminating and testing single mode fibers.

Install two systems where fiber optic cables are outdoors in conduit and where the systems have been in continuous satisfactory operation for at least two years. The Contractor shall

submit as proof, photographs or other supporting documents, and the names, addresses and telephone numbers of the operating personnel who can be contacted regarding the installed fiber optic systems.

One fiber optic cable system (which may be one of the two in the preceding paragraph), which the Contractor can arrange for demonstration to the Department representatives and the Engineer.

Installers shall be familiar with the cable manufacturer's recommended procedures for installing the cable. This shall include knowledge of splicing procedures for and equipment being used on this project and knowledge of all hardware such as breakout (furcation) kits and splice closures. The Contractor shall submit documented procedures to the Engineer for approval and to be used by Construction inspectors.

Personnel involved in testing shall have been trained by the manufacturer of the fiber optic cable test equipment to be used, in fiber optic cable testing procedures. Proof of this training shall be submitted to the Engineer for approval. In addition, the Contractor shall submit documentation of the testing procedures for approval by the Engineer.

Installation in Conduit.

During cable pulling operations, the Contractor shall ensure that the minimum bending of the cable is maintained during the unreeling and pulling operations. Entry guide chutes shall be used to guide the cable into the handhole conduit ports. Lubricating compound shall be used to minimize friction. Corner rollers (wheels), if used, shall not have radii less than the minimum installation-bending radius of the cable. A series array of smaller wheels can be used for accomplishing the bend if the cable manufacturers specifically approve the array.

The pulling tension shall be continuously measured and shall not be allowed to exceed the maximum tension specified by the manufacturer of the cable. Fuse links and breaks can be used to ensure that the cable tensile strength is not exceeded. The pulling system shall have an audible alarm that sounds whenever a pre-selected tension level is reached. Tension levels shall be recorded continuously and shall be given to the Engineer upon request.

The cable shall be pulled into the conduit as a single component, absorbing the pulling force in all tension elements. The central strength member and Aramid yarn shall be attached directly to the pulling eye during cable pulling. "Basket grip" or "Chinese-finger type" attachments, which only attach to the cable's outer jacket, shall not be permitted. A breakaway swivel, rated at 95% of the cable manufacturer's approved maximum tensile loading, shall be used on all pulls. When simultaneously pulling fiber optic cable with other cables, separate grooved rollers shall be used for each cable.

Splicing Requirements:

Splices shall be made at locations shown on the Plans. Any other splices shall be permitted only with the approval of the Engineer.

Operation and Maintenance Documentation:

After the fiber optic cable plant has been installed, two (2) complete sets of Operation and Maintenance Documentation shall be provided. The documentation shall, as a minimum, include the following:

- Complete and accurate as-built diagrams showing the entire fiber optic cable plant including locations of all splices.
- Final copies of all approved test procedures.
- Complete performance data of the cable plant showing the losses at each terminal connector.
- Complete parts list including names of vendors.

Testing Requirements:

Testing shall be in accordance with Article 801.13

The Contractor shall submit detailed test procedures for approval by the Engineer. All continuous fiber runs shall be tested bi-directionally at both 1310 nm and 1550 nm with a power meter and optical source. For testing, intermediate breakout fibers may be concatenated and tested end-to-end. Any discrepancies between the measured results and these specifications will be resolved to the satisfaction of the Engineer.

The Contractor shall provide the date, time and location of any tests required by this specification to the Engineer at least 5 days before performing the test. Upon completion of the cable installation, splicing, and termination, the Contractor shall test all fibers in each link for continuity and attenuation. The test procedure shall be as follows:

A Certified Technician utilizing an Optical Source/Power Meter shall conduct the testing. The Technician is directed to conduct the test using the standard operating procedures defined by the manufacturer of the test equipment. All fibers installed shall be tested in both directions.

At the completion of the test, the Contractor shall provide two copies of documentation of the test results to the Engineer. The test documentation shall be bound and shall include the following:

Cable & Fiber Identification:

Cable ID Cable Location - beginning and end point Fiber ID, including tube and fiber color Operator Name Date & Time Setup Parameters Wavelength Pulse width (OTDR) Refractory index (OTDR) Range (OTDR) Scale (OTDR) Setup Option chosen to pass OTDR "dead zone"

Test Results:

Optical Source/Power Meter

Total Attenuation Attenuation (dB/km)

These results shall be provided in tabular form. The following shall be the criteria for the acceptance of the cable:

The test results shall show that the dB/km loss does not exceed +3% of the factory test or 1% of the cable's published production loss. However, no event shall exceed 0.10 dB. If any event is detected above 0.10 dB, the Contractor shall replace or repair the proposed fiber and/or fusion splice and connector including that event point.

The total dB loss of the cable, less events, shall not exceed the manufacturer's production specifications as follows: 0.5 dB/km at both 1310 and 1550 nm.

If the total loss exceeds these specifications, the Contractor shall replace or repair that cable run at the Contractor's expense, both labor and materials. Elevated attenuation due to exceeding the pulling tension during installation shall require the replacement of the cable run at the Contractor's expense, including labor and materials.

The Contractor shall label the destination of each trunk cable onto the cable in each handhole and termination panel.

Slack Storage of Fiber Optic Cables.

A part of this pay item, slack fiber shall be supplied as necessary to allow splicing the fiber optic cables in a controlled environment, such as a splicing van or tent. After splicing has been completed, the slack fiber shall be stored underground in handholes and in the traffic controller cabinets.

The amount of slack cable listed in Article 873.03 shall be revised as follows:

Location	Length of Slack Cable (Ft.)
Handhole	6.5
Double Handhole	26.0
Controller Cabinet	10.0

<u>Basis of Payment</u>: This work will be paid for at the contract unit price per foot for FIBER OPTIC CABLE IN CONDUIT N0. 62.5/125, MM12F SM12F and shall be payment in full for all labor, equipment, and materials required to provide, install, and test the fiber optic cable described above, complete.

SIDEWALK REMOVAL AND REPLACEMENT, SPECIAL

Effective December 8, 2008

<u>Description</u>. Portland cement concrete sidewalk shall be removed and replaced at locations as indicated on the Plans. In general, this work will take place where underground electric cable in existing conduit in-place under existing concrete sidewalk needs to be accessed. This work shall include removal of the existing sidewalk in accordance with Section 440 of the Standard Specifications, and installing new concrete sidewalk to replace the removed sidewalk in accordance with Section 424 of the Standard Specifications.

<u>Materials</u>. The newly constructed Portland cement concrete sidewalk shall meet the requirements of Section 424.02 of Standard Specifications. The thickness of the newly constructed concrete sidewalk shall match the thickness of the existing sidewalk.

<u>Construction Requirements</u>. The existing concrete sidewalk to be removed shall be as shown on the plans or as directed by the Engineer. The removal and disposal of the existing sidewalk shall be performed in accordance with Section 440 of the Standard Specifications.

The new Portland cement concrete sidewalk shall be constructed where the existing sidewalk has been removed, or as directed by the Engineer. Construction work shall be in accordance with Section 424 of the Standard Specifications.

<u>Method of Measurement</u>. Sidewalk Removal and Replacement shall be measured for payment in place, and the area computed in square feet of the newly installed concrete sidewalk minus the embedded handhole. The amount of sidewalk removal shall be included in the cost of this pay item.

<u>Basis of Payment</u>: This work will be paid for at the contract unit price per square feet of SIDEWALK REMOVAL AND REPLACMENT, SPECIAL. The price shall include payment in full for all required expansion joints, special texturing, variable height edge treatment at sidewalk ramps, and for removing and disposing of the entire quantity of sidewalk as required.

MODIFY EXISTING CONTROLLER CABINET

This work shall be in accordance with Section 857 and 1085 of the Standard Specifications except as modified herein.

The Contractor shall modify the existing traffic signal controllers and cabinets for fiber optic telemetry.

The Contractor shall furnish and install all equipment required to provide fiber optic telemetry in the existing traffic signal cabinets. The existing cabinets currently utilize FSK telemetry. The Contractor shall remove all items that are no longer needed for telemetry and deliver them to the city of Peoria.

The Contractor shall furnish and install the following items at each traffic signal cabinet:

FAP Route 646 (IL 40) Section D4 Signal Work 2009 Peoria County Contract 68835

- Econolite ASC/2 RS-232 Telemetry Module, ECP-33525G1 Qty. 1 Each
- Econolite Telemetry Harness TIO/FOI 25 Pin, ECP-31690G10 Qty. 1 Each
- Econolite Fiber Optic Interface Panel, ECP-32680G1 Qty. 1 Each
- Niwott 2200 Fiber Optic Modem Qty. 2 Each
- Multimode Fiber Duplex Jumper, 1 Meter Length Qty. 2 Each
- All other items required for fiber optic telemetry.

Any relocating of existing panels or components that is required for to facilitate installation of the proposed equipment shall be included in this pay item. There will be no additional compensation allowed for moving or rearranging the cabinet shelves and traffic signal components.

The Contractor shall revise the cabinet prints at each location.

<u>Basis of Payment</u>: The above work shall be paid for at the contract unit price each for MODIFY EXISTING CONTROLLER CABINET which price shall be payment in full for providing all labor, materials, and equipment required to modify the existing controller cabinet as described above.

APPROVAL OF PROPOSED BORROW AREAS, USE AREAS, AND/OR WASTE AREAS INSIDE ILLINOIS STATE BORDERS (BDE)

Effective: November 1, 2008

Revise the title of Article 107.22 of the Standard Specifications to read:

"107.22 Approval of Proposed Borrow Areas, Use Areas, and/or Waste Areas Inside Illinois State Borders."

Add the following sentence to the end of the first paragraph of Article 107.22 of the Standard Specifications:

"Proposed borrow areas, use areas, and/or waste areas outside of Illinois shall comply with Article 107.01."

EQUIPMENT RENTAL RATES (BDE)

Effective: August 2, 2007

Revised: January 2, 2008

Replace the second and third paragraphs of Article 105.07(b)(4)a. of the Standard Specifications with the following:

"Equipment idled which cannot be used on other work, and which is authorized to standby on the project site by the Engineer, will be paid for according to Article 109.04(b)(4)."

Replace Article 109.04(b)(4) of the Standard Specifications with the following:

"(4) Equipment. Equipment used for extra work shall be authorized by the Engineer.

The equipment shall be specifically described, be of suitable size and capacity for the work to be performed, and be in good operating condition. For such equipment, the Contractor will be paid as follows.

a. Contractor Owned Equipment. Contractor owned equipment will be paid for by the hour using the applicable FHWA hourly rate from the "Equipment Watch Rental Rate Blue Book" (Blue Book) in effect when the force account work begins. The FHWA hourly rate is calculated as follows.

FHWA hourly rate = (monthly rate/176) x (model year adj.) x (Illinois adj.) + EOC

Where: EOC = Estimated Operating Costs per hour (from the Blue Book)

The time allowed will be the actual time the equipment is operating on the extra work. For the time required to move the equipment to and from the site of the extra work and any authorized idle (standby) time, payment will be made at the following hourly rate: $0.5 \times (FHWA \text{ hourly rate - EOC})$.

All time allowed shall fall within the working hours authorized for the extra work.

The rates above include the cost of fuel, oil, lubrication, supplies, small tools, necessary attachments, repairs, overhaul and maintenance of any kind, depreciation, storage, overhead, profits, insurance, and all incidentals. The rates do not include labor.

The Contractor shall submit to the Engineer sufficient information for each piece of equipment and its attachments to enable the Engineer to determine the proper equipment category. If a rate is not established in the Blue Book for a particular piece of equipment, the Engineer will establish a rate for that piece of equipment that is consistent with its cost and use in the industry.

b. Rented Equipment. Whenever it is necessary for the Contractor to rent equipment to perform extra work, the rental and transportation costs of the equipment plus five percent for overhead will be paid. In no case shall the rental rates exceed those of established distributors or equipment rental agencies.

All prices shall be agreed to in writing before the equipment is used."

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM / EROSION AND SEDIMENT CONTROL DEFICIENCY DEDUCTION (BDE)

Effective: April 1, 2007

Revised: November 1, 2008

Revise Article 105.03(a) of the Standard Specifications to read:

"(a) National Pollutant Discharge Elimination System (NPDES) / Erosion and Sediment Control Deficiency Deduction. When the Engineer is notified or determines an erosion and/or sediment control deficiency(s) exists, or the Contractor's activities represents a violation of the Department's NPDES permits, the Engineer will notify and direct the Contractor to correct the deficiency within a specified time. The specified time, which begins upon notification to the Contractor, will be from 1/2 hour to 1 week based on the urgency of the situation and the nature of the work effort required. The Engineer will be the sole judge.

A deficiency may be any lack of repair, maintenance, or implementation of erosion and/or sediment control devices included in the contract, or any failure to comply with the conditions of the Department's NPDES permits. A deficiency may also be applied to situations where corrective action is not an option such as the failure to participate in a jobsite inspection of the project, failure to install required measures prior to initiating earth moving operations, disregard of concrete washout requirements, or other disregard of the NPDES permit.

If the Contractor fails to correct a deficiency within the specified time, a daily monetary deduction will be imposed for each calendar day or fraction thereof the deficiency exists. The calendar day(s) will begin with notification to the Contractor and end with the Engineer's acceptance of the correction. The daily monetary deduction will be either \$1000.00 or 0.05 percent of the awarded contract value, whichever is greater. For those deficiencies where corrective action was not an option, the monetary deduction will be immediate and will be valued at one calendar day."

PAYMENTS TO SUBCONTRACTORS (BDE)

Effective: June 1, 2000

Revised: January 1, 2006

Federal regulations found at 49 CFR §26.29 mandate the Department to establish a contract clause to require Contractors to pay subcontractors for satisfactory performance of their subcontracts and to set the time for such payments.

State law also addresses the timing of payments to be made to subcontractors and material suppliers. Section 7 of the Prompt Payment Act, 30 ILCS 540/7, requires that when a Contractor receives any payment from the Department, the Contractor shall make corresponding, proportional payments to each subcontractor and material supplier performing work or supplying material within 15 calendar days after receipt of the Department payment. Section 7 of the Act further provides that interest in the amount of two percent per month, in addition to the payment due, shall be paid to any subcontractor or material supplier by the Contractor if the payment required by the Act is withheld or delayed without reasonable cause. The Act also provides that the time for payment required and the calculation of any interest due applies to transactions between subcontractors and lower-tier subcontractors and material suppliers throughout the contracting chain.

This Special Provision establishes the required federal contract clause, and adopts the 15 calendar day requirement of the State Prompt Payment Act for purposes of compliance with the federal regulation regarding payments to subcontractors. This contract is subject to the following payment obligations.

When progress payments are made to the Contractor according to Article 109.07 of the Standard Specifications, the Contractor shall make a corresponding payment to each subcontractor and material supplier in proportion to the work satisfactorily completed by each

FAP Route 646 (IL 40) Section D4 Signal Work 2009 Peoria County Contract 68835

subcontractor and for the material supplied to perform any work of the contract. The proportionate amount of partial payment due to each subcontractor and material supplier throughout the contracting chain shall be determined by the quantities measured or otherwise determined as eligible for payment by the Department and included in the progress payment to the Contractor. Subcontractors and material suppliers shall be paid by the Contractor within 15 calendar days after the receipt of payment from the Department. The Contractor shall not hold retainage from the subcontractors. These obligations shall also apply to any payments made by subcontractors and material suppliers to their subcontractors and material suppliers; and to all payments made to lower tier subcontractors and material suppliers throughout the contracting chain. Any payment or portion of a payment subject to this provision may only be withheld from the subcontractor or material supplier to whom it is due for reasonable cause.

This Special Provision does not create any rights in favor of any subcontractor or material supplier against the State or authorize any cause of action against the State on account of any payment, nonpayment, delayed payment, or interest claimed by application of the State Prompt Payment Act. The Department will not approve any delay or postponement of the 15 day requirement except for reasonable cause shown after notice and hearing pursuant to Section 7(b) of the State Prompt Payment Act. State law creates other and additional remedies available to any subcontractor or material supplier, regardless of tier, who has not been paid for work properly performed or material furnished. These remedies are a lien against public funds set forth in Section 23(c) of the Mechanics Lien Act, 770 ILCS 60/23(c), and a recovery on the Contractor's payment bond according to the Public Construction Bond Act, 30 ILCS 550.

PERSONAL PROTECTIVE EQUIPMENT (BDE)

Effective: November 1, 2008

Revise the first sentence of Article 701.12 of the Standard Specifications to read:

"All personnel on foot, excluding flaggers, within the highway right-of-way shall wear a fluorescent orange, fluorescent yellow/green, or a combination of fluorescent orange and fluorescent yellow/green vest meeting the requirements of ANSI/ISEA 107-2004 for Conspicuity Class 2 garments."

REFLECTIVE SHEETING ON CHANNELIZING DEVICES (BDE)

Effective: April 1, 2007

Revised: November 1, 2008

Revise the seventh paragraph of Article 1106.02 of the Standard Specifications to read:

"At the time of manufacturing, the retroreflective prismatic sheeting used on channelizing devices shall meet or exceed the initial minimum coefficient of retroreflection as specified in the following table. Measurements shall be conducted according to ASTM E 810, without averaging. Sheeting used on cones, drums and flexible delineators shall be reboundable as tested according to ASTM D 4956. Prestriped sheeting for rigid substrates on barricades shall be white and orange. The sheeting shall be uniform in color and devoid of streaks throughout the length of each roll. The color shall conform to the latest appropriate standard color tolerance chart issued by the U.S. Department of Transportation, Federal Highway Administration, and to the daytime and nighttime color requirements of ASTM D 4956.

Initial Minimum Coefficient of Retroreflection candelas/foot candle/sq ft (candelas/lux/sq m) of material								
Observation	Entrance Angle			Fluorescent				
Angle (deg.)	(deg.)	White	Orange	Orange				
0.2	-4	365	160	150				
0.2	+30	175	80	70				
0.5	-4	245	100	95				
0.5	+30	100	50	40"				

Revise the first sentence of the first paragraph of Article 1106.02(c) of the Standard Specifications to read:

"Barricades and vertical panels shall have alternating white and orange stripes sloping downward at 45 degrees toward the side on which traffic will pass."

Revise the third sentence of the first paragraph of Article 1106.02(d) of the Standard Specifications to read:

"The bottom panels shall be 8 x 24 in. (200 x 600 mm) with alternating white and orange stripes sloping downward at 45 degrees toward the side on which traffic will pass."

SEEDING (BDE)

Effective: July 1, 2004

Revised: January 1, 2009

Revise the following seeding mixtures shown in Table 1 of Article 250.07 of the Standard Specifications to read:

	"Table 1 - SEEDING MIXTURES						
	Class – Type	Seeds	lb/acre (kg/hectare)				
2	Roadside Mixture 7/	ure 7/ Tall Fescue (Inferno, Tarheel II, Quest, Blade Runner, or Falcon IV)					
		Perennial Ryegrass	50 (55)				
		Creeping Red Fescue	40 (50)				
		Red Top	10 (10)				
2A	Salt Tolerant Roadside Mixture 7/	Tall Fescue (Inferno, Tarheel II, Quest, Blade Runner, or Falcon IV)	60 (70)				
		Perennial Ryegrass	20 (20)				
		Red Fescue (Audubon, Sea Link, or Epic)	30 (20)				
		Hard Fescue (Rescue 911, Spartan II, or Reliant IV)	30 (20)				
		Fults Salt Grass 1/	60 (70)"				

Revise Note 7 of Table 1 – Seeding Mixtures of Article 250.07 of the Standard Specifications to read:

"7/ In Districts 1 through 6, the planting times shall be April 1 to June 15 and August 1 to November 1. In Districts 7 through 9, the planting times shall be March 1 to June 1 and August 1 to November 15. Seeding may be performed outside these dates provided the Contractor guarantees a minimum of 75 percent uniform growth over the entire seeded area(s) after a period of establishment. Inspection dates for the period of establishment will be as follows: Seeding conducted in Districts 1 through 6 between June 16 and July 31 will be inspected after April 15 and seeding conducted between November 2 and March 31 will be inspected after September 15. Seeding conducted in Districts 7 through 9 between June 2 and July 31 will be inspected after April 15 and seeding conducted between November 16 and February 28 will be inspected after September 15. The guarantee shall be submitted to the Engineer in writing prior to performing the work. After the period of establishment, areas not exhibiting 75 percent uniform growth shall be interseeded or reseeded, as determined by the Engineer, at no additional cost to the Department."

	TABLE II									
	Hard		Pure		Secondary *					
	Seed	Purity	Live	Weed	Noxious Weeds					
	%	%	Seed %	%	No. per oz (kg)					
Variety of Seeds	Max.	Min.	Min.	Max.	Max. Permitted	Notes				
Alfalfa	20	92	89	0.50	6 (211)	1/				
Clover, Alsike	15	92	87	0.30	6 (211)	2/				
Red Fescue, Audubon	0	97	82	0.10	3 (105)	-				
Red Fescue, Creeping	-	97	82	1.00	6 (211)	-				
Red Fescue, Epic	-	98	83	0.05	1 (35)	-				
Red Fescue, Sea Link	-	98	83	0.10	3 (105)	-				
Tall Fescue, Blade Runner	-	98	83	0.10	2 (70)	-				
Tall Fescue, Falcon IV	-	98	83	0.05	1 (35)	-				
Tall Fescue, Inferno	0	98	83	0.10	2 (70)	-				
Tall Fescue, Tarheel II	-	97	82	1.00	6 (211)	-				
Tall Fescue, Quest	0	98	83	0.10	2 (70)					
Fults Salt Grass	0	98	85	0.10	2 (70)	-				
Kentucky Bluegrass	-	97	80	0.30	7 (247)	4/				
Oats	-	92	88	0.50	2 (70)	3/				
Redtop	-	90	78	1.80	5 (175)	3/				
Ryegrass, Perennial, Annual	-	97	85	0.30	5 (175)	3/				
Rye, Grain, Winter	-	92	83	0.50	2 (70)	3/				
Hard Fescue, Reliant IV	-	98	83	0.05	1 (35)	-				
Hard Fescue, Rescue 911	0	97	82	0.10	3 (105)	-				
Hard Fescue, Spartan II	-	98	83	0.10	3 (105)	-				
Timothy	-	92	84	0.50	5 (175)	3/				
Wheat, hard Red Winter	-	92	89	0.50	2 (70)	3/"				

Revise Table II of Article 1081.04(c)(6) of the Standard Specifications to read:

Revise the first sentence of the first paragraph of Article 1081.04(c)(7) of the Standard Specifications to read:

"The seed quantities indicated per acre (hectare) for Prairie Grass Seed in Classes 3, 3A, 4, 4A, 6, and 6A in Article 250.07 shall be the amounts of pure, live seed per acre (hectare) for each species listed."

SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)

Effective: April 2, 2005

To account for the preparatory work and operations necessary for the movement of subcontractor personnel, equipment, supplies, and incidentals to the project site and for all other work or operations that must be performed or costs incurred when beginning work approved for subcontracting in accordance with Article 108.01 of the Standard Specifications, the Contractor shall make a mobilization payment to each subcontractor.


This mobilization payment shall be made at least 14 days prior to the subcontractor starting work. The amount paid shall be equal to 3 percent of the amount of the subcontract reported on form BC 260A submitted for the approval of the subcontractor's work.

This provision shall be incorporated directly or by reference into each subcontract approved by the Department.

WORKING DAYS (BDE)


Effective: January 1, 2002


The Contractor shall complete the work within **<u>40</u>** working days.





SECTION COUNTY SHEET D4 SIGNAL PEORIA TOTAL NO. WORK 2009 PEORIA 11 2	COMMITMENTS NO COMMITMENTS WERE MADE IN CONJUNCTION WITH THIS PROJECT.
ROUTE SE MKD. DESIG. D4 IL 40 FAP 646 WOF	CONSTRUCTION NOTES THE EXISTING TRAFFIC SIGNALS SHALL REMAIN IN OPERATION DURING THE CONSTRUCTION OF THE PROPOSED TRAFFIC SIGNALS WILL BE CONSIDERED EXTRA WORK IN ACCORDANCE WITH ARTICLE 108.04 OF THE STANDARD SPECIFICATIONS. THE LOCATION OF ALL UTLITIES AND FRAVETICS YOWIED FACILITIES SHALL BE FIELD VERIFIED WORK IN ACCORDANCE WITH ARTICLE 108.04 OF THE STANDARD SPECIFICATIONS. THE CONTRACTOR PROPINED TO THE INSTALLATION OF ANY COMMENT. ALL SURPLUS MATERIALS SHALL BE DISPOSED OF IN ACCORDANGE WITH ARTICLE CONTRACTOR FOR HANDHOLES AND FRAVILATIONAL. ALL SURPLUS MATERIALS SHALL BE DISPOSED OF IN ACCORDANGE WITH ARTICLE CONTRACTOR THANDHOLES THE PROVIDED FOR REFERENCE ONLY. THE ENGINER THE LOCATIONS FOR HANDHOLES ARE FRAVIDED FOR REFERENCE ONLY. THE ENGINER ALL SURPLUS MATERIALS SHALL BE CAST IN PLACE CONCRETE HANDHOLES. THE HANDHOLE SHALL BE CONSTRUCTED SO TART FOROMENT. THE HANDHOLES SHALL BE CONSTRUCTED SO TART ON THE TOP OF THE FRAME WILL BE FLUSH WITH THE SURFACE OF THE MEDIAN, SIDEWALK, OR GROUND LINE COLLABLE POLYFETHYLENE FOR TRUCTED SO TART ON THE PLAN THE CONTRACTOR MULL BE MEASURED FOR PROFILED AND TRENCHED. ON THE PLANS, HOWEVER, THIS WORK WILL BE MEASURED FOR PAY MENT AND PAID OR AS CONDUIT IN TRENCH DOID THAT IS SHALL BE INCLUDED IN THE CONTRACT SO RONDUIT THAT IS SHOWN TO BE TRENCHED. FOR AS CONDUIT IN TRENCH SIGNALES SUCH AS ON THE PLANS, HOWEVER, THIS WORK WILL BE MEASURED FOR PROFILED AND TRENCHED. FOR AS CONDUIT IN TRENCH SIGNALS, PLACENDED. FOR AS CONDUIT ANY TRENCHED. FOR CONTRACT BID PRICE FOR THE CONDUIT THAT IS SHALL BE INCLUDED IN THE CONTRACT BID PRICE FOR THE CONDUIT THAT IS SHALL BE INCLUDED IN THE CONTRACT BID PRICE FOR THE CONDUIT THAT IS SHALL BE INCLUDED IN THE CONTRACT DERREMANS, PLACENCH, PLACENCH OF THE CONDUIT THAT IS SHOWN TO BE FRAUCH. FRENCHAND, COMPENDER FOR THE CONDUIT THAT IS SHOWN TO BE TRENCHED. FOR CONDUIT OF THE CONDUIT THAT IS SHALL BE INCLUDED IN THE CONTRACT FRENCHAN CONDUINT AND TRENCT SIGNALS AND TRENCHED. FRENCHAN CONDUINT AND REP


		ILM	ROUTE MKD. DESIG. L 40 FAP646	SECTION D4 SIGNAL WORK 2009	COUNTY SHEET PEORIA TOTAL NO. 11 3
	SUMMARY OF QUANTITIES		PEORIA COUNTY CONST. TYPE CODE Y031-1F		
CODE NUMBER	ITEM DESCRIPTION	TIND.	INTERCONNECT 100% STATE 0% CITY URBAN IL-40 (KNOXVILLE AVE)		
44004610	SIDEWALK REMOVAL AND REPLACEMENT	SOFT	448.0		
67100100	MOBILIZATION	L SUM	01		
70102632	TRAFFIC CONTROL AND PROTECTION STANDARD 701602	LSUM			
70102635	TRAFFIC CONTROL AND PROTECTION, STANDARD 701701	LSUM	0.		
0102640	70102640 TRAFFIC CONTROL AND PROTECTION, STANDARD 701801	ESUM	1.0		
81012600	CONDUIT-IN TRENCH 2" DIAL PVC	FOOT	5674 O		
			D -11 DD		
81021330	CONDUIT PUSHED, 2' DIA, PVC	FOOT	3616.0		
81400700	HANDHOLE, PORTLAND CEMENT CONCRETE	EACH	19.0		
81400705	HANDHOLE, PORTLAND CEMENT CONCRETE (SPECIAL)	EACH	2.0		
900200	81900200 TRENCH AND BACKFILL FOR ELECTRICAL WORK	FOOT	5611.0		
87900200		EACH	7.0		
89502210	MODIFY EXISTING CONTROLLER CABINET	EACH	0.6		
X8710020	FIBER OPTIC CABLE IN CONDUIT	FOOT	15639.5		
					SUMMARY OF QUANTITIES




















ILLINOIS DEPARTMENT OF LABOR

PREVAILING WAGES FOR PEORIA COUNTY EFFECTIVE DECEMBER 2008

The Prevailing rates of wages are included in the Contract proposals which are subject to Check Sheet #5 of the Supplemental Specifications and Recurring Special Provisions. The rates have been ascertained and certified by the Illinois Department of Labor for the locality in which the work is to be performed and for each craft or type of work or mechanic needed to execute the work of the Contract. As required by Prevailing Wage Act (820 ILCS 130/0.01, et seq.) and Check Sheet #5 of the Contract, not less than the rates of wages ascertained by the Illinois Department of Labor and as revised during the performance of a Contract shall be paid to all laborers, workers and mechanics performing work under the Contract. Post the scale of wages in a prominent and easily accessible place at the site of work.

If the Illinois Department of Labor revises the prevailing rates of wages to be paid as listed in the specification of rates, the contractor shall post the revised rates of wages and shall pay not less than the revised rates of wages. Current wage rate information shall be obtained by visiting the Illinois Department of Labor web site at http://www.state.il.us/agency/idol/ or by calling 312-793-2814. It is the responsibility of the contractor to review the rates applicable to the work of the contract at regular intervals in order to insure the timely payment of current rates. Provision of this information to the contractor by means of the Illinois Department of Labor web site satisfies the notification of revisions by the Department to the contractor pursuant to the Act, and the contractor agrees that no additional notice is required. The contractor shall notify each of its subcontractors of the revised rates of wages.

Peoria County Prevailing Wage for December 2008

Trade Name	RG TYP C	Base	FRMAN *M-F>8	OSA OSH	H/W	Pensn	Vac	Trng
	== === =	======		=== ===	=====	=====	=====	=====
ASBESTOS ABT-GEN	BLD	24.200	25.700 1.5	1.5 2.0	6.250	10.09	0.000	0.750
ASBESTOS ABT-GEN	HWY	25.640	26.390 1.5	1.5 2.0	6.250	10.71	0.000	0.700
ASBESTOS ABT-MEC	BLD	28.950	0.000 1.5	1.5 2.0	9.170	9.260	0.000	0.320
BOILERMAKER	BLD	32.570	35.570 2.0	2.0 2.0	6.820	8.140	0.000	0.350
BRICK MASON	BLD	28.710	30.210 1.5	1.5 2.0	6.150	7.600	0.000	0.430
CARPENTER	BLD	27.930	30.180 1.5	1.5 2.0	6.750	8.650	0.000	0.320
CARPENTER	HWY	29.020	31.270 1.5	1.5 2.0	6.750	8.940	0.000	0.320
CEMENT MASON	BLD	25.220	26.970 1.5	1.5 2.0	5.990	10.78	0.000	0.500
CEMENT MASON	HWY	26.500	27.500 1.5	1.5 2.0	5.990	11.24	0.000	0.500
CERAMIC TILE FNSHER	BLD	26.390	0.000 1.5	1.5 2.0	6.150	7.600	0.000	0.430
ELECTRIC PWR EQMT OP	ALL	30.750	0.000 1.5	1.5 2.0	4.750	8.610	0.000	0.000
ELECTRIC PWR GRNDMAN	ALL	21.090	0.000 1.5	1.5 2.0	4.750	5.905	0.000	0.000
ELECTRIC PWR LINEMAN	ALL	34.160	36.350 1.5	1.5 2.0	4.750	9.560	0.000	0.000
ELECTRIC PWR TRK DRV	ALL	22.130	0.000 1.5	1.5 2.0	4.750	6.200	0.000	0.000
ELECTRICIAN	BLD	31.190	33.690 1.5	1.5 2.0	5.150	8.480	0.000	0.250
ELECTRONIC SYS TECH	BLD	24.830	26.330 1.5	1.5 2.0	5.150	6.145	0.000	0.250
ELEVATOR CONSTRUCTOR	BLD		40.070 2.0	2.0 2.0	8.775	6.960	2.140	0.000
GLAZIER	BLD	27.920	29.920 1.5	1.5 2.0	6.750	6.250	0.000	0.550
HT/FROST INSULATOR	BLD	38.600	41.100 1.5	1.5 2.0	9.170	10.46	0.000	0.320
IRON WORKER	BLD	27.610	29.360 1.5	1.5 2.0	8.140	8.310	0.000	0.400
IRON WORKER	HWY	30.310	31.810 1.5	1.5 2.0	8.140	8.310	0.000	0.350
LABORER	BLD		24.700 1.5	1.5 2.0				
LABORER	HWY		25.640 1.5	1.5 2.0				
LABORER, SKILLED	BLD		25.100 1.5			10.09		
LABORER, SKILLED	HWY		25.940 1.5			10.71		
LATHER	BLD		30.180 1.5					
MACHINERY MOVER	HWY		31.810 1.5			8.310		
MACHINIST	BLD	40.530	42.530 1.5 0.000 1.5	1.5 2.0 1.5 2.0		7.670		
MARBLE FINISHERS MARBLE MASON	BLD		29.400 1.5	1.5 2.0 1.5 2.0				
MARBLE MASON MILLWRIGHT	BLD BLD		30.570 1.5	1.5 2.0				
MILLWRIGHT	HWY		31.760 1.5	1.5 2.0				
OPERATING ENGINEER			32.420 1.5			10.00		
OPERATING ENGINEER	BLD 2		32.420 1.5			10.00		
OPERATING ENGINEER	BLD 3		32.420 1.5	1.5 2.0			0.000	
OPERATING ENGINEER			33.300 1.5			10.00		
OPERATING ENGINEER		27.790				10.00		
OPERATING ENGINEER	HWY 3	23.640	33.300 1.5	1.5 2.0	6.450	10.00	0.000	1.100
PAINTER	ALL		31.850 1.5	1.5 1.5	6.750	6.750	0.000	0.550
PAINTER SIGNS	BLD	29.920	33.590 1.5	1.5 1.5	2.600	2.390	0.000	0.000
PILEDRIVER	BLD	28.430	30.680 1.5	1.5 2.0	6.750	8.650	0.000	0.320
PILEDRIVER	HWY	30.020	32.270 1.5	1.5 2.0	6.750	8.940	0.000	0.320
PIPEFITTER	BLD	34.270	38.040 1.5	1.5 2.0	6.450	8.800	0.000	0.560
PLASTERER	BLD		27.040 1.5	1.5 2.0				
PLUMBER	BLD		33.870 1.5	1.5 2.0				
ROOFER	BLD		26.250 1.5	1.5 2.0				
SHEETMETAL WORKER	BLD		31.230 1.5	1.5 2.0				
SIGN HANGER	HWY		31.810 1.5	1.5 2.0				
SPRINKLER FITTER	BLD		37.690 1.5	1.5 2.0				
STEEL ERECTOR	HWY		31.810 1.5	1.5 2.0				
STONE MASON	BLD		30.210 1.5	1.5 2.0				
TERRAZZO FINISHER	BLD	26.390	0.000 1.5	1.5 2.0				
TERRAZZO MASON TILE MASON	BLD		29.400 1.5	1.5 2.0 1.5 2.0				
TRUCK DRIVER	BLD at.t. 1	28.150	29.400 1.5 0.000 1.5	1.5 2.0 1.5 2.0				
TRUCK DRIVER		27.457		1.5 2.0 1.5 2.0				
TRUCK DRIVER		28.057		1.5 2.0				
TRUCK DRIVER		28.307		1.5 2.0				
			J.J.J. 1.J	2.5 2.0	2.000	2	2.000	

TRUCK DRIVER	ALL 5 2	9.057	0.000	1.5	1.5	2.0	8.600	3.797	0.000	0.000
TRUCK DRIVER	O&C 1 2	1.970	0.000	1.5	1.5	2.0	8.600	3.797	0.000	0.000
TRUCK DRIVER	0&C 2 2	2.290	0.000	1.5	1.5	2.0	8.600	3.797	0.000	0.000
TRUCK DRIVER	0&C 3 2	2.450	0.000	1.5	1.5	2.0	8.600	3.797	0.000	0.000
TRUCK DRIVER	O&C 4 2	2.650	0.000	1.5	1.5	2.0	8.600	3.797	0.000	0.000
TRUCK DRIVER	0&C 5 2	3.250	0.000	1.5	1.5	2.0	8.600	3.797	0.000	0.000
TUCKPOINTER	BLD 2	8.710	30.210	1.5	1.5	2.0	6.150	7.600	0.000	0.430

Legend:

M-F>8 (Overtime is required for any hour greater than 8 worked each day, Monday through Friday.

OSA (Overtime is required for every hour worked on Saturday)

OSH (Overtime is required for every hour worked on Sunday and Holidays)

H/W (Health & Welfare Insurance)

Pensn (Pension)

Vac (Vacation)

Trng (Training)

Explanations

PEORIA COUNTY

The following list is considered as those days for which holiday rates of wages for work performed apply: New Years Day, Memorial/Decoration Day, Fourth of July, Labor Day, Veterans Day, Thanksgiving Day, Christmas Day. Generally, any of these holidays which fall on a Sunday is celebrated on the following Monday. This then makes work performed on that Monday payable at the appropriate overtime rate for holiday pay. Common practice in a given local may alter certain days of celebration such as the day after Thanksgiving for Veterans Day. If in doubt, please check with IDOL.

Oil and chip resealing (O&C) means the application of road oils and liquid asphalt to coat an existing road surface, followed by application of aggregate chips or gravel to coated surface, and subsequent rolling of material to seal the surface.

EXPLANATION OF CLASSES

ASBESTOS - GENERAL - removal of asbestos material/mold and hazardous materials from any place in a building, including mechanical systems where those mechanical systems are to be removed. This includes the removal of asbestos materials/mold and hazardous materials from ductwork or pipes in a building when the building is to be demolished at the time or at some close future date.

ASBESTOS - MECHANICAL - removal of asbestos material from mechanical systems, such as pipes, ducts, and boilers, where the mechanical systems are to remain.

CERAMIC TILE FINISHER, MARBLE FINISHER, TERRAZZO FINISHER

Assisting, helping or supporting the tile, marble and terrazzo mechanic by performing their historic and traditional work assignments required to complete the proper installation of the work covered by said crafts. The term "Ceramic" is used for naming the classification only and is in no way a limitation of the product handled. Ceramic takes into consideration most hard tiles.

ELECTRONIC SYSTEMS TECHNICIAN

Installation, service and maintenance of low-voltage systems which utilizes the transmission and/or transference of voice, sound, vision, or digital for commercial, education, security and entertainment purposes for the following: TV monitoring and surveillance, background/foreground music, intercom and telephone interconnect, field programming, inventory control systems, microwave transmission, multi-media, multiplex, radio page, school, intercom and sound burglar alarms and low voltage master clock systems.

Excluded from this classification are energy management systems, life safety systems, supervisory controls and data acquisition systems not intrinsic with the above listed systems, fire alarm systems, nurse call systems and raceways exceeding fifteen feet in length.

LABORER, SKILLED - BUILDING

The skilled laborer building (BLD) classification shall encompass the following types of work, irrespective of the site of the work: cutting & acetylene torch, gunnite nozzlemen, gunnite pump men & pots, kettlemen & carriers of men handling hot stuff, sandblaster nozzle men, sandblasting pump men & pots, setting up and using concrete burning bars, wood block setters, underpinning & shoring of existing buildings, and the unload-ing and handling of all material coated with creosote.

LABORER, SKILLED - HIGHWAY

The skilled laborer heavy & highway (HWY) classification shall encompass the following types of work, irrespective of the site of the work: jackhammer & drill operator, gunite pump & pot man, puddlers, vibrator men, wire fabric placer, sandblast pump & pot man, strike off concrete, unloading, handling & carrying of all creosoted piles, ties or timber, concrete burning bars, power wheelbarrows or buggies, asphalt raker, brickset-ters, cutting torchman (electric & acetylene), men setting lines to level forms, form setters, gunite nozzle man & sandblasting nozzle man, power man, and rip-rapping by hand.

TRUCK DRIVER - BUILDING, HEAVY AND HIGHWAY CONSTRUCTION Class 1. Drivers on 2 axle trucks hauling less than 9 ton. Air compressor and welding machines and brooms, including those pulled by separate units, truck driver helpers, warehouse employees, mechanic helpers, greasers and tiremen, pickup trucks when hauling materials, tools, or workers to and from and on-the-job site, and fork lifts up to 6,000 lb. capacity.

Class 2. Two or three axle trucks hauling more than 9 ton but hauling less than 16 ton. A-frame winch trucks, hydrolift trucks, vactor trucks or similar equipment when used for transportation purposes. Fork lifts over 6,000 lb. capacity, winch trucks, four axle combination units, and ticket writers.

Class 3. Two, three or four axle trucks hauling 16 ton or more. Drivers on water pulls, articulated dump trucks, mechanics and working forepersons, and dispatchers. Five axle or more combination units.

Class 4. Low Boy and Oil Distributors.

Class 5. Drivers who require special protective clothing while employed on hazardous waste work.

TRUCK DRIVER - OIL AND CHIP RESEALING ONLY.

This shall encompass laborers, workers and mechanics who drive contractor or subcontractor owned, leased, or hired pickup, dump, service, or oil distributor trucks. The work includes transporting materials and equipment (including but not limited to, oils, aggregate supplies, parts, machinery and tools) to or from the job site; distributing oil or liquid asphalt and aggregate; stock piling material when in connection with the actual oil and chip contract. The Truck Driver (Oil & Chip Resealing) wage classification does not include supplier delivered materials.

OPERATING ENGINEERS - BUILDING

Class 1. Cranes; Overhead Cranes; Gradall; All Cherry Pickers; Mechanics; Central Concrete Mixing Plant Operator; Road Pavers (27E -Dual Drum - Tri Batchers); Blacktop Plant Operators and Plant Engineers; 3 Drum Hoist; Derricks; Hydro Cranes; Shovels; Skimmer Scoops; Koehring Scooper; Drag Lines; Backhoe; Derrick Boats; Pile Drivers and Skid Rigs; Clamshells; Locomotive Cranes; Dredge (all types) Motor Patrol; Power Blades - Dumore - Elevating and similar types; Tower Cranes (Crawler-Mobile) and Stationary; Crane-type Backfiller; Drott Yumbo and similar types considered as Cranes; Caisson Rigs; Dozer; Tournadozer; Work Boats; Ross Carrier; Helicopter; Tournapulls - all and similar types; Scoops (all sizes); Pushcats; Endloaders (all types); Asphalt Surfacing Machine; Slip Form Paver; Rock Crusher; Heavy Equipment Greaser; CMI, CMI Belt Placer, Auto Grade & 3 Track and similar types; Side Booms; Multiple Unit Earth Movers; Creter Crane; Trench Machine; Pump-crete-Belt Crete-Squeeze Cretes-Screw-type Pumps and Gypsum; Bulker & Pump -Operator will clean; Formless Finishing Machine; Flaherty Spreader or similar types; Screed Man on Laydown Machine; Wheel Tractors (industrial or Farm-type w/Dozer-Hoe-Endloader or other attachments); F.W.D. & Similar Types; Vermeer Concrete Saw.

Class 2. Dinkeys; Power Launches; PH One-pass Soil Cement Machine (and similar types); Pugmill with Pump; Backfillers; Euclid Loader; Forklifts; Jeeps w/Ditching Machine or other attachments; Tuneluger; Automatic Cement and Gravel Batching Plants; Mobile Drills (Soil Testing) and similar types; Gurries and Similar Types; (1) and (2) Drum Hoists (Buck Hoist and Similar Types); Chicago Boom; Boring Machine & Pipe Jacking Machine; Hydro Boom; Dewatering System; Straw Blower; Hydro Seeder; Assistant Heavy Equipment Greaser on Spread; Tractors (Track type) without Power Unit pulling Rollers; Rollers on Asphalt -- Brick Macadem; Concrete Breakers; Concrete Spreaders; Mule Pulling Rollers; Center Stripper; Cement Finishing Machines & CMI Texture & Reel Curing Machines; Cement Finishing Machine; Barber Green or similar loaders; Vibro Tamper (All similar types) Self-propelled; Winch or Boom Truck; Mechanical Bull Floats; Mixers over 3 Bag to 27E; Tractor pulling Power Blade or Elevating Grader; Porter Rex Rail; Clary Screed; Truck Type Hoptoe Oilers; Fireman; Spray Machine on Paving; Curb Machines; Truck Crane Oilers; Oil Distributor; Truck-Mounted Saws.

Class 3. Air Compressor; Power Subgrader; Straight Tractor; Trac Air

without attachments; Herman Nelson Heater, Dravo, Warner, Silent Glo, and similar types; Roller: Five (5) Ton and under on Earth or Gravel; Form Grader; Crawler Crane & Skid Rig Oilers; Freight Elevators - permanently installed; Pump; Light Plant; Generator; Conveyor (1) or (2) - Operator will clean; Welding Machine; Mixer (3) Bag and Under (Standard Capacity with skip); Bulk Cement Plant; Oiler on Central Concrete Mixing Plant.

OPERATING ENGINEERS - HEAVY AND HIGHWAY CONSTRUCTION

Class 1. Cranes; Hydro Crane; Shovels; Crane Type Backfiller; Tower Cranes - Mobile & Crawler & Stationary; Derricks & Hoists (3 Drum); Draglines; Drott Yumbo & similar types considered as Cranes; Back Hoe; Derrick Boats; Pile Driver and Skid Rigs; Clam Shell; Locomotive - Cranes; Road Pavers - Single Drum - Dual Drum - Tri Batcher; Motor Patrols & Power Blades - Dumore - Elevating & Similar Types; Mechanics; Central Concrete Mixing Plant Operator; Asphalt Batch Plant Operators and Plant Engineers; Gradall; Caisson Rigs; Skimmer Scoop - Koering Scooper; Dredges (all types); Hoptoe; All Cherry Pickers; Work Boat; Ross Carrier; Helicopter; Dozer; Tournadozer; Tournapulls - all and similar types; Multiple Unit Earth Movers; Scoops (all sizes); Pushcats; Endloaders (all types); Asphalt Surfacing Machine; Slip Form Paver; Rock Crusher; Heavy Equipment Greaser (top greaser on spread); CMI, Auto Grade, CMI Belt Placer & 3 Track and similar types; Side Booms; Starting Engineer on Pipeline; Asphalt Heater & Planer Combination (used to plane streets); Wheel Tractors (with dozer, hoe or endloader attachments); F.W.D. and Similar types; Blaw Knox Spreader and Similar types; Trench Machines; Pump Crete - Belt Crete - Squeeze Crete - screw type pumps and gypsum (operator will clean); Formless Finishing Machines; Flaherty Spreader or similar types; Screed Man on Laydown Machine; Vermeer Concrete Saw.

Class 2. Bulker & Pump; Power Launches; Boring Machine & Pipe Jacking Machine; Dinkeys; P-H One Pass Soil Cement Machines and similar types; Wheel Tractors (Industry or farm type - other); Back Fillers; Euclid Loader; Fork Lifts; Jeep w/Ditching Machine or other attachments; Tunneluger; Automatic Cement & Gravel Batching Plants; Mobile Drills - Soil Testing and similar types; Pugmill with pump; All (1) and (2) Drum Hoists; Dewatering System; Straw Blower; Hydro-Seeder; Boring Machine; Hydro-Boom; Bump Grinders (self-propelled); Assistant Heavy Equipment Greaser; Apsco Spreader; Tractors (track-type) without Power Units Pulling Rollers on Asphalt - Brick or Macadam; Concrete Breakers; Concrete Spreaders; Cement Strippers; Cement Finishing Machines & CMI Texture & Reel Curing Machines; Vibro-Tampers (all similar types self-propelled); Mechanical Bull Floats; Self-propelled Concrete Saws; Mixers-over three (3) bags to 27E; Winch and Boom Trucks; Tractor Pulling Power Blade or Elevating Grader; Porter Rex Rail; Clary Screed; Mule Pulling Rollers; Pugmill without Pump; Barber Greene or similar Loaders; Track Type Tractor w/Power Unit attached (minimum); Fireman; Spray Machine on Paving; Curb Machines; Paved Ditch Machine; Power Broom; Self-Propelled Conveyors; Power Subgrader; Oil Distributor; Straight Tractor; Truck Crane Oiler; Truck Type Oilers; Directional boring machine; Horizontal directional drill.

Class 3. Straight framed articulating end dump vehicles and Truck mounted vac unit (separately powered); Trac Air Machine (without attachments); Herman Nelson Heater, Dravo Warner, Silent Glo & similar types; Rollers - five ton and under on earth and gravel; Form Graders; Pumps; Light Plant; Generator; Air Compressor (1) or (2); Conveyor; Welding Machine; Mixer - 3 bags and under; Bulk Cement Plant; Oilers.

Other Classifications of Work:

For definitions of classifications not otherwise set out, the Department generally has on file such definitions which are available. If a task to be performed is not subject to one of the classifications of pay set out, the Department will upon being contacted state which neighboring county has such a classification and provide such rate, such rate being deemed to exist by reference in this document. If no neighboring county rate applies to the task, the Department shall undertake a special determination, such special determination being then deemed to have existed under this determination. If a project requires these, or any classification not listed, please contact IDOL at 618/993-7271 for wage rates or clarifications.

LANDSCAPING

Landscaping work falls under the existing classifications for laborer, operating engineer and truck driver. The work performed by landscape plantsman and landscape laborer is covered by the existing classification of laborer. The work performed by landscape operators (regardless of equipment used or its size) is covered by the classifications of operating engineer. The work performed by landscape truck drivers (regardless of size of truck driven) is covered by the classifications of truck driver.