

NOTES: DESIGNER

ROADWAY PROFILE VIFW

ROADWAY CROSS SECTION VIFW



- * IF APPLICABLE, SEE UNDERCUT DETAIL FOR DEPTHS AND WIDTHS. IF THERE IS NO UNDERCUT, X = 2 FEET AND SEE NOTE 3 THIS SHEET.
- ** SUBBASE SHALL BE 6" MINIMUM LAYER OF CA6 CRUSHED STONE OR OTHER MATERIAL AS SPECIFIED IN THE PLANS.
- *** PAY LIMITS OF POROUS GRANULAR EMBARKMENT SHALL BE 2 FEET UNLESS OTHERWISE SHOWN IN THE PLANS.



NOTES:

- EXCEPT AS SPECIFIED IN THIS DETAIL, THE PLACEMENT AND COMPACTION OF BACKFILL SHALL BE IN ACCORDANCE WITH ARTICLE 502.10 OF THE STANDARD SPECIFICATIONS.
- POROUS GRANULAR EMBARKMENT SHALL BE PLACED IN ACCORDANCE WITH SECTION 207 OF THE STANDARD SPECIFICATIONS. 2.
- IF NO UNDERCUT IS REQUIRED, A 6" MINIMUM LAYER OF POROUS GRANULAR EMBANKMENT SHALL BE PLACED BELOW THE ELEVATION OF THE BOTTOM OF BOX CULVERT.

All dimensions are in inches (millimeters) unless otherwise noted.

6-12-12 CREATED NEW STD. R.D.		STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	DETAIL OF EXCAVATION AND BACKFILL FOR BOX CULVERTS	F.A.P RTE. SECTION	COUNTY TOTAL SHEET SHEET NO.
				619 120BR,CR	PUTNAM 77 65
					CONTRACT NO. 68740
			NOT TO SCALE CADD STD. 540000	FED. ROAD DIST. NO. ILLINOIS FED. A	AID PROJECT