

PAVING SCHEDULE										
STATION					PAVEMENT REMOVAL	PAVED SHOULDER REMOVAL	PORTLAND CEMENT CONCRETE PAVEMENT, 10' '	PAVEMENT FABRIC	HOT-MIX ASPHALT SHOULDERS, 8' '	BITUMINOUS MATERIALS (PRIME COAT)
					SQ YD	SQ YD	SQ YD	SQ YD	SQ YD	GAL
869+19.00	LT	TO	869+82.50	LT		11			42	4
869+82.50	LT	TO	870+35.00	LT		9			53	5
870+35.00	LT	TO	870+85.00	LT	67	8	67	67	48	4
870+85.00	LT	TO	872+01.00	LT		19			113	10
869+19.00	RT	TO	870+35.00	RT		19			113	10
870+35.00	RT	TO	870+85.00	RT	67	8	67	67	48	4
870+85.00	RT	TO	871+76.00	RT		16			89	8
871+76.00	RT	TO	872+01.00	RT		4			17	2
TOTALS					134	94	134	134	523	47

GUARDRAIL SCHEDULE										
STATION					GUARDRAIL REMOVAL	TRAFFIC BARRIER TERMINAL, TY 1 SPL TANGENT	STEEL PLATE BEAM GUARDRAIL	STEEL PLATE BEAM GUARDRAIL ATTACHED TO STRUCTURES		
					FOOT	EACH	FOOT	FOOT		
869+20.70	RT	TO	869+35.00	RT	14					
869+35.00	RT	TO	869+85.00	RT	50	1				
869+85.00	RT	TO	870+47.50	RT	63		62.5			
870+47.50	RT	TO	870+72.50	RT	25			25		
870+72.50	RT	TO	871+10.00	RT	38		37.5			
871+10.00	RT	TO	871+60.00	RT	50	1				
871+60.00	RT	TO	871+96.80	RT	37					
869+33.30	LT	TO	869+97.50	LT	64					
869+97.50	LT	TO	870+47.50	LT	50	1				
870+47.50	LT	TO	870+72.50	LT	25			25		
870+72.50	LT	TO	871+35.00	LT	63		62.5			
871+35.00	LT	TO	871+85.00	LT	50	1				
871+85.00	LT	TO	871+99.30	LT	14					
TOTALS					542	4	163	50		

PAVEMENT MARKING SCHEDULE										
STATION					NOTES	PAINT PAVEMENT MARKING - LINE 4' '		SHOULDER RUMBLE STRIPS, 8' '		
						SOLID WHITE	YELLOW			
						FOOT	FOOT			
869+19.00	RT	TO	872+01.00	RT				282		
870+35.00	RT	TO	870+85.00	RT		50				
870+35.00		TO	870+85.00		ALONG CENTERLINE		20			
870+35.00	LT	TO	870+85.00	LT		50				
869+19.00	LT	TO	872+01.00	LT				282		
SUBTOTALS						100	20			
TOTALS						120		564		

TREE REMOVAL SCHEDULE			
STATION	OFFSET	TREE REMOVAL (6 TO 15 UNITS DIAMETER)	TREE REMOVAL (OVER 15 UNITS DIAMETER)
		UNIT	UNIT
870+05	27' LT	6	
870+49	40' RT		18
870+81	37' LT		22
870+87.50	33' LT		27
TOTALS		6	67

PRECAST BOX CULVERT SCHEDULE (ASTM C 1557)					
STATION	SIZE	SKEW	DESIGN FILL (FT.)		PGE BACKFILL REQUIRED
			EDGE OF SHLD. (MIN)	MAXIMUM	
870+60.00	DUAL 8' X 8'	0	±1.3'	±1.9'	306 CU YD