

GENERAL NOTES

- 1) THE THICKNESS OF HOT-MIX ASPHALT MIXTURE SHOWN ON THE PLANS IS THE NOMINAL THICKNESS. DEVIATIONS FROM THE NOMINAL THICKNESS WILL BE PERMITTED WHEN SUCH DEVIATIONS OCCUR DUE TO IRREGULARITIES IN THE EXISTING SURFACE OR BASE ON WHICH THE HOT-MIX ASPHALT MIXTURE IS PLACED.
- 2) FACTORS USED FOR ESTIMATING PLAN QUANTITIES ARE AS FOLLOWS AND SHALL NOT BE USED FOR THE BASIS OF FINAL QUANTITIES:
 ALL HOT-MIX ASPHALT: 2.016 TONS / CU YD
 ALL AGGREGATE: 2.05 TONS / CU YD
 RIP RAP: 1.50 TONS / CU YD
- 3) AT ALL LOCATIONS WHERE EXISTING HOT-MIX ASPHALT OR CONCRETE PAVEMENT JOINS AN EXISTING HOT-MIX ASPHALT OR CONCRETE PAVEMENT, A FULL DEPTH SAWED JOINT SHALL BE CONSTRUCTED. THE COST OF THIS JOINT WILL BE INCLUDED IN THE COST OF THE TYPE OF PAVEMENT BEING CONSTRUCTED.
- 4) THE CONTRACTOR MAY USE P.C.C. PAVEMENT 10' WITH PAVEMENT FABRIC FOLLOWING STANDARD 420601 IN LIEU OF THE HMA PAVEMENT SHOWN IN THE PLANS. NO ADDITIONAL COMPENSATION WILL BE ALLOWED. A CALCIUM CHLORIDE ACCELERATOR WILL BE ALLOWED ONLY IN THE P.C.C. PAVEMENT. THE CONCRETE SHALL BE CLASS PP-1 OR PP-2 PER ARTICLE 1020 OF THE STANDARD SPECS.
- 5) COMMITMENTS: PULASKI COUNTY SHERRIFF'S DEPARTMENT SHALL BE CONTACTED PRIOR TO THE 2 WEEK NOTIFICATION SIGNING AND PRIOR TO ANY WORK INVOLVING TRAFFIC CONTROL AND PROTECTION THAT AFFECTS THE PUBLIC. PHONE: 1-618-748-9374 EMAIL: PAULAPILGRAM@YAHOO.COM

MIXTURE REQUIREMENTS

Location(s):	Hot-Mix Asphalt Surface Course
Mixture Uses(s):	Hot-Mix Asphalt Surface Course, Mix C, N90
AC/PG:	PG64-22
ABR % (Max):	See BDE Special Provision
Design Air Voids:	4.0 %, 90 Gyration Design
Mixture Composition:(Gradation Mixture)	IL-9.5 mm
Friction Aggregate:	C Surface

Location(s):	Hot-Mix Asphalt Binder Course
Mixture Uses(s):	Hot-Mix Asphalt Binder Course, N90, IL-19.0
AC/PG:	PG64-22
ABR % (Max):	See BDE Special Provision
Design Air Voids:	4.0 %, 90 Gyration Design
Mixture Composition:(Gradation Mixture)	IL-19.0 mm
Friction Aggregate:	None

INDEX OF SHEETS

- 1) COVER SHEET
- 2) SIGNATURES, STANDARDS, GENERAL NOTES, MIXTURE REQUIREMENTS, & INDEX OF SHEETS
- 3-4) SUMMARY OF QUANTITIES
- 5) PLAN VIEW
- 6) EROSION CONTROL PLAN
- 7) TEMPORARY AND FINAL SECTIONS
- 8) SECTION THRU PROPOSED BOX
- 9) PROPOSED CAST-IN-PLACE APRON END SECTION

HIGHWAY STANDARDS

- | | |
|-----------|---|
| 000001-06 | STANDARD SYMBOLS, ABBREVIATIONS, AND PATTERNS |
| 001001-02 | AREAS OF REINFORCEMENT BARS |
| 420601-05 | 24' PCC PAVEMENT |
| 701001-02 | OFF-ROAD OPERATIONS, 2L, 2W, MORE THAN 15' AWAY |
| 701006-05 | OFF-ROAD OPERATIONS, 2L, 2W, 15' TO EOP |
| 701201-04 | LANE CLOSURE 2L, 2W, DAY ONLY |
| 701901-03 | TRAFFIC CONTROL DEVICES |
| BLR 21-9 | TYPICAL APPLICATION OF TRAFFIC CONTROL DEVICES FOR CONSTRUCTION ON RURAL LOCAL HIGHWAYS |

Prepared By:	<i>Joe Zankiewicz</i> DISTRICT STUDIES & PLANS ENGINEER
Examined By:	<i>Joe Zankiewicz</i> DISTRICT LAND ACQUISITION ENGINEER
Examined By:	<i>Carrie Nelson</i> DISTRICT PROGRAM DEVELOPMENT ENGINEER
Examined By:	<i>Karl Niles</i> DISTRICT OPERATIONS ENGINEER
Examined By:	<i>KR</i> DISTRICT PROJECT IMPLEMENTATION ENGINEER
Examined By:	<i>Dan J. Duff</i> DISTRICT CONSTRUCTION ENGINEER
Examined By:	<i>Bruno Piles</i> DISTRICT MATERIALS ENGINEER