



NOTES:
 1) SEWERS THAT ARE TO BE ABANDONED SHALL HAVE EACH END PLUGGED PRIOR TO FILLING THE STRUCTURE. THE SEWER SHALL BE PLUGGED WITH A 2' LONG CONCRETE BULKHEAD. THIS WORK SHALL BE CONSIDERED INCIDENTAL TO FILLING THE STRUCTURE AND WILL NOT BE PAID FOR SEPARATELY.

LEGEND		EXISTING	PROPOSED
[Symbol]	STRUCTURE TO BE ADJUSTED	[Symbol]	VALVE VAULT
[Symbol]	STRUCTURE TO BE CLEANED	[Symbol]	MANHOLE
[Symbol]	FILLING EXISTING STRUCTURE	[Symbol]	CATCH BASIN
[Symbol]	STRUCTURE TO BE ADJUSTED WITH NEW FRAME & LID	[Symbol]	INLET
[Symbol]	STRUCTURE TO BE RECONSTRUCTED WITH NEW FRAME & LID	[Symbol]	FIRE HYDRANT
[Symbol]	STRUCTURE TO BE REMOVED	[Symbol]	
[Symbol]	FRAME & LID TO BE ADJUSTED SPECIAL	[Symbol]	
[Symbol]	SEWER TO BE ABANDONED	[Symbol]	
[Symbol]	STRUCTURE TO BE ADJUSTED SPECIAL	[Symbol]	
[Symbol]	STRUCTURE TO BE RECONSTRUCTED SPECIAL	[Symbol]	
[Symbol]	STRUCTURE TO BE ABANDONED	[Symbol]	
[Symbol]	FILLING EXISTING STRUCTURE SPECIAL	[Symbol]	
[Symbol]	STRUCTURE TO BE RECONSTRUCTED WITH NEW FRAME & LID	[Symbol]	
[Symbol]	FILLING EXISTING STRUCTURE AND MAINTAIN FLOW	[Symbol]	

STRUCT. NO.	STATION	OFFSET	STRUCTURE TYPE	RIM	INVERT								
					NORTH	N.E.	SOUTH	S.E.	EAST	S.W.	WEST	N.W.	
S-17	211+30	11.5' LT	CB TA 4 DIA T23F&G	664.14	-	-	-	661.14	-	-	-	-	-
S-19	211+40	10' LT	MAN TA 5 DIA T1F CL	664.14	-	-	660.75	-	-	650.37	-	661.04	-
S-20	211+50.2	16.6' RT	CB TA 4 DIA T3F&G	664.05	661.05	-	-	-	650.37	-	-	-	661.04
S-21	211+87	C.L.	MAN SAN 4 DIA T1F CL REMCV MANHOLES	664.18	-	-	654.05	-	654.05	-	654.05	-	-
S-22	212+65	11.5' LT	CB TA 4 DIA T23F&G	663.68	-	-	-	660.68	-	-	-	-	-
S-23	212+75	8' LT	MAN TA 6 DIA T1F CL	663.71	-	-	-	-	649.60	-	649.60	-	660.58
S-24	214+00	11.5' RT	INLETS TA T23F&G	662.56	659.56	-	-	-	-	-	-	-	-
S-25	214+00	11.5' LT	CB TA 4 DIA T23F&G	662.56	-	-	659.33	-	-	659.08	-	-	-
S-25A	213+67	7' LT	MAN RECON NEW T1F CL	663.27	649.37	-	-	-	658.75	-	649.37	-	-
S-26	214+39	C.L.	MAN SAN 4 DIA T1F CL REMCV MANHOLES	661.59	-	-	-	-	651.05	-	651.05	-	-

NO.	LENGTH (FOOT)	MATERIAL	TYPE	DIA. (IN)	SLOPE %	TBF (CU. YD.)
P-15	10	STORM S PVC SDR26	1	12	1.00	3
P-16	29	STORM S PVC SDR26	1	12	1.00	8
P-17	10	STORM S PVC SDR26	1	12	1.00	3
P-18	23	STORM S PVC SDR26	1	12	1.00	6
P-19	33	SS (PVC) SDR 26	1	15	1.00	12

SCALES:
 1" = 20' HOR
 1" = 5' VER

