


DATE	
BY	
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

DATE	
BY	
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED



STAGE	1	2	3	4	UNIT
EARTH EXCAVATION	14.6	0.0	0.0	8.2	SQ FT.
EMBANKMENT	28.4	0.0	0.0	24.8	SQ FT.
TOPSOIL EXC & PLAC	29.8	0.0	0.0	15.5	SQ FT.


STAGE	1	2	3	4	UNIT
EARTH EXCAVATION	18.0	0.0	0.0	8.5	SQ FT.
EMBANKMENT	31.0	0.0	0.0	24.9	SQ FT.
TOPSOIL EXC & PLAC	33.7	0.0	0.0	14.2	SQ FT.

STAGE	1	2	3	4	UNIT
EARTH EXCAVATION	20.4	0.0	7.3	8.6	SQ FT.
EMBANKMENT	32.4	0.0	38.0	2.6	SQ FT.
TOPSOIL EXC & PLAC	37.7	0.0	22.3	3.5	SQ FT.

NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

DATE	
BY	
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

DATE	
BY	
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED



STAGE	1	2	3	4	UNIT
EARTH EXCAVATION	0.0	0.0	0.0	0.0	SQ FT.
EMBANKMENT	0.0	0.0	0.0	12.6	SQ FT.
TOPSOIL EXC & PLAC	0.0	0.0	0.0	13.2	SQ FT.

NB - 940+75.1  
 CL - 4078+50  
 SB - 840+87.8

STAGE	1	2	3	4	UNIT
EARTH EXCAVATION	0.0	0.0	0.0	0.0	SQ FT.
EMBANKMENT	0.0	0.0	0.0	17.8	SQ FT.
TOPSOIL EXC & PLAC	0.0	0.0	0.0	15.1	SQ FT.

NB - 940+25.0  
 CL - 4078+00  
 SB - 840+38.0

STAGE	1	2	3	4	UNIT
EARTH EXCAVATION	7.6	0.0	0.0	7.6	SQ FT.
EMBANKMENT	24.9	0.0	0.0	21.8	SQ FT.
TOPSOIL EXC & PLAC	24.9	0.0	0.0	15.3	SQ FT.


NB - 939+74.9  
 CL - 4077+50  
 SB - 839+88.1

NOTE:  
 A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.



DATE	
BY	
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

DATE	
BY	
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED



STAGE	1	2	3	4	UNIT
EARTH EXCAVATION	0.0	0.0	0.0	0.0	SQ FT.
EMBANKMENT	0.0	0.0	0.0	0.0	SQ FT.
TOPSOIL EXC & PLAC	0.0	0.0	0.0	2.5	SQ FT.

STAGE	1	2	3	4	UNIT
EARTH EXCAVATION	0.0	0.0	0.0	0.0	SQ FT.
EMBANKMENT	0.0	0.0	0.0	0.0	SQ FT.
TOPSOIL EXC & PLAC	0.0	0.0	0.0	6.9	SQ FT.


STAGE	1	2	3	4	UNIT
EARTH EXCAVATION	0.0	0.0	0.0	0.0	SQ FT.
EMBANKMENT	0.0	0.0	0.0	9.1	SQ FT.
TOPSOIL EXC & PLAC	0.0	0.0	0.0	12.4	SQ FT.

NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.



BY	DATE
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

BY	DATE
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED



NOTE: A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

LEGEND: TEMPORARY PAVEMENT

FILE NAME =	USER NAME = *USER*	DESIGNED - RTA	REVISED -
*FILEL*		DRAWN - KES	REVISED -
	PLOT SCALE = *SCALE*	CHECKED - PJO	REVISED -
	PLOT DATE = *DATE*	DATE - 10/15/2012	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**


<b>CROSS SECTIONS RAMP A - PRE-STAGE</b>			
SCALE:	SHEET NO. 2 OF 5 SHEETS	STA. 1003+00	TO STA. 1004+50

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	805
CONTRACT NO. 60131				
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		



BY	DATE
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

BY	DATE
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED



FILE NAME =  
#FILEL#

USER NAME = #USER#  
DESIGNED - RTA  
DRAWN - KES  
CHECKED - PJO  
DATE - 10/15/2012

REVISED -  
REVISED -  
REVISED -  
REVISED -


**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**CROSS SECTIONS  
RAMP A - PRE-STAGE**  
SCALE: SHEET NO. 4 OF 5 SHEETS STA. 1007+00 TO STA. 1009+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	807
CONTRACT NO. 60131				
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		

BY	DATE
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

BY	DATE
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED



FILE NAME =	USER NAME = *USER*	DESIGNED - RTA	REVISED -
*FILEL*		DRAWN - KES	REVISED -
		CHECKED - PJO	REVISED -
		DATE - 10/15/2012	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

<b>CROSS SECTIONS RAMP A - PRE-STAGE</b>			
SCALE:	SHEET NO. 5 OF 5 SHEETS	STA. 1009+50	TO STA. 1012+50

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	808
CONTRACT NO. 60131				
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		










FINAL SURVEY	SURVEYED	BY	DATE
NOTE BOOK	PLOTTED		
AREAS CHECKED	TEMPLATE		
	AREAS CHECKED		

ORIGINAL SURVEY	SURVEYED	BY	DATE
NOTE BOOK	PLOTTED		
AREAS CHECKED	TEMPLATE		
	AREAS CHECKED		



STAGE 1A	STAGE 3	UNIT
EARTH EXCAVATION	47.3	235.2 SQ FT.
EMBANKMENT	33.3	2.7 SQ FT.
TOPSOIL EXC & PLAC	21.2	0.0 SQ FT.


STAGE 1A	STAGE 3	UNIT
EARTH EXCAVATION	44.9	222.6 SQ FT.
EMBANKMENT	44.5	2.1 SQ FT.
TOPSOIL EXC & PLAC	24.8	0.0 SQ FT.

STAGE 1A	STAGE 3	UNIT
EARTH EXCAVATION	45.7	197.4 SQ FT.
EMBANKMENT	56.8	1.0 SQ FT.
TOPSOIL EXC & PLAC	21.2	0.0 SQ FT.

NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

FINAL SURVEY	SURVEYED	BY	DATE
NOTE BOOK	PLOTTED		
AREAS CHECKED	TEMPLATE		
	AREAS CHECKED		

ORIGINAL SURVEY	SURVEYED	BY	DATE
NOTE BOOK	PLOTTED		
AREAS CHECKED	TEMPLATE		
	AREAS CHECKED		



STAGE 1A	STAGE 3	UNIT
EARTH EXCAVATION	41.9	173.4 SQ FT.
EMBANKMENT	65.8	3.1 SQ FT.
TOPSOIL EXC & PLAC	28.4	0.0 SQ FT.

STAGE 1A	STAGE 3	UNIT
EARTH EXCAVATION	43.1	226.3 SQ FT.
EMBANKMENT	58.6	3.3 SQ FT.
TOPSOIL EXC & PLAC	26.6	0.0 SQ FT.


STAGE 1A	STAGE 3	UNIT
EARTH EXCAVATION	43.6	243.9 SQ FT.
EMBANKMENT	46.4	3.0 SQ FT.
TOPSOIL EXC & PLAC	25.0	0.0 SQ FT.

STAGE 1A	STAGE 3	UNIT
EARTH EXCAVATION	47.1	245.7 SQ FT.
EMBANKMENT	34.3	2.7 SQ FT.
TOPSOIL EXC & PLAC	20.4	0.0 SQ FT.

NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

FINAL SURVEY	SURVEYED	BY	DATE
NOTE BOOK	PLOTTED		
AREAS CHECKED	TEMPLATE		
	AREAS CHECKED		


ORIGINAL SURVEY	SURVEYED	BY	DATE
NOTE BOOK	PLOTTED		
AREAS CHECKED	TEMPLATE		
	AREAS CHECKED		



NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

FINAL SURVEY	SURVEYED	BY	DATE
NOTE BOOK	PLOTTED		
AREAS CHECKED	TEMPLATE		
	AREAS CHECKED		

ORIGINAL SURVEY	SURVEYED	BY	DATE
NOTE BOOK	PLOTTED		
AREAS CHECKED	TEMPLATE		
	AREAS CHECKED		



	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	69.7	0.0	SQ FT.
EMBANKMENT	32.0	30.5	SQ FT.
TOPSOIL EXC & PLAC	2.2	27.2	SQ FT.

	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	52.8	4.5	SQ FT.
EMBANKMENT	17.2	15.3	SQ FT.
TOPSOIL EXC & PLAC	1.6	19.8	SQ FT.

	STAGE 1A	STAGE 1	STAGE 3	UNIT
EARTH EXCAVATION	35.3	0.2	4.2	SQ FT.
EMBANKMENT	3.4	15.8	3.1	SQ FT.
TOPSOIL EXC & PLAC	6.4	14.4	10.1	SQ FT.

	STAGE 1A	STAGE 3	UNIT
EARTH EXCAVATION	38.8	3.2	SQ FT.
EMBANKMENT	25.3	12.3	SQ FT.
TOPSOIL EXC & PLAC	20.0	0.0	SQ FT.

	STAGE 1A	STAGE 3	UNIT
EARTH EXCAVATION	40.4	2.0	SQ FT.
EMBANKMENT	25.2	11.7	SQ FT.
TOPSOIL EXC & PLAC	22.4	0.0	SQ FT.

FILE NAME =	USER NAME = #USER#	DESIGNED - RTA	REVISED -
#FILE#		DRAWN - KES	REVISED -
	PLOT SCALE = #SCALE#	CHECKED - PJO	REVISED -
	PLOT DATE = #DATE#	DATE - 10/15/2012	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**


**CROSS SECTIONS  
RAMP A - STAGE 1 THRU 4**

SCALE: SHEET NO. 7 OF 23 SHEETS STA. 1011+50 TO STA. 1013+50

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	815
CONTRACT NO. 60131				
FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT				

FINAL SURVEY	SURVEYED	BY	DATE
NOTE BOOK	PLOTTED		
AREAS CHECKED	TEMPLATE		
NO.	AREAS CHECKED		

ORIGINAL SURVEY	SURVEYED	BY	DATE
NOTE BOOK	PLOTTED		
AREAS CHECKED	TEMPLATE		
NO.	AREAS CHECKED		



NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

FILE NAME =	USER NAME = #USER#	DESIGNED - RTA	REVISED -
#FILE#		DRAWN - KES	REVISED -
		CHECKED - PJO	REVISED -
		DATE - 10/15/2012	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**CROSS SECTIONS  
RAMP A - STAGE 1 THRU 4**

SCALE: SHEET NO. 8 OF 23 SHEETS STA. 1014+00 TO STA. 1015+50

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	816
CONTRACT NO. 60131				
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		












FINAL SURVEY	SURVEYED	BY	DATE
NOTE BOOK	PLOTTED		
AREAS CHECKED	TEMPLATE		
NO.	AREAS CHECKED		

ORIGINAL SURVEY	SURVEYED	BY	DATE
NOTE BOOK	PLOTTED		
AREAS CHECKED	TEMPLATE		
NO.	AREAS CHECKED		



NOTES:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

FILE NAME =	USER NAME = #USER#	DESIGNED - RTA	REVISED -
#FILE#		DRAWN - KES	REVISED -
	PLOT SCALE = #SCALE#	CHECKED - PJO	REVISED -
	PLOT DATE = #DATE#	DATE - 10/15/2012	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**CROSS SECTIONS  
RAMP A - STAGE 1 THRU 4**

SCALE: SHEET NO. 13 OF 23 SHEETS STA. 1023+00 TO STA. 1024+00


F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	821
CONTRACT NO. 60131				
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		





BY	DATE
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

BY	DATE
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED



	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	0.0	53.3	SQ. FT.
EMBANKMENT	0.0	57.6	SQ. FT.
TOPSOIL EXC & PLAC	0.0	55.2	SQ. FT.

	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	0.0	50.1	SQ. FT.
EMBANKMENT	0.0	55.3	SQ. FT.
TOPSOIL EXC & PLAC	0.0	51.8	SQ. FT.

	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	0.0	43.2	SQ. FT.
EMBANKMENT	0.0	49.0	SQ. FT.
TOPSOIL EXC & PLAC	0.0	41.2	SQ. FT.

NOTES:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

FILE NAME =  
#FILE#

USER NAME = #USER#  
DESIGNED - RTA  
DRAWN - KES  
CHECKED - PJO  
DATE - 10/15/2012

REVISED -  
REVISED -  
REVISED -  
REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**CROSS SECTIONS  
RAMP A - STAGE 1 THRU 4**

SCALE: SHEET NO. 16 OF 23 SHEETS STA. 1027+50 TO STA. 1028+50

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	824
CONTRACT NO. 60131				
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		














FINAL SURVEY	SURVEYED	DATE
NOTE BOOK	PLOTTED	
NO.	TEMPLATE	
	AREAS CHECKED	

ORIGINAL SURVEY	SURVEYED	DATE
NOTE BOOK	PLOTTED	
NO.	TEMPLATE	
	AREAS CHECKED	



	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	0.0	29.0	SQ FT.
EMBANKMENT	0.0	21.7	SQ FT.
TOPSOIL EXC & PLAC	0.0	22.0	SQ FT.
REM & DISP UNS MATL	0.0	4.7	SQ FT.
AGG SUBGRADE IMPROVE	0.0	4.7	SQ FT.

	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	0.0	31.5	SQ FT.
EMBANKMENT	0.0	24.3	SQ FT.
TOPSOIL EXC & PLAC	0.0	23.0	SQ FT.
REM & DISP UNS MATL	0.0	6.9	SQ FT.
AGG SUBGRADE IMPROVE	0.0	6.9	SQ FT.

	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	0.0	34.9	SQ FT.
EMBANKMENT	0.0	24.1	SQ FT.
TOPSOIL EXC & PLAC	0.0	22.8	SQ FT.
REM & DISP UNS MATL	0.0	13.5	SQ FT.
AGG SUBGRADE IMPROVE	0.0	13.5	SQ FT.

	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	0.0	39.5	SQ FT.
EMBANKMENT	0.0	31.0	SQ FT.
TOPSOIL EXC & PLAC	0.0	30.8	SQ FT.
REM & DISP UNS MATL	0.0	13.5	SQ FT.
AGG SUBGRADE IMPROVE	0.0	13.5	SQ FT.

NOTES:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

FILE NAME =	USER NAME = #USER#	DESIGNED - RTA	REVISED -
#FILE#		DRAWN - KES	REVISED -
	PLOT SCALE = #SCALE#	CHECKED - PJO	REVISED -
	PLOT DATE = #DATE#	DATE - 10/15/2012	REVISED -


**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

<b>CROSS SECTIONS RAMP A - STAGE 1 THRU 4</b>			
SCALE:	SHEET NO. 22 OF 23 SHEETS	STA. 1039+00	TO STA. 1040+50

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	830
CONTRACT NO. 60131				
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		

FINAL SURVEY NO.	SURVEYED PLOTTED AREAS CHECKED	BY	DATE

ORIGINAL SURVEY NO.	SURVEYED PLOTTED AREAS CHECKED	BY	DATE



	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	0.0	19.8	SQ FT.
EMBANKMENT	0.0	23.9	SQ FT.
TOPSOIL EXC & PLAC	0.0	24.2	SQ FT.

	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	0.0	27.8	SQ FT.
EMBANKMENT	0.0	22.6	SQ FT.
TOPSOIL EXC & PLAC	0.0	19.6	SQ FT.
REM & DISP UNS MATL	0.0	4.7	SQ FT.
AGG SUBGRADE IMPROVE	0.0	4.7	SQ FT.

NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

FILE NAME =	USER NAME = #USER#	DESIGNED - RTA	REVISED -
#FILE#		DRAWN - KES	REVISED -
	PLOT SCALE = #SCALE#	CHECKED - PJO	REVISED -
	PLOT DATE = #DATE#	DATE - 10/15/2012	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**


**CROSS SECTIONS  
RAMP A - STAGE 1 THRU 4**

SCALE: SHEET NO. 23 OF 23 SHEETS STA. 1041+00 TO STA. 1042+55.31

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	831
CONTRACT NO. 60131				
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		

BY	DATE

ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
AREAS CHECKED	TEMPLATE
	AREAS CHECKED



NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

LEGEND:  
TEMPORARY PAVEMENT

FILE NAME =  
#FILEL#

USER NAME = #USER#  
DESIGNED - RTA  
DRAWN - KES  
CHECKED - PJO  
DATE - 10/15/2012

REVISED -  
REVISED -  
REVISED -  
REVISED -

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

CROSS SECTIONS  
RAMP B - PRE-STAGE  
SCALE: SHEET NO. 1 OF 3 SHEETS STA. 8990+50 TO STA. 8993+50

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	832
CONTRACT NO. 60131				
FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT				












BY	DATE
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
AREAS CHECKED	TEMPLATE
NO.	AREAS CHECKED

BY	DATE
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
AREAS CHECKED	TEMPLATE
NO.	AREAS CHECKED



FILE NAME =	USER NAME = #USER#	DESIGNED - RTA	REVISED -
#FILE#		DRAWN - KES	REVISED -
		CHECKED - PJO	REVISED -
		DATE - 10/15/2012	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**


**CROSS SECTIONS  
RAMP B - STAGE 1 THRU 4**

SCALE: SHEET NO. 3 OF 7 SHEETS STA. 8965+50 TO STA. 8968+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	837
CONTRACT NO. 60131				
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		

BY	DATE
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED
	AREAS CHECKED

BY	DATE
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED
	AREAS CHECKED



NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

FILE NAME =	USER NAME = \$USER\$	DESIGNED - RTA	REVISED -
*FILEL*		DRAWN - KES	REVISED -
	PLOT SCALE = \$SCALE\$	CHECKED - PJO	REVISED -
	PLOT DATE = \$DATE\$	DATE - 10/15/2012	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

<b>CROSS SECTIONS RAMP B - STAGE 1 THRU 4</b>			
SCALE:	SHEET NO. 4 OF 7 SHEETS	STA. 8991+00	TO STA. 8993+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	838
CONTRACT NO. 60131				
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		
















BY	DATE

ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
AREAS CHECKED	TEMPLATE
	AREAS CHECKED



NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

LEGEND:  
TEMPORARY PAVEMENT

FILE NAME =	USER NAME = #USER#	DESIGNED - RTA	REVISED -
#FILE#		DRAWN - KES	REVISED -
		CHECKED - PJO	REVISED -
		DATE - 10/15/2012	REVISED -

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION


SCALE:	SHEET NO. 4 OF 5 SHEETS	STA. 7008+00 TO STA. 7011+00
--------	-------------------------	------------------------------

CROSS SECTIONS  
RAMP C - PRE-STAGE

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	845
CONTRACT NO. 60131				
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		

ORIGINAL SURVEY NO.	SURVEYED PLOTTED TEMPLATE AREAS CHECKED	BY	DATE
FINAL SURVEY NO.	SURVEYED PLOTTED TEMPLATE AREAS CHECKED	BY	DATE

ORIGINAL SURVEY NO.	SURVEYED PLOTTED TEMPLATE AREAS CHECKED	BY	DATE
FINAL SURVEY NO.	SURVEYED PLOTTED TEMPLATE AREAS CHECKED	BY	DATE



PRE-STAGE 1	UNIT
EARTH EXCAVATION	23.5 SQ. FT.
EMBANKMENT	12.1 SQ. FT.
TOPSOIL EXC & PLAC	24.2 SQ. FT.

NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

FILE NAME =	USER NAME = #USER#	DESIGNED - RTA	REVISED -
#FILEL#		DRAWN - KES	REVISED -
	PLOT SCALE = #SCALE#	CHECKED - PJO	REVISED -
	PLOT DATE = #DATE#	DATE - 10/15/2012	REVISED -



**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

<b>CROSS SECTIONS RAMP C - PRE-STAGE</b>			
SCALE:	SHEET NO. 5 OF 5 SHEETS	STA. 7011+50	TO STA. 7012+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	846
CONTRACT NO. 60131				
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		



DATE	
BY	
FINISHED SURVEY	
PLOTTED	
NOTE BOOK	
AREAS CHECKED	
NO.	

DATE	
BY	
ORIGINAL SURVEY	
PLOTTED	
NOTE BOOK	
AREAS CHECKED	
NO.	





DATE	
BY	
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

DATE	
BY	
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED



NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.





NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

DATE	
BY	
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

DATE	
BY	
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

DATE	
BY	
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

DATE	
BY	
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED





NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.



DATE	
BY	
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

DATE	
BY	
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED



NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.






140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160

DATE	
BY	
NO.	
ORIGINAL SURVEY	
NOTE BOOK	
PLOTTED	
TEMPLATE	
AREAS CHECKED	

DATE	
BY	
NO.	
ORIGINAL SURVEY	
NOTE BOOK	
PLOTTED	
TEMPLATE	
AREAS CHECKED	

	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	55.2	32.0	SQ FT.
EMBANKMENT	3.8	36.7	SQ FT.
TOPSOIL EXC & PLAC	0.0	27.8	SQ FT.

STAGE 1A      STAGE 1




7008+50

7008+50

	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	81.0	29.3	SQ FT.
EMBANKMENT	3.5	82.7	SQ FT.
TOPSOIL EXC & PLAC	0.0	40.2	SQ FT.

STAGE 1A      STAGE 1



7008+00

7008+00

NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160

FILE NAME =	USER NAME = #USER#
#FILEL#	

DESIGNED - RTA	REVISED -
DRAWN - KES	REVISED -
CHECKED - PJO	REVISED -
DATE - 10/15/2012	REVISED -

PLOT SCALE = #SCALE#
PLOT DATE = #DATE#

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**


**CROSS SECTIONS  
RAMP C - STAGE 1 THRU 4**

SCALE: SHEET NO. 8 OF 13 SHEETS STA. 7008+00 TO STA. 7008+50

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	854
CONTRACT NO. 60131				
FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT				

DATE	
BY	
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

DATE	
BY	
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED



	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	32.1	30.1	SQ FT.
EMBANKMENT	3.9	25.0	SQ FT.
TOPSOIL EXC & PLAC	0.0	23.2	SQ FT.


	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	24.5	29.3	SQ FT.
EMBANKMENT	4.5	23.3	SQ FT.
TOPSOIL EXC & PLAC	0.0	28.6	SQ FT.

	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	32.9	30.5	SQ FT.
EMBANKMENT	5.3	26.3	SQ FT.
TOPSOIL EXC & PLAC	0.0	25.0	SQ FT.

NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.


DATE	
BY	
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

DATE	
BY	
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED



DATE	
BY	
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

DATE	
BY	
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED



	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	0.0	36.4	SQ FT.
EMBANKMENT	0.0	21.0	SQ FT.
TOPSOIL EXC & PLAC	0.0	28.0	SQ FT.

	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	0.0	36.4	SQ FT.
EMBANKMENT	0.0	21.2	SQ FT.
TOPSOIL EXC & PLAC	0.0	26.6	SQ FT.

	STAGE 1A	STAGE 1	UNIT
EARTH EXCAVATION	0.0	37.2	SQ FT.
EMBANKMENT	0.0	33.0	SQ FT.
TOPSOIL EXC & PLAC	0.0	24.4	SQ FT.

NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL  
EXCAVATION AND PLACEMENT CALCULATION.






140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160

BY	DATE
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS
	CHECKED

BY	DATE
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS
	CHECKED



7015+00

7015+00

NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL  
EXCAVATION AND PLACEMENT CALCULATION.

140 130 120 110 100 90 80 70 60 50 40 30 20 10 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160

FILE NAME =  
#FILEL#

USER NAME = #USER#  
DESIGNED - RTA  
DRAWN - KES  
PLOT SCALE = #SCALE#  
CHECKED - PJO  
PLOT DATE = #DATE#  
DATE - 10/15/2012

REVISED -  
REVISED -  
REVISED -  
REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

**CROSS SECTIONS  
RAMP C - STAGE 1 THRU 4**


SCALE: SHEET NO. 13 OF 13 SHEETS STA. 7015+00 TO STA. 7015+00

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	859
CONTRACT NO. 60131				
FED. ROAD DIST. NO.		ILLINOIS FED. AID PROJECT		



BY	DATE
FINISHED SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS
	CHECKED

BY	DATE
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS
	CHECKED



NOTE:  
A. DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

LEGEND:  
TEMPORARY PAVEMENT

FILE NAME =	USER NAME = #USER#	DESIGNED - RTA	REVISED -
#FILE#		DRAWN - KES	REVISED -
	PLOT SCALE = #SCALE#	CHECKED - PJO	REVISED -
	PLOT DATE = #DATE#	DATE - 10/15/2012	REVISED -

**STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION**

<b>CROSS SECTIONS RAMP D - PRE-STAGE</b>			
SCALE:	SHEET NO. 2 OF 5 SHEETS	STA. 1989+00 TO STA. 1991+50	

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
338	(112 & 113) WRS-5	DUPAGE	963	861
CONTRACT NO. 60131				
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		










DATE	
BY	
FINISHED SURVEY	
PLOTTED	
TEMPLATE	
NOTE BOOK	
AREAS CHECKED	
NO.	

DATE	
BY	
ORIGINAL SURVEY	
PLOTTED	
TEMPLATE	
NOTE BOOK	
AREAS CHECKED	
NO.	



	STAGE 1	STAGE 3	UNIT
EARTH EXCAVATION	21.4	11.2	SQ FT.
EMBANKMENT	0.2	0.0	SQ FT.
TOPSOIL EXC & PLAC	0.0	0.0	SQ FT.


	STAGE 1	STAGE 3	UNIT
EARTH EXCAVATION	20.1	13.4	SQ FT.
EMBANKMENT	0.4	1.0	SQ FT.
TOPSOIL EXC & PLAC	0.0	0.0	SQ FT.

NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL  
EXCAVATION AND PLACEMENT CALCULATION.



DATE	
BY	
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED


DATE	
BY	
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED



NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

DATE	
BY	
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

DATE	
BY	
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED



	STAGE 1	STAGE 3	UNIT
EARTH EXCAVATION	23.3	78.9	SQ FT.
EMBANKMENT	17.3	0.9	SQ FT.
TOPSOIL EXC & PLAC	15.0	0.0	SQ FT.


	STAGE 1	STAGE 3	UNIT
EARTH EXCAVATION	24.5	78.0	SQ FT.
EMBANKMENT	14.2	0.5	SQ FT.
TOPSOIL EXC & PLAC	13.2	0.0	SQ FT.

	STAGE 1	STAGE 3	UNIT
EARTH EXCAVATION	25.2	86.2	SQ FT.
EMBANKMENT	12.6	0.0	SQ FT.
TOPSOIL EXC & PLAC	12.0	0.0	SQ FT.

NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL  
EXCAVATION AND PLACEMENT CALCULATION.

DATE	
BY	
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

DATE	
BY	
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED



	STAGE 1	STAGE 3	UNIT
EARTH EXCAVATION	33.5	74.0	SQ FT.
EMBANKMENT	22.3	2.6	SQ FT.
TOPSOIL EXC & PLAC	38.2	0.0	SQ FT.


	STAGE 1	STAGE 3	UNIT
EARTH EXCAVATION	24.7	92.8	SQ FT.
EMBANKMENT	40.5	0.1	SQ FT.
TOPSOIL EXC & PLAC	35.2	0.0	SQ FT.

	STAGE 1	STAGE 3	UNIT
EARTH EXCAVATION	23.6	83.4	SQ FT.
EMBANKMENT	34.7	0.5	SQ FT.
TOPSOIL EXC & PLAC	27.6	0.0	SQ FT.

NOTE:  
A DEPTH OF 12" INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

DATE	
BY	
FINAL SURVEY	
SURVEYED	
PLOTTED	
TEMPLATE	
NOTE BOOK	
AREAS CHECKED	
NO.	

DATE	
BY	
ORIGINAL SURVEY	
SURVEYED	
PLOTTED	
TEMPLATE	
NOTE BOOK	
AREAS CHECKED	
NO.	



	STAGE 1	STAGE 3	UNIT
EARTH EXCAVATION	83.3	74.9	SQ FT.
EMBANKMENT	33.8	4.4	SQ FT.
TOPSOIL EXC & PLAC	57.8	0.0	SQ FT.


	STAGE 1	STAGE 3	UNIT
EARTH EXCAVATION	99.9	55.2	SQ FT.
EMBANKMENT	27.4	7.8	SQ FT.
TOPSOIL EXC & PLAC	50.2	0.0	SQ FT.

	STAGE 1	STAGE 3	UNIT
EARTH EXCAVATION	74.8	60.0	SQ FT.
EMBANKMENT	23.4	6.0	SQ FT.
TOPSOIL EXC & PLAC	43.4	0.0	SQ FT.

NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

DATE	
BY	
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED

DATE	
BY	
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED




	STAGE 1	STAGE 3	UNIT
EARTH EXCAVATION	44.5	196.3	SQ. FT.
EMBANKMENT	144.4	0.0	SQ. FT.
TOPSOIL EXC & PLAC	57.8	0.0	SQ. FT.

	STAGE 1	STAGE 3	UNIT
EARTH EXCAVATION	65.4	85.6	SQ. FT.
EMBANKMENT	91.9	0.3	SQ. FT.
TOPSOIL EXC & PLAC	69.8	0.0	SQ. FT.

NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.

DATE	
BY	
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED


DATE	
BY	
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED




NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.



DATE	
BY	
FINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED




DATE	
BY	
ORIGINAL SURVEY	SURVEYED
NOTE BOOK	PLOTTED
NO.	TEMPLATE
	AREAS CHECKED






DATE	
BY	
NO.	
FINISHED	
PLANNED	
NOTED	
AREAS	
CHECKED	

DATE	
BY	
NO.	
ORIGINAL	
PLANNED	
NOTED	
AREAS	
CHECKED	



	STAGE 1	STAGE 3	UNIT
EARTH EXCAVATION	105.0	94.3	SQ. FT.
EMBANKMENT	117.6	53.8	SQ. FT.
TOPSOIL EXC & PLAC	0.0	0.0	SQ. FT.


NOTE:  
A DEPTH OF 12 INCHES IS USED IN THE TOPSOIL EXCAVATION AND PLACEMENT CALCULATION.



HOT-MIX ASPHALT PRESSURE RELIEF JOINT WITH PROPOSED OVERLAY





NOTES FOR HOT-MIX ASPHALT PRESSURE RELIEF JOINT:

1. PAVEMENT SHALL BE SAWCUT OR BULKHEADED FULL DEPTH ALONG A NEAT LINE PERPENDICULAR TO THE EDGE OF PAVEMENT AT LOCATIONS SHOWN ON THE PLANS OR AS DETERMINED BY THE ENGINEER. PAVEMENT BETWEEN SAWCUTS SHALL BE REMOVED AND THE AREA SHALL BE CLEANED TO THE SATISFACTION OF THE ENGINEER.
2. THE IN-PLACE DENSITY SHALL NOT BE LESS THAN 95% OF THE BULK SPECIFIC GRAVITY ("d") DENSITY, EXCEPT THAT IF A TARGET DENSITY HAS BEEN PREVIOUSLY ESTABLISHED FOR THE SAME MIX, THE IN-PLACE DENSITY OF EACH LIFT OF THE MIX WILL BE ACCEPTED AT 95% OF THE BULK SPECIFIC GRAVITY ("d") DENSITY, OR 98% OF THE TARGET DENSITY WHICHEVER IS THE LEAST.
3. THE REMOVAL OF EXISTING LONGITUDINAL TIE BARS OR REINFORCEMENT SHALL BE CONSIDERED INCIDENTAL TO HOT-MIX ASPHALT PRESSURE RELIEF JOINT.
4. EXACT LOCATIONS AND WIDTH OF HOT-MIX ASPHALT PRESSURE RELIEF JOINTS WILL BE DETERMINED BY THE ENGINEER IN THE FIELD.
5. THE CONTRACT UNIT PRICE PER SQUARE FOOT FOR HOT-MIX ASPHALT PRESSURE RELIEF JOINT SHALL INCLUDE THE COST OF THE SAW CUT OR BULKHEAD FULL DEPTH, REMOVAL OF EXISTING PAVEMENT, HOT-MIX ASPHALT MATERIALS (TACK COAT), AND HOT-MIX ASPHALT CONCRETE MATERIALS.
6. REFER TO THE CONTRACT DOCUMENTS FOR THE REQUIRED BINDER AND SURFACE COURSE MATERIALS.
7. IF REQUIRED, AGGREGATE FOR BASE COURSE RESTORATION WILL BE MEASURED AND PAID FOR IN TONS, PER SECTION 351.



HOT-MIX ASPHALT PRESSURE RELIEF JOINT WITHOUT PROPOSED OVERLAY

LEGEND

-  P.C.C. PAVEMENT
-  PROPOSED SURFACE COURSE (SEE DETAIL FOR HOT-MIX ASPHALT P.R.J. W/OUT PROPOSED OVERLAY)
-  PROPOSED OVERLAY
-  GRANULAR SUBBASE


CONTRACT 60I31 SHEET 876 OF 963



APPROVED *Jeff Daley* CHIEF ENGINEER DATE 1-1-2007

DATE	REVISIONS


HOT-MIX ASPHALT PRESSURE RELIEF JOINTS  
STANDARD A3-00



**DETAIL OF BUTT JOINT, TYPE 1**

**NOTES FOR BUTT JOINT TYPE 1**


1. THE ABOVE WORK WILL BE PERFORMED AT THE ENDS OF ALL HOT-MIX ASPHALT RESURFACING. THE REMOVAL OF CONCRETE PAVEMENT WILL BE INCLUDED IN CONTRACT UNIT PRICE PER SQUARE YARD FOR "PORTLAND CEMENT CONCRETE SURFACE REMOVAL - BUTT JOINT". HOT-MIX ASPHALT OVERLAY TO BE PAID FOR UNDER ITEMS: "HOT-MIX ASPHALT BINDER COURSE" AND "HOT-MIX ASPHALT SURFACE COURSE", OF THE TYPE SPECIFIED IN THE CONTRACT.
2. ONLY APPROVED SCARIFYING OR MILLING EQUIPMENT SHALL BE USED TO SCARIFY THE CONCRETE PAVEMENT.
3. REGARDLESS OF TYPE OF SURFACE MIX USED, NUMBER OR THICKNESS OF COURSES OR LAYERS, THE OVERLAY THICKNESS TRANSITION LENGTH SHALL BE BASED ON 1" IN 20' AND THE MINIMUM LAYER THICKNESS SHALL BE 1".
4. REFER TO THE CONTRACT DOCUMENTS FOR THE REQUIRED BINDER AND SURFACE COURSE MATERIALS. "t<sub>s</sub>" IS THE THICKNESS OF THE SURFACE COURSE SPECIFIED IN THE CONTRACT. "t<sub>b</sub>" IS THE THICKNESS OF THE BINDER COURSE SPECIFIED IN THE CONTACT. SEE NOTE 3.



**DETAIL OF BUTT JOINT, TYPE 2  
AT EXISTING OVERLAY AREAS**

**NOTES FOR BUTT JOINT, TYPE 2**


1. THE ABOVE WORK WILL BE PERFORMED AT THE ENDS OF ALL HOT-MIX ASPHALT RESURFACING WHERE BUTT JOINTS EXIST. THE REMOVAL OF HOT-MIX ASPHALT OVERLAY AND SAWCUT WILL BE INCLUDED IN THE CONTRACT UNIT PRICE PER SQUARE YARD FOR "HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT".
2. HOT-MIX ASPHALT OVERLAY TO BE PAID UNDER ITEMS: "HOT-MIX ASPHALT BINDER COURSE" AND "HOT-MIX ASPHALT SURFACE COURSE", OF THE TYPE SPECIFIED IN THE CONTRACT.
3. REFER TO THE CONTRACT DOCUMENTS FOR THE REQUIRED BINDER AND SURFACE COURSE MATERIALS.




**TEMPORARY HOT-MIX ASPHALT WEDGE  
AT SCARIFIED BUTT JOINT**

**NOTE FOR TEMPORARY HOT-MIX ASPHALT WEDGE AT SCARIFIED BUTT JOINT**

TEMPORARY WEDGES AT SCARIFIED BUTT JOINTS AND TRANSVERSE TEMPORARY BUTT JOINTS ARE INCLUDED IN COST OF PAVEMENT RESURFACING MATERIALS.



**TEMPORARY TRANSVERSE BUTT JOINT**



**TEMPORARY LONGITUDINAL BUTT JOINT**

**NOTES FOR TEMPORARY LONGITUDINAL BUTT JOINT**

1. THIS ITEM WILL BE USED ONLY WHERE DIRECTED BY THE ENGINEER.
2. PAYMENT WILL BE MADE AT THE CONTRACT UNIT PRICE PER SQUARE YARD FOR "TEMPORARY WEDGES" WHICH INCLUDES THE MAINTENANCE OF THE TEMPORARY WEDGES AS REQUIRED IN THE STANDARD SPECIFICATIONS.
3. UPON REMOVAL OF THE WEDGES, THE SURFACE COURSE SHALL BE SAWCUT PARALLEL TO THE JOINT TO PROVIDE A TRUE VERTICAL SURFACE.
4. REFER TO THE CONTRACT DOCUMENTS FOR THE REQUIRED BINDER AND SURFACE COURSE MATERIALS.

CONTRACT 60I31 SHEET 877 OF 963




APPROVED *Paul Kovacs* CHIEF ENGINEER DATE 5-1-2009


DATE	REVISIONS
5-1-2009	CHANGED WEDGE TAPER RATE NOTATION, REVISED NOTES

BUTT JOINTS

STANDARD A4-01



PAVEMENT CROSS - SECTION (2 LANES)



PAVEMENT PLAN  
2 - LANE SECTION

GENERAL NOTES:

1. DOWEL BASKET ASSEMBLIES, WHERE USED, SHALL BE SUPPORTED AND ANCHORED IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS.
2. WHEN ADJACENT LANES ARE NOT BUILT IN ONE OPERATION, A LONGITUDINAL JOINT SHALL BE REPLACED WITH BULKHEAD LONGITUDINAL JOINT.
3. MATERIALS ARE PROJECT SPECIFIC. REFER TO PROJECT PLANS AND CONTRACT DOCUMENTS FOR DETAILS.
4. SEE STANDARD A7 (PAVEMENT JOINTS) AND IDOT STANDARD 420001 (PAVEMENT JOINTS) FOR DETAILS OF JOINTS AND TIE BARS NOT SHOWN.
5. PAVEMENT DESIGNS ARE PROJECT SPECIFIC, OTHER MATERIALS MAY BE SUBSTITUTED FOR HOT-MIX ASPHALT BASE COURSE AND SUBGRADE AGGREGATE. REFER TO PROJECTS PLANS FOR DETAILS AND MATERIAL THICKNESS.

CONTRACT 60131 SHEET 878 OF 963  
SHEET 1 OF 2







DATE	REVISIONS
5-1-2009	DELETED BLOCK-OUTS DETAIL, REMOVED SHOULDER DIMENSIONS

J.P.C. PAVEMENT  
12" OR LESS

STANDARD A5-01

APPROVED *Paul Kovacs* CHIEF ENGINEER DATE 5-1-2009



PAVEMENT PLAN  
3 - LANE SECTION

PAVEMENT PLAN  
4 - LANE SECTION

CONTRACT 60I31 SHEET 879 OF 963  
SHEET 2 OF 2


APPROVED *Paul Kovacs* CHIEF ENGINEER DATE 5-1-2009

SEE SHEET 1 (OF 1)  
IN THIS SERIES  
FOR GENERAL NOTES.



J.P.C. PAVEMENT  
12" OR LESS

STANDARD A5-01



NOTE: FOR 13" PAVEMENT USE THE FOLLOWING  
 1-1/2"Ø X 18" LONG ON 9" CENTERS OR  
 1-3/4"Ø X 18" LONG ON 12" CENTERS

**TRANSVERSE CONSTRUCTION JOINT  
 (JOINTED PLAIN CONCRETE PAVEMENT)**

**GENERAL NOTES**

1. DOWEL BAR CAPS SHALL BE PLACED ON OPPOSITE END OF ADJACENT DOWEL BARS.
2. ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SHOWN.
3. + = PAVEMENT THICKNESS
4. A 3/8" SAW CUT SHALL BE PROVIDED FOR PAVEMENT CRACK CONTROL.

CONTRACT 60I31 SHEET 880 OF 963




DATE	REVISIONS
5-1-2009	MODIFIED JOINT DETAIL, REVISED NOTES

PAVEMENT JOINTS


STANDARD A7-01

*Paul Kovacs*  
 APPROVED ..... CHIEF ENGINEER ..... DATE 5-1-2009 .....



**NOTES:**

1. ALL PAVEMENT JOINTS SHALL BE DETAILED AS SHOWN ON I.D.O.T. HWY. STANDARD 420001, EXCEPT EXPANSION JOINT SEALS SHALL BE AS DESCRIBED IN THE SPECIAL PROVISION, BONDED PREFORMED JOINT SEALER.
2. THE THICKNESS OF THE JOINTED RAMP PAVEMENT IN THE TANGENT AREA SHALL MATCH THE MAINLINE PAVEMENT. THE EXTRA THICKNESS OF PAVEMENT SHALL BE INCLUDED IN THE PRICE FOR THE RAMP PAVEMENT.
3. STUBS SHALL BE THE MINIMUM DIMENSION AS SHOWN AND ALIGNED WITH A MAINLINE TRANSVERSE JOINT.
4. 7' NOSE LOCATION SHALL BE ADJUSTED TO BE ALIGNED WITH A MAINLINE TRANSVERSE JOINT.
5. TYPICAL PCC PAVEMENT JOINT SPACING SHALL BE 15'.
6. AS ADDITIONAL RAMP LANES ARE ADDED, THE MAXIMUM JOINT SPACING SHALL BE 15' LONG BY 15' WIDE. TYPICAL SPACING IS 15' LONG BY 12' WIDE. LONGITUDINAL JOINT LOCATION IN THE WHEEL PATH SHALL BE MINIMIZED.



**DETAIL A**  
 CONTRACT 60I31 SHEET 881 OF 963  
 SHEET 1 OF 2



APPROVED *Jeff Daley* CHIEF ENGINEER DATE 10-15-2007

DATE	REVISIONS

**Illinois Tollway**  
*Open Roads for a Faster Future*

JOINTING PLAN  
 ENTRANCE RAMP TERMINAL  
 (JOINTED PCC RAMP PAVEMENT ADJACENT  
 TO JOINTED PCC MAINLINE PAVEMENT)

STANDARD A14-00



**DETAIL B**

**NOTES:**

1. ALL PAVEMENT JOINTS SHALL BE DETAILED AS SHOWN ON I.D.O.T. HWY. STANDARD 420001, EXCEPT EXPANSION JOINT SEALS SHALL BE AS DESCRIBED IN THE SPECIAL PROVISION, BONDED PREFORMED JOINT SEALER.
2. THE THICKNESS OF THE JOINTED RAMP PAVEMENT IN THE TANGENT AREA SHALL MATCH THE MAINLINE PAVEMENT. THE EXTRA THICKNESS OF PAVEMENT SHALL BE INCLUDED IN THE PRICE FOR THE RAMP PAVEMENT.
3. SEE STANDARD A12 (BAR REINFORCEMENT FOR CRC PAVEMENT) FOR DETAILS OF PAVEMENT REINFORCEMENT.
4. TYPICAL PCC PAVEMENT JOINT SPACING SHALL BE 15 FEET.
5. AS ADDITIONAL RAMP LANES ARE ADDED, THE MAXIMUM JOINT SPACING SHALL BE 15' LONG BY 15' WIDE. TYPICAL JOINT SPACING IS 15' LONG BY 12' WIDE. LONGITUDINAL JOINT LOCATIONS IN THE WHEEL PATH SHALL BE MINIMIZED.

CONTRACT 60I31 SHEET 882 OF 963  
SHEET 2 OF 2






JOINTING PLAN  
ENTRANCE RAMP TERMINAL  
(JOINTED PCC RAMP PAVEMENT ADJACENT  
TO JOINTED CRC MAINLINE PAVEMENT)

STANDARD A14-00

APPROVED *Jeff Daley* CHIEF ENGINEER DATE 10-15-2007





**NOTES:**

1. ALL PAVEMENT JOINTS SHALL BE DETAILED AS SHOWN ON I.D.O.T. HWY. STANDARD 420001, EXCEPT EXPANSION JOINT SEALS SHALL BE AS DESCRIBED IN THE SPECIAL PROVISION, BONDED PREFORMED JOINT SEALER.
2. STUBS SHALL BE THE MINIMUM DIMENSION AS SHOWN AND ALIGNED WITH A MAINLINE TRANSVERSE JOINT.
3. 6-FOOT NOSE LOCATION SHALL BE ADJUSTED TO BE ALIGNED WITH A MAINLINE TRANSVERSE JOINT.
4. THE THICKNESS OF THE JOINTED RAMP PAVEMENT IN THE TANGENT AREA SHALL MATCH THE MAINLINE PAVEMENT. THE EXTRA THICKNESS OF PAVEMENT SHALL BE INCLUDED IN THE PRICE FOR THE RAMP PAVEMENT.
5. TYPICAL PCC PAVEMENT JOINT SPACING SHALL BE 15 FEET.
6. AS ADDITIONAL RAMP LANES ARE ADDED, THE MAXIMUM JOINT SPACING SHALL BE 15' LONG BY 15' WIDE. TYPICAL SPACING IS 15' LONG BY 12' WIDE. LONGITUDINAL JOINT LOCATIONS IN THE WHEEL PATH SHALL BE MINIMIZED.



CONTRACT 60I31 SHEET 883 OF 963  
SHEET 1 OF 2



DATE	REVISIONS

JOINTING PLAN  
EXIT RAMP TERMINAL  
(JOINTED PCC RAMP PAVEMENT ADJACENT  
TO JOINTED PCC MAINLINE PAVEMENT)  
STANDARD A15-00

APPROVED *Jeff Daley*  
CHIEF ENGINEER DATE 10-15-2007



DETAIL C

**NOTES:**

1. ALL PAVEMENT JOINTS SHALL BE DETAILED AS SHOWN ON I.D.O.T. HWY. STANDARD 420001, EXCEPT EXPANSION JOINT SEALS SHALL BE AS DESCRIBED IN THE SPECIAL PROVISION, BONDED PREFORMED JOINT SEALER.
2. SEE STANDARD A12 (BAR REINFORCEMENT FOR CRC PAVEMENT) FOR DETAILS OF PAVEMENT REINFORCEMENT.
3. THE THICKNESS OF THE JOINTED RAMP PAVEMENT IN THE TANGENT AREA SHALL MATCH THE MAINLINE PAVEMENT. THE EXTRA THICKNESS OF PAVEMENT SHALL BE INCLUDED IN THE PRICE FOR THE RAMP PAVEMENT.
4. TYPICAL PCC PAVEMENT JOINT SPACING SHALL BE 15 FEET.
5. AS ADDITIONAL RAMP LANES ARE ADDED, THE MAXIMUM JOINT SPACING SHALL BE 15' LONG BY 15' WIDE. TYPICAL JOINT SPACING IS 15' LONG BY 12' WIDE. LONGITUDINAL JOINT LOCATIONS IN THE WHEEL PATH SHALL BE MINIMIZED.



CONTRACT 60I31 SHEET 884 OF 963  
SHEET 2 OF 2

APPROVED *Jeff Daley*  
CHIEF ENGINEER DATE 10-15-2007

**Illinois Tollway**  
*Open Roads for a Faster Future*


JOINTING PLAN  
EXIT RAMP TERMINAL  
(JOINTED PCC RAMP PAVEMENT ADJACENT  
TO CRC MAINLINE PAVEMENT)

STANDARD A15-00



**NOTES:**

1. ALL PAVEMENT JOINTS SHALL BE DETAILED AS SHOWN ON I.D.O.T. HWY. STANDARD 420001, EXCEPT EXPANSION JOINT SEALS SHALL BE AS DESCRIBED IN THE SPECIAL PROVISION, BONDED PREFORMED JOINT SEALER.
2. STUBS SHALL BE THE MINIMUM DIMENSION AS SHOWN AND ALIGNED WITH A MAINLINE TRANSVERSE JOINT.
3. 4-FOOT NOSE LOCATION SHALL BE ADJUSTED TO BE ALIGNED WITH A MAINLINE TRANSVERSE JOINT.
4. TYPICAL PCC PAVEMENT JOINT SPACING SHALL BE 15 FEET.
5. THE THICKNESS OF THE JOINTED RAMP PAVEMENT SHALL MATCH THE MAINLINE PAVEMENT. THE EXTRA THICKNESS OF PAVEMENT SHALL BE INCLUDED IN THE PRICE FOR THE RAMP PAVEMENT.
6. RAMP NARROWS FROM 21' TO 18'. LONGITUDINAL JOINT SHALL TRANSITION FROM 10' FROM THE RAMP BASELINE TO 9' FROM THE RAMP BASELINE.
7. AS ADDITIONAL RAMP LANES ARE ADDED, THE MAXIMUM JOINT SPACING SHALL BE 15' LONG BY 15' WIDE. TYPICAL JOINT SPACING IS 15' LONG BY 12' WIDE. LONGITUDINAL JOINT LOCATIONS IN THE WHEEL PATH SHALL BE MINIMIZED.





CONTRACT 60I31 SHEET 885 OF 963  
SHEET 1 OF 2



APPROVED *Jeff Daley* CHIEF ENGINEER DATE 10-15-2007

DATE	REVISIONS

JOINTING PLAN  
PARALLEL EXIT RAMP TERMINAL  
(JOINTED PCC RAMP PAVEMENT ADJACENT TO JOINTED PCC MAINLINE PAVEMENT)  
STANDARD A16-00



**NOTES:**

1. ALL PAVEMENT JOINTS SHALL BE DETAILED AS SHOWN ON I.D.O.T. HWY. STANDARD 420001, EXCEPT EXPANSION JOINT SEALS SHALL BE AS DESCRIBED IN THE SPECIAL PROVISION, BONDED PREFORMED JOINT SEALER.
2. TYPICAL PCC PAVEMENT JOINT SPACING SHALL BE 15 FEET.
3. THE THICKNESS OF THE JOINTED RAMP PAVEMENT SHALL MATCH THE MAINLINE PAVEMENT. THE EXTRA THICKNESS OF PAVEMENT SHALL BE INCLUDED IN THE PRICE FOR THE RAMP PAVEMENT.
4. RAMP NARROWS FROM 21' TO 18'. LONGITUDINAL JOINT SHALL TRANSITION FROM 10' FROM THE RAMP BASELINE TO 9' FROM THE RAMP BASELINE.
5. AS ADDITIONAL RAMP LANES ARE ADDED, THE MAXIMUM JOINT SPACING SHALL BE 15' LONG BY 15' WIDE. TYPICAL JOINT SPACING IS 15' LONG BY 12' WIDE. LONGITUDINAL JOINT LOCATIONS IN THE WHEEL PATH SHALL BE MINIMIZED.


CONTRACT 60I31 SHEET 886 OF 963  
SHEET 2 OF 2

APPROVED *Jeff Daley*  
CHIEF ENGINEER DATE 10-15-2007

**Illinois Tollway**  
*Open Roads for a Faster Future*

JOINTING PLAN  
PARALLEL EXIT RAMP TERMINAL  
(JOINTED PCC RAMP PAVEMENT ADJACENT  
TO CRC MAINLINE PAVEMENT)

STANDARD A16-00



**NOTES:**

1. ALL PAVEMENT JOINTS SHALL BE DETAILED AS SHOWN ON I.D.O.T. HWY. STANDARD 420001, EXCEPT EXPANSION JOINT SEALS SHALL BE AS DESCRIBED IN THE SPECIAL PROVISION, BONDED PREFORMED JOINT SEALER.
2. STUBS SHALL BE THE MINIMUM DIMENSION AS SHOWN AND ALIGNED WITH A MAINLINE TRANSVERSE JOINT.
3. 6-FOOT NOSE LOCATION SHALL BE ADJUSTED TO BE ALIGNED WITH A MAINLINE TRANSVERSE JOINT.
4. TYPICAL PCC PAVEMENT JOINT SPACING SHALL BE 15 FEET.
5. RAMP TAPERS FROM 18' TO 14'. LONGITUDINAL JOINT SHALL BE 9' FROM THE RAMP BASELINE AT THE PCC AND TRANSITION TO BE 7' FROM THE RAMP BASELINE AT THE EXPANSION JOINT.
6. THE THICKNESS OF THE JOINTED RAMP PAVEMENT SHALL MATCH THE MAINLINE PAVEMENT. THE EXTRA THICKNESS OF PAVEMENT SHALL BE INCLUDED IN THE PRICE FOR THE RAMP PAVEMENT.
7. AS ADDITIONAL RAMP LANES ARE ADDED, THE MAXIMUM JOINT SPACING SHALL BE 15' LONG BY 15' WIDE. TYPICAL JOINT SPACING IS 15' LONG BY 12' WIDE. LONGITUDINAL JOINT LOCATIONS IN THE WHEEL PATH SHALL BE MINIMIZED.


CONTRACT 60I31 SHEET 887 OF 963  
SHEET 1 OF 2



DATE	REVISIONS

JOINTING PLAN PARALLEL  
ENTRANCE RAMP TERMINAL  
(JOINTED PCC RAMP PAVEMENT ADJACENT  
TO JOINTED PCC MAINLINE PAVEMENT)  
STANDARD A17-00

APPROVED *Jeff Daley* CHIEF ENGINEER DATE 10-15-2007



**NOTES:**

1. ALL PAVEMENT JOINTS SHALL BE DETAILED AS SHOWN ON I.D.O.T. HWY. STANDARD 420001, EXCEPT EXPANSION JOINT SEALS SHALL BE AS DESCRIBED IN THE SPECIAL PROVISION, BONDED PREFORMED JOINT SEALER.
2. SEE STANDARD A12 (BAR REINFORCEMENT FOR CRC PAVEMENT) FOR DETAILS OF PAVEMENT REINFORCEMENT.
3. TYPICAL PCC PAVEMENT JOINT SPACING SHALL BE 15 FEET.
4. RAMP TAPERS FROM 18' TO 14'. LONGITUDINAL JOINT SHALL BE 9' FROM THE RAMP BASELINE AT THE PCC AND TRANSITION TO BE 7' FROM THE RAMP BASELINE AT THE EXPANSION JOINT.
5. THE THICKNESS OF THE JOINTED RAMP PAVEMENT SHALL MATCH THE MAINLINE PAVEMENT. THE EXTRA THICKNESS OF PAVEMENT SHALL BE INCLUDED IN THE PRICE FOR THE RAMP PAVEMENT.
6. AS ADDITIONAL RAMP LANES ARE ADDED, THE MAXIMUM JOINT SPACING SHALL BE 15' LONG BY 15' WIDE. TYPICAL JOINT SPACING IS 15' LONG BY 12' WIDE. LONGITUDINAL JOINT LOCATIONS IN THE WHEEL PATH SHALL BE MINIMIZED.

NO. 4 TRANSVERSE BARS PERPENDICULAR TO RAMP BASELINE

**DETAIL B**


CONTRACT 60I31 SHEET 888 OF 963  
SHEET 2 OF 2




JOINTING PLAN PARALLEL  
ENTRANCE RAMP TERMINAL  
(JOINTED PCC RAMP PAVEMENT ADJACENT  
TO CRC MAINLINE PAVEMENT)

STANDARD A17-00


APPROVED *Jeff Daley* DATE 10-15-2007  
CHIEF ENGINEER




**TYPE G-2 GUTTER**




**TYPE G-2, MODIFIED GUTTER**




**TYPE G-3 GUTTER**



**TYPE G-3, MODIFIED GUTTER**



**ADJACENT TO FLEXIBLE PAVEMENT**



**ADJACENT TO PCC PAVEMENT**

**TYPE "C" CURB**  
(RAMP TOLL PLAZAS ONLY)

**NOTES:**

- FOR TYPE C CURB TRANSITIONS, THE LEADING ENDS OF CURB IN THE DIRECTION OF TRAFFIC SHALL BEGIN FLUSH WITH ADJACENT PAVEMENT OR SHOULDER SURFACE AND TRANSITION TO FULL HEIGHT AT THE RATE OF ONE INCH VERTICAL TO ONE FOOT HORIZONTAL.
- | GUTTER TRANSITION DETAILS                    | STANDARD DRAWING |
|--|------------------|
| TRAFFIC BARRIER TERMINAL TYPE T1 (SPECIAL)   | B-28             |
| TRAFFIC BARRIER TERMINAL TYPE T1-A (SPECIAL) | B-29             |
| TRAFFIC BARRIER TERMINAL TYPE T5 AND T10     | B-2              |
| TRAFFIC BARRIER TERMINAL TYPE T6             | B-3              |
- ALL SLOPES ARE EXPRESSED AS UNITS OF VERTICAL DISPLACEMENT TO UNITS OF HORIZONTAL DISPLACEMENT (V:H).
- REINFORCEMENT STEEL SHALL BE ACCURATELY PLACED AND FIRMLY HELD IN THE POSITION SPECIFIED USING EPOXY COATED STEEL CHAIRS. CHAIR SPACING SHALL NOT EXCEED 4'-0".
- GUTTER REINFORCEMENT SHALL BE PLACED 3" ABOVE BOTTOM OF GUTTER FOLLOWING THE SUBGRADE SLOPE.
- OTHER GUTTER AND CURB TRANSITION DETAILS WILL BE SHOWN ON THE PLANS.
- CONTINUOUS #4 BARS SHALL BE LAPPED A MINIMUM OF 2'-0" IN ACCORDANCE WITH THE LATEST IDOT-BRIDGE MANUAL.


APPROVED *Paul Kovacs* CHIEF ENGINEER DATE 2-7-2012




DATE	REVISIONS
3-1-2010	ADDED G-2 MODIFIED GUTTER AND GUTTER TRANSITION TERMINATION
1-1-2011	ADDED TYPE "C" CURB ADJACENT TO FLEXIBLE PAVEMENT, ADDED GUTTER EXPANSION/CRACK CONTROL JOINT, REVISED NOTES.
2-7-2012	REVISED NOTES

GUTTER AND CURB DETAILS



STANDARD B1-04





**GUTTER TRANSITION TERMINATION**




**GUTTER PLAN**



**EXPANSION JOINT**



**SECTION C-C**



**CRACK CONTROL JOINT**

**EXPANSION-CRACK CONTROL JOINTS**  
**TYPE G-3/G-2 GUTTER**

CONTRACT 60I31 SHEET 890 OF 963  
SHEET 2 OF 2

**NOTES:**

- GUTTER CRACK CONTROL JOINTS TO ALIGN IN PROLONGATION WITH PCC SHOULDER JOINTS WHERE EXISTING.
- SEE SHEET 1 OF THIS SERIES FOR NOTES.











GUTTER AND CURB DETAILS

STANDARD B1-04

APPROVED: *Paul Kovacs* CHIEF ENGINEER DATE 2-7-2012





BAR INSTALLATION DETAIL

SLOPE DRAIN INLET

NOTES FOR SLOPE DRAIN INLET:

1. THE LOCATION OF THE SLOPE DRAIN INLET SHALL BE AS SHOWN ON THE PLANS OR AS DIRECTED BY THE ENGINEER. THE INLET MUST BE LOCATED IN THE FIELD TO CLEAR THE POST SPACING OF EXISTING OR PROPOSED GUARDRAIL. WHERE CONDITIONS REQUIRE THAT THE SLOPE DRAIN INLET BE LOCATED ADJACENT TO A GUARDRAIL ANCHOR INSTALLATION, THE SLOPED DRAIN INLET MUST BE CONSTRUCTED OUTSIDE THE LIMIT OF THE ANCHOR INSTALLATION.
2. INLET CONSTRUCTION EXCLUSIVE OF P.C.C. APRON SHALL BE COMPLETED PRIOR TO SHOULDER OVERLAY. CONSTRUCTION OF P.C.C. APRON SHALL FOLLOW SHOULDER OVERLAY.
3. THE MATERIALS AND CONSTRUCTION OF THE INLET SHALL CONFORM TO THE APPLICABLE PORTIONS OF THE STANDARD SPECIFICATIONS AND THE SPECIAL PROVISIONS.
4. THE CONCRETE CURB WITHIN THE P.C.C. APRON WILL TRANSITION TO MATCH THE SHAPE OF ABUTTING CURBS.
5. INCREASE NORMAL SHOULDER SLOPE WITHIN LIMITS OF P.C.C. APRON AND SHAPE TO DRAIN INTO INLET OPENING. THE INLET OPENING SHALL BE 2 1/2" BELOW THE NORMAL SHOULDER EDGE ELEVATION.
6. GALVANIZED STEEL COVER PLATE SHALL CONFORM TO THE REQUIREMENTS OF THE STANDARD SPECIFICATIONS. GALVANIZING SHALL BE IN ACCORDANCE WITH ASTM A123 (AASHTO M111).
7. EXPANDED METAL FABRIC OF EQUAL STRENGTH MAY BE USED IN LIEU OF WELDED WIRE FABRIC SUBJECT TO ENGINEER'S APPROVAL.
8. PRECAST CONCRETE UNITS FOR SLOPE DRAIN INLET WILL BE ACCEPTABLE PROVIDED THEY MEET ALL THE REQUIREMENTS SHOWN ON THIS DRAWING. FABRICATION DRAWINGS SHOWING PIPE OPENINGS, REINFORCEMENT AND OTHER PERTINENT DIMENSIONS WILL BE REQUIRED FOR EACH UNIT, FOR APPROVAL BY THE ENGINEER PRIOR TO FABRICATION.
9. REINFORCEMENT BARS AND WELDED WIRE FABRIC DESIGNATED (E) SHALL BE EPOXY COATED.

CATCH BASIN TYPE B

NOTES FOR CATCH BASIN TYPE B:

1. THE LOCATION OF THE CATCH BASIN SHALL BE AS SHOWN ON THE PLANS OR AS DIRECTED BY THE ENGINEER.
2. FOR MATERIALS AND CONSTRUCTION REQUIREMENTS OF THE CATCH BASIN, REFER TO THE STANDARD SPECIFICATIONS.
3. FRAME AND GRATE FOR CATCH BASIN TYPE B SHALL BE NEENAH FOUNDRY COMPANY TYPE R-3455C OR APPROVED EQUAL.
4. AT LOCATIONS WHERE EXISTING UNDERDRAINS AND/OR STORM SEWER PIPES ARE TO BE CONNECTED TO THE NEW CATCH BASIN, THE REMOVAL OF EXISTING PIPES, FURNISHING OF NEW PIPE SECTIONS OF THE SAME SIZE AND OTHER MATERIALS NECESSARY FOR THE CONNECTIONS SHALL BE INCIDENTAL TO THE COST OF CATCH BASIN TYPE B.
5. PRECAST CONCRETE UNITS FOR CATCH BASIN WILL BE ACCEPTABLE PROVIDED THEY MEET ALL THE REQUIREMENTS AS SHOWN ON THIS DRAWING. BASE EXTENSION OF 3" NOT REQUIRED FOR PRECAST UNITS. FABRICATION DRAWINGS SHOWING PIPE OPENINGS, REINFORCEMENT AND OTHER PERTINENT DIMENSIONS WILL BE REQUIRED FOR EACH UNIT, FOR APPROVAL BY THE ENGINEER PRIOR TO FABRICATION.
6. REINFORCEMENT BARS DESIGNATED (E) SHALL BE EPOXY COATED.






CONTRACT 60131 SHEET 891 OF 963



APPROVED *Paul Kovacs* CHIEF ENGINEER DATE 2-7-2012


DATE	REVISIONS
2-7-2012	REVISED REINFORCEMENT BARS

CATCH BASIN TYPE B AND SLOPE DRAIN INLET  
STANDARD B7-01











SECTION B-B

CATCH BASIN TYPE "G" SERIES





DRAINAGE STRUCTURE TYPE G-3, MODIFIED



NOTES:

1. PRECAST CONCRETE UNITS WILL BE ACCEPTABLE PROVIDED THEY MEET ALL THE REQUIREMENTS AS SHOWN ON THIS DRAWING. BASE EXTENSION OF 3" NOT REQUIRED FOR PRECAST UNITS. FABRICATION DRAWINGS SHOWING PIPE OPENINGS, REINFORCEMENT AND OTHER PERTINENT DIMENSIONS WILL BE REQUIRED FOR EACH UNIT, FOR APPROVAL BY THE ENGINEER PRIOR TO FABRICATION.
2. CATCH BASINS TYPE G-SERIES SHALL BE USED IN THE SWALE ON THE HIGH SIDE OF SUPERELEVATED PAVEMENT.
3. CATCH BASINS TYPE G-2 SHALL BE USED ALONG RAMPS WHERE G-2 GUTTER IS PROVIDED.
4. CATCH BASINS TYPE G-3 SHALL BE USED WHERE G-3 GUTTER IS PROVIDED.
5. CATCH BASINS TYPE G-3 MODIFIED SHALL BE USED IN PAVEMENT SECTIONS AND ON THE LOW SIDE OF SUPERELEVATED PAVEMENT.
6. CATCH BASINS TYPE G-3 MODIFIED SHALL BE PROVIDED WITH A REINFORCED CONCRETE SLAB TOP AS DETAILED ON THIS DRAWING.
7. TYPE S FRAME AND GRATE SHALL BE NEENAH R-3338-F MODIFIED BY THE ADDITION OF THE FOURTH SIDE OF THE FRAME, OR APPROVED EQUAL.
8. TYPE G-2 FRAME AND GRATE SHALL BE NEENAH R-3508-A2 OR APPROVED EQUAL.
9. TYPE G-3 FRAME AND GRATE SHALL BE NEENAH INLET FOR ROLLTYPE CURB R-3501-U OR EAST JORDAN IRON WORKS 10004 OR APPROVED EQUAL.
10. TYPE G-3, MODIFIED FRAME AND GRATE SHALL BE NEENAH INLET FOR ROLL TYPE CURB SPECIAL R-3501-UI OR APPROVED EQUAL.
11. MORTAR OR SEALER SHALL BE USED WHEN A PRECAST REINFORCED CONCRETE LID IS USED.
12. REINFORCEMENT BARS DESIGNATED (E) SHALL BE EPOXY COATED.



CONTRACT 60I31 SHEET 892 OF 963



DATE	REVISIONS
6-1-2009	DELETE REINF. CONC. LID TYPE S FRAME & GRATE
2-7-2012	REVISED REINFORCEMENT BARS

CATCH BASINS TYPES G AND TYPE G MODIFIED, FRAMES AND GRATES TYPE G-2, G-3 & G-3 MODIFIED

STANDARD B8-02



APPROVED *Paul Kovacs* CHIEF ENGINEER DATE 6-1-2009

## DIMENSIONS AND QUANTITIES FOR ONE SLOPED HEADWALL TYPE III







PIPE I.D.	DIMENSIONS											PRE CAST CONC. CU. YD.	CAST-IN-PLACE CU. YD.	WELDED WIRE FABRIC SQ. YD.	REINF. STEEL				
	A	B	C	N	M	P	S	L	V	W	MARK				SIZE	NO.	LENGTH	LBS.	
6"	9"	2 3/4"	1'-9 3/4"	1'-0"	1'-8"	1'-6 3/4"	2'-11 1/4"	7'-2"	1'-0"	3'-6"	.19	.51	2.67	d6	#4	12	2'-0"	16	
12"	1'-3 1/2"	2 3/4"	2'-4 1/4"	1'-0"	1'-8"	1'-6 3/4"	4'-6 3/4"	8'-9 1/2"	1'-0"	4'-0"	.36	.65	3.80	d12	#4	14	2'-0"	19	
15"	1'-6 1/2"	2 3/4"	2'-7 1/4"	1'-0"	1'-8"	1'-6 3/4"	5'-3 3/4"	9'-6 1/2"	1'-0"	4'-3"	.47	.73	5.13	d15	#4	16	2'-0"	21	
18"	1'-10"	2 3/4"	2'-10 3/4"	1'-0"	1'-8"	1'-6 3/4"	6'-2 1/4"	10'-5"	1'-0"	4'-6"	.61	.80	5.65	d18	#4	18	2'-0"	24	
21"	2'-1"	2 3/4"	3'-1 3/4"	1'-0"	1'-9"	1'-6 3/4"	6'-11 1/4"	11'-3"	1'-3"	5'-3"	.74	1.0	7.42	d21	#4	22	2'-0"	29	
24"	2'-4 1/2"	2 3/4"	3'-5 1/4"	1'-0"	2'-0"	1'-6 3/4"	7'-9 3/4"	12'-4 1/2"	1'-6"	6'-0"	.86	1.24	8.80	d24	#4	24	2'-0"	32	
27"	2'-7 1/2"	2 3/4"	3'-8 1/4"	1'-1 1/2"	2'-3"	1'-6 3/4"	8'-6 3/4"	13'-6"	1'-9"	6'-9"	1.03	1.53	12.35	d27	#4	24	2'-0"	32	
30"	2'-11"	2 3/4"	3'-11 3/4"	1'-3"	2'-6"	1'-6 3/4"	9'-5 1/4"	14'-9"	2'-0"	7'-6"	1.22	2.00	15.08	d30	#4	26	2'-0"	35	

PIPE I.D.	DIMENSIONS											PRE CAST CONC. CU. YD.	CAST-IN-PLACE CU. YD.	WELDED WIRE FABRIC SQ. YD.	REINF. STEEL				
	A	B	C	N	M	P	S	L	V	W	MARK				SIZE	NO.	LENGTH	LBS.	
6"	9"	2"	1'-9"	1'-0"	1'-8"	2'-1"	3'-8"	8'-5"	1'-0"	3'-6"	.21	.57	3.27	d6	#4	12	2'-0"	16	
12"	1'-3 1/2"	2"	2'-3 1/2"	1'-0"	1'-8"	2'-1"	5'-10"	10'-7"	1'-0"	4'-0"	.44	.75	4.58	d12	#4	16	2'-0"	21	
15"	1'-6 1/2"	2"	2'-6 1/2"	1'-0"	1'-8"	2'-1"	6'-10"	11'-7"	1'-0"	4'-3"	.57	.83	5.66	d15	#4	18	2'-0"	24	
18"	1'-10"	2"	2'-10"	1'-0"	1'-8"	2'-1"	8'-0"	12'-11"	1'-0"	4'-6"	.73	.93	7.57	d18	#4	22	2'-0"	29	
21"	2'-1"	2"	3'-1"	1'-0"	1'-9"	2'-1"	9'-0"	13'-10"	1'-3"	5'-3"	.89	1.16	9.83	d21	#4	24	2'-0"	32	
24"	2'-4 1/2"	2"	3'-4 1/2"	1'-0"	2'-0"	2'-1"	10'-2"	15'-3"	1'-6"	6'-0"	1.12	1.45	12.51	d24	#4	28	2'-0"	37	
27"	2'-7 1/2"	2"	3'-7 1/2"	1'-1 1/2"	2'-3"	2'-1"	11'-2"	16'-7"	1'-9"	6'-9"	1.32	1.77	13.28	d27	#4	30	2'-0"	40	
30"	2'-11"	2"	3'-11"	1'-3"	2'-6"	2'-1"	12'-4"	18'-2"	2'-0"	7'-6"	1.58	2.14	18.77	d30	#4	32	2'-0"	43	

PIPE I.D.	DIMENSIONS											PRE CAST CONC. CU. YD.	CAST-IN-PLACE CU. YD.	WELDED WIRE FABRIC SQ. YD.	REINF. STEEL				
	A	B	C	N	M	P	S	L	V	W	MARK				SIZE	NO.	LENGTH	LBS.	
6"	9"	1 1/2"	1'-8 1/2"	1'-0"	1'-8"	3'-0"	5'-3"	10'-11"	1'-0"	3'-6"	.29	.71	4.11	d6	#4	16	2'-0"	21	
12"	1'-3 1/2"	1 1/2"	2'-3"	1'-0"	1'-8"	3'-0"	8'-6"	14'-2"	1'-0"	4'-0"	.60	.96	7.27	d12	#4	22	2'-0"	29	
15"	1'-6 1/2"	1 1/2"	2'-6"	1'-0"	1'-8"	3'-0"	10'-0"	15'-8"	1'-0"	4'-3"	.79	1.07	8.91	d15	#4	26	2'-0"	35	
18"	1'-10"	1 1/2"	2'-9 1/2"	1'-0"	1'-8"	3'-0"	11'-9"	17'-5"	1'-0"	4'-6"	1.03	1.20	10.95	d18	#4	28	2'-0"	37	
21"	2'-1"	1 1/2"	3'-0 1/2"	1'-0"	1'-9"	3'-0"	13'-3"	19'-0"	1'-3"	5'-3"	1.29	1.51	14.00	d21	#4	34	2'-0"	45	
24"	2'-4 1/2"	1 1/2"	3'-4"	1'-0"	2'-0"	3'-0"	15'-0"	21'-0"	1'-6"	6'-0"	1.59	1.89	15.49	d24	#4	38	2'-0"	51	
27"	2'-7 1/2"	1 1/2"	3'-7"	1'-1 1/2"	2'-3"	3'-0"	16'-6"	22'-10 1/2"	1'-9"	6'-9"	1.90	2.30	21.82	d27	#4	40	2'-0"	53	
30"	2'-11"	1 1/2"	3'-10 1/2"	1'-3"	2'-6"	3'-0"	18'-3"	25'-0"	2'-0"	7'-6"	2.27	2.79	26.60	d30	#4	44	2'-0"	59	



**NOTE:**  
EACH #4d BAR SHALL BE PLACED SUCH THAT IT WILL PROJECT 9" INTO THE CAST IN PLACE (CIP) CONCRETE AND IT SHALL BE 3" BELOW THE TOP SURFACE. HOOKS IN THE PRECAST SECTION SHALL BE TIPPED TO CLEAR ALL CONCRETE SURFACES A MIN. OF 2".



**NOTES:**

- THE CAST IN PLACE (CIP) SLOPED HEADWALL SHALL BE CONSTRUCTED FLUSH WITH EXISTING OR PROPOSED SLOPE.
- CLASS SI CONCRETE SHALL BE USED THROUGHOUT.
- WELDED WIRE FABRIC SHALL BE EPOXY COATED 6x6-W4xW4, 58 LBS. PER 100 SQ.FT.
- ALL REINFORCEMENT BARS SHOWN SHALL BE EPOXY COATED.
- BAR BENDING DETAILS ARE DIMENSIONED OUT TO OUT OF BARS.
- COVER FROM FACE OF CONCRETE TO FACE OF REINFORCEMENT BAR SHALL BE 3" FOR SURFACES FORMED AGAINST EARTH AND 2" FOR ALL OTHER SURFACES UNLESS OTHERWISE SHOWN.
- PRECAST UNIT USE IS OPTIONAL, THE ENTIRE STRUCTURE MAY BE CAST IN PLACE.
- AFTER THE PRECAST SLOPED HEADWALL HAS BEEN PLACED, THE SPACE BETWEEN THE HEADWALL AND PIPE SHALL BE COMPLETELY FILLED WITH AN APPROVED NON-SHRINK GROUT WITH A MINIMUM 28-DAY COMPRESSIVE STRENGTH OF 5000 PSI. THE COST FOR FURNISHING AND PLACING THE GROUT SHALL BE INCIDENTAL TO SLOPED HEADWALLS.
- THE SLOPED HEADWALL DETAILS SHOWN ON THIS DRAWING ARE FOR USE ONLY WITH PIPES HAVING DIAMETER OR SPAN OF 30" OR LESS.
- QUANTITIES FOR CONCRETE, WELDED WIRE FABRIC, AND REINFORCING STEEL SHOWN IN THE SCHEDULES OF QUANTITIES ARE BASED ON A "H" DIMENSION OF 0'-0" AND A 1:2 SLOPE.
- ALL SLOPES ARE EXPRESSED AS UNITS OF VERTICAL DISPLACEMENT TO UNITS OF HORIZONTAL DISPLACEMENT (V:H). CONTRACT 60I31 SHEET 893 OF 963
- I.D. DENOTES INSIDE DIAMETER OF PIPE. O.D. DENOTES OUTSIDE DIAMETER OF PIPE.


DATE	REVISIONS
6-1-2009	ADDED TABLE INFORMATION ADDED DIMENSION NOTATIONS TO SLOPED HEADWALL
3-1-2010	REVISED NOTES
1-1-2011	REVISED NOTES
2-7-2012	REVISED NOTES




SLOPED HEADWALLS  
TYPE III DETAILS

STANDARD B10-05


APPROVED: *Paul Kovacs* CHIEF ENGINEER DATE 2-7-2012



PLAN



SECTION A-A



SECTION B-B

TYPE G-3 GUTTER TRANSITION AT TRAFFIC BARRIER TERMINAL, TYPE T1 (SPECIAL)

**NOTE:**  
GUTTER TRANSITIONS WILL BE PAID FOR PER FOOT AS TYPE G-3 GUTTER.

CONTRACT 60I31 SHEET 894 OF 963  
SHEET 1 OF 3

APPROVED *Paul Kovacs* CHIEF ENGINEER DATE 3-1-2010







REVISIONS	
1-1-2011	REVISED GUTTER TRANSITION TERMINATION

**Illinois Tollway**  
*Open Roads for a Faster Future*

GUTTER TRANSITION AT TRAFFIC BARRIER TERMINAL, TYPE T1 (SPECIAL)

STANDARD B28-01





**NOTE:**  
GUTTER TRANSITIONS WILL BE PAID FOR PER FOOT AS TYPE G-3 GUTTER.

CONTRACT 60I31 SHEET 896 OF 963  
SHEET 3 OF 3


TYPE G-3 GUTTER TRANSITION TERMINATION AT TRAFFIC BARRIER TERMINAL,  
TYPE T1 (SPECIAL)

APPROVED *Paul Kovacs* DATE 3-1-2010  
CHIEF ENGINEER


**Illinois Tollway**  
*Open Roads for a Faster Future*

GUTTER TRANSITION AT TRAFFIC BARRIER TERMINAL, TYPE T1 (SPECIAL)

STANDARD B28-01



SECTION WITH GUTTER



SECTION WITHOUT GUTTER

**NOTES:**

1. 1' OFFSET FROM EDGE OF PAVED SHOULDER TO FACE OF RAIL IS TYPICAL FOR ALL INSTALLATIONS EXCEPT AS OTHERWISE DETAILED IN THE PLAN DRAWINGS.
2. WHERE GUTTERS SUCH AS TYPE G-2 , G-3 ARE REQUIRED IN FRONT OF THE GUARDRAIL, THE POSTS SHALL BE LOCATED 6" BEHIND THE GUTTER, OR AS OTHERWISE DETAILED IN THE PLANS. THE OFFSET FROM THE EDGE OF SHOULDER TO THE FACE OF THE GUARDRAIL SHALL BE AS SHOWN ON STANDARD B28.
3. THE 24 7/8" TYPICAL RAIL HEIGHT IS MEASURED FROM EXISTING SURFACE 1' IN FRONT OF RAIL, OR FROM EDGE OF SHOULDER/EDGE OF GUTTER WHEN EDGE IS MORE THAN 1' IN FRONT OF RAIL TO CENTER OF RAIL.
4. AGGREGATE SHOULDERS SPECIAL, TYPE C SHALL COMPLY WITH THE REQUIREMENTS OF THE TOLLWAY RECURRING SPECIAL PROVISION. WHERE GUTTER IS PROPOSED WITH GUARDRAIL, A 3" MINIMUM THICKNESS OF AGGREGATE SHOULDERS SPECIAL, TYPE C SHALL BE PLACED BEHIND CURB. FOR GUARDRAIL WITHOUT CURB & GUTTER, AGGREGATE SHOULDER, OF THE SAME THICKNESS SHALL BE PLACED FROM THE EDGE OF PAVED SHOULDER SLOPING AWAY TO A 3" MIN. THICKNESS.
5. AGGREGATE SHOULDERS SPECIAL, TYPE C SHALL EXTEND A MINIMUM OF 1' BEHIND POST OR GUARDRAIL, WHICHEVER IS FURTHER, EXCEPT AS DETAILED ELSEWHERE IN THE PLANS.
6. PLASTIC BLOCK-OUTS SHALL NOT BE ALLOWED AS A SUBSTITUTE FOR WOOD BLOCK-OUTS ON NEW INSTALLATIONS.
7. WHEN  $S \leq 3$  AND 3'-0" MIN. AGGREGATE SHOULDER CANNOT BE MET, THE POST LENGTH SHALL BE 9'-0" AND THE MIN. AGGREGATE SHOULDER SHALL BE 1'-0" MEASURED DISTANCE BEHIND POST TO THE SHOULDER POINT.
8. ALL SLOPES ARE EXPRESSED AS UNITS OF VERTICAL DISPLACEMENT TO UNITS OF HORIZONTAL DISPLACEMENTS (V:H).
9. UNDER NO CIRCUMSTANCES SHALL AN EXISTING GUARDRAIL, THAT WAS DESIGNED USING A PREVIOUS STANDARD, BE EXTENDED, ATTACHED TO OR MODIFIED IN ANYWAY FROM ITS ORIGINAL DESIGN. IF ANY MODIFICATION IS REQUIRED AND A PROPER BARRIER WARRANT HAS BEEN COMPLETED, THE ENTIRE BARRIER INSTALLATION SHALL BE COMPLETELY REMOVED AND REPLACED WITH A NEW SYSTEM THAT CONFORMS TO THE CURRENT STANDARD.
10. WHEN  $S \leq 3$ , THE POST LENGTH SHALL BE 9'-0" AND 4' AGGREGATE SHOULDER WIDTH MAINTAINED.
11. THE GUARDRAIL SYSTEM HAS BEEN PERFORMANCE-TESTED FOR CRASHWORTHINESS UNDER PROCEDURES DEFINED IN THE NATIONAL COOPERATIVE HIGHWAY RESEARCH PROGRAM (NCHRP) REPORT 350. NO MODIFICATION TO THIS STANDARD DRAWING SHALL BE PERMITTED.
12. GUARDRAIL POSTS SHALL NOT BE INSTALLED IN CONCRETE OR HMA PAVEMENT. WHEN NECESSARY USE LEAVE-OUT DETAIL ON SHEET 4 OF 4 OF THIS SERIES.
13. GUARDRAIL POSTS SHALL NOT BE ATTACHED TO ANY STRUCTURE.

CONTRACT 60I31 SHEET 897 OF 963

SHEET 1 OF 4




**GUARDRAIL INSTALLATION DETAILS**

APPROVED *Paul Kovacs* CHIEF ENGINEER DATE 7-1-2009

REVISIONS	
7-1-2009	REVISED DIMENSIONS, NOTES AND ADDED DETAILS
3-1-2010	REVISED AGGREGATE SHOULDER DIMENSIONS AND NOTES
	ADDED GUARDRAIL POST LEAVE-OUTS
1-1-2011	SHEET LAYOUT REVISIONS AND CLARIFICATIONS.
2-7-2012	ADDED TYPE C GUARDRAIL, MODIFIED LEAVE-OUT CAP MATERIAL AND REVISED NOTES

GALVANIZED STEEL PLATE BEAM GUARDRAIL


STANDARD C1-05



ELEVATION

**TYPE A**


6'-3" TYPICAL POST SPACING



ELEVATION

**TYPE B**


3'-1/2" 1/2 POST SPACING




ELEVATION

**TYPE C**


1'-6 3/4" 1/4 POST SPACING




STEEL POST CONSTRUCTION



RAIL ELEMENT SPLICE



POST OR SPLICE BOLT & NUT



WOOD BLOCK-OUT AND STEEL POST DETAILS

CONTRACT 60131 SHEET 898 OF 963  
SHEET 2 OF 4



GALVANIZED STEEL PLATE BEAM GUARDRAIL


STANDARD C1-05

APPROVED *Paul Kovacs* CHIEF ENGINEER DATE 7-1-2009




TABLE 1			
V	W	L	
		STEEL POST	WOOD POST
0 - 16 1/8"	24"	21"	23"
> 16 1/8" - 28 1/8"	12"	8"	10"
> 28 1/8" - 40 1/8"	12" - 0 (*)	8"	10"

\* V\*W=40 1/8"




PLAN




ELEVATION

FOOTING FOR POST WHEN IMPERVIOUS MATERIAL IS ENCOUNTERED



PLAN



ELEVATION

LEAVE-OUTS

NOTES:

1. CAP SHALL BE INSTALLED TO MATCH THE EXISTING CROSS SLOPE.
2. THE LEAVE-OUT SHALL BE DEFINED AS THE AREA AROUND THE POST THAT IS EITHER OMITTED FROM THE NEW CONSTRUCTION OR REMOVED FROM THE EXISTING CONCRETE OR HMA.

CONTRACT 60I31 SHEET 899 OF 963  
SHEET 3 OF 4



GALVANIZED STEEL PLATE  
BEAM GUARDRAIL



STANDARD C1-05

APPROVED *Paul Kovacs* CHIEF ENGINEER DATE 7-1-2009

TABLE 2


BARRIER CLEARANCE DISTANCE

GUARDRAIL SYSTEM	POST SPACING	DESIRABLE BARRIER CLEARANCE DISTANCE	MINIMUM BARRIER CLEARANCE DISTANCE
TYPE A	6'-3"	42"	28"
TYPE B 1/2 POST SPACING	3'-1 1/2"	30"	23"
TYPE C 1/4 POST SPACING	1'-6 3/4"	24"	14"




NOTES:

- DESIRABLE BARRIER CLEARANCE DISTANCES SHALL BE USED FOR ALL NEW INSTALLATIONS.
- MINIMUM BARRIER CLEARANCE DISTANCES ARE ONLY TO BE USED FOR EXISTING OBSTRUCTIONS.
- WHEN LENGTH OF OBSTRUCTION IS 1'-3" OR LESS, THE DOWNSTREAM TRANSITION SHALL BE OMITTED.



TYPE A GUARDRAIL-DRAINAGE STRUCTURE CONFLICT  
ONE POST



TYPE A GUARDRAIL - DRAINAGE STRUCTURE CONFLICT  
TWO POSTS

NOTES:

- GUARDRAIL POSTS SHALL NOT BE ELIMINATED; ALL POSTS MUST BE USED.
- GUARDRAIL POSTS SHALL NOT BE SET BACK TO AVOID CONFLICTS WITH A DRAINAGE STRUCTURE.
- NO MODIFICATIONS OF ANY KIND TO THE TRANSITION POST SPACING ARE ALLOWED.



GALVANIZED STEEL PLATE  
BEAM GUARDRAIL

STANDARD C1-05

APPROVED *Paul Kovacs* DATE 7-1-2009  
CHIEF ENGINEER