

SOUTHBOUND																	PR CURVE WAUKEGAN-01	NORTHBOUND																
LT EOP EL	RT TRN/SHLD WIDTH	RT TRN/SHLD SLOPE	LN 2 EL	LN2 WIDTH	LN2 SLOPE	LN 1 EL	LN1 WIDTH	LN1 SLOPE	PGL OFFSET	PGL EL	LT TRN 1 SLOPE	LT TRN 1 WIDTH	LT TRN 1 EOP EL	LT TRN 2 SLOPE	LT TRN 2 WIDTH	LT TRN 2 EOP EL	MEDIAN SLOPE	STATION	MEDIAN SLOPE	LT TRN EOP EL	LT TRN WIDTH	LT TRN SLOPE	PGL EL	PGL OFFSET	LN 1 SLOPE	LN 1 WIDTH	LN 1 EL	LN 2 SLOPE	LN 2 WIDTH	LN 2 EL	RT TRN SLOPE	RT TRN WIDTH	RT EOP EL	
668.96	12.0'	-2.60%	669.27	12.0'	-2.08%	669.52	12.0'	-2.08%	15.0' LT	669.77	1.56%	12.0'	669.96	-1.56%	12.0'	669.77		517+00.00					669.94	15.0' RT	-2.08%	12.0'	669.69	-2.08%	12.0'	669.44	-2.60%	10.5'	669.17	
668.81	12.0'	-2.60%	669.12	12.0'	-2.08%	669.37	12.0'	-2.08%	15.0' LT	669.62	1.56%	12.0'	669.81	-1.56%	12.0'	669.62		517+25.00					669.80	15.0' RT	-2.08%	12.0'	669.55	-2.08%	12.0'	669.30	-2.60%	8.0'	669.09	
668.79	12.0'	-2.60%	669.10	12.0'	-2.08%	669.35	12.0'	-2.08%	15.0' LT	669.60	1.56%	12.0'	669.79	-1.56%	12.0'	669.60		517+50.00					669.77	15.0' RT	-2.08%	12.0'	669.52	-2.08%	12.0'	669.27	-2.60%	5.5'	669.13	
668.85	12.0'	-2.60%	669.16	12.0'	-2.08%	669.41	12.0'	-2.08%	15.0' LT	669.66	1.56%	12.0'	669.85	-1.56%	12.0'	669.66		517+75.00					669.84	15.0' RT	-2.08%	12.0'	669.59	-2.08%	12.0'	669.34	-2.60%	3.0'	669.26	
668.93	12.0'	-2.60%	669.24	12.0'	-2.08%	669.49	12.0'	-2.08%	15.0' LT	669.74	1.56%	12.0'	669.93	-1.56%	12.0'	669.74		518+00.00					669.91	15.0' RT	-2.08%	12.0'	669.66	-2.08%	12.0'	669.41				
669.00	12.0'	-2.60%	669.31	12.0'	-2.08%	669.56	12.0'	-2.08%	15.0' LT	669.81	1.56%	12.0'	670.00	-1.56%	12.0'	669.81		518+25.00					669.99	15.0' RT	-2.08%	12.0'	669.74	-2.08%	12.0'	669.49				
669.08	12.0'	-2.60%	669.39	12.0'	-2.08%	669.64	12.0'	-2.08%	15.0' LT	669.89	1.56%	12.0'	670.08	-1.56%	12.0'	669.89		518+50.00					670.06	15.0' RT	-2.08%	12.0'	669.81	-2.08%	12.0'	669.56				
																		TRANSITION																
669.09	12.0'	-2.60%	669.40	12.0'	-2.08%	669.65	12.0'	-2.08%	15.0' LT	669.90	1.56%	12.0'	670.09	-1.56%	12.0'	669.90		518+53.31					670.07	15.0' RT	-2.08%	12.0'	669.82	-2.08%	12.0'	669.57				
669.15	12.0'	-2.60%	669.46	12.0'	-2.08%	669.71	12.0'	-2.08%	15.0' LT	669.96	1.56%	12.0'	670.15	-1.45%	12.0'	669.97		518+75.00					670.14	15.0' RT	-1.45%	12.0'	669.97	-1.45%	12.0'	669.79				
669.23	12.0'	-2.60%	669.54	12.0'	-2.08%	669.79	12.0'	-2.08%	15.0' LT	670.04	1.56%	12.0'	670.22	-0.71%	12.0'	670.14		519+00.00					670.21	15.0' RT	-0.71%	12.0'	670.12	-0.71%	12.0'	670.04				
669.30	12.0'	-2.60%	669.61	12.0'	-2.08%	669.86	12.0'	-2.08%	15.0' LT	670.11	1.56%	12.0'	670.30	0.00%	12.0'	670.30		519+24.31					670.28	15.0' RT	0.00%	12.0'	670.28	0.00%	12.0'	670.28				
669.30	12.0'	-2.60%	669.61	12.0'	-2.08%	669.86	12.0'	-2.08%	15.0' LT	670.11	1.56%	12.0'	670.30	0.02%	12.0'	670.30		519+25.00					670.29	15.0' RT	0.02%	12.0'	670.29	0.02%	12.0'	670.29				
669.38	11.9'	-2.60%	669.69	12.0'	-2.08%	669.94	12.0'	-2.08%	15.0' LT	670.19	1.56%	12.0'	670.38	0.76%	12.0'	670.47		519+50.00					670.36	15.0' RT	0.76%	12.0'	670.45	0.76%	12.0'	670.54				
669.49	10.4'	-2.60%	669.76	12.0'	-2.08%	670.01	12.0'	-2.08%	15.0' LT	670.26	1.56%	12.0'	670.45	1.50%	12.0'	670.63		519+75.00					670.44	15.0' RT	1.50%	12.0'	670.62	1.50%	12.0'	670.80				
669.58	9.2'	-2.60%	669.82	12.0'	-2.08%	670.07	12.0'	-2.08%	15.0' LT	670.32	2.08%	12.0'	670.57	2.08%	12.0'	670.82		519+94.62					670.49	15.0' RT	2.08%	12.0'	670.74	2.08%	12.0'	670.99				
669.57	8.9'	-2.60%	669.80	12.0'	-2.24%	670.07	12.0'	-2.24%	15.0' LT	670.34	2.24%	12.0'	670.61	2.24%	12.0'	670.88		520+00.00					670.51	15.0' RT	2.24%	12.0'	670.78	2.24%	12.0'	671.05				
669.45	7.5'	-2.98%	669.67	12.0'	-2.98%	670.03	12.0'	-2.98%	15.0' LT	670.39	2.98%	12.0'	670.75	2.98%	12.0'	671.11		520+25.00					670.56	15.0' RT	2.98%	12.0'	670.92	2.98%	12.0'	671.28				
669.27	6.0'	-3.72%	669.50	12.0'	-3.72%	669.94	12.0'	-3.72%	15.0' LT	670.39	3.72%	12.0'	670.84	3.72%	12.0'	671.28		520+50.00					670.56	15.0' RT	3.72%	12.0'	671.01	3.72%	12.0'	671.45				
																		FULL SUPERELEVATION																
669.19	5.5'	-4.00%	669.41	12.0'	-4.00%	669.89	12.0'	-4.00%	15.0' LT	670.37	4.00%	12.0'	670.85	4.00%	12.0'	671.33		520+59.31					670.54	15.0' RT	4.00%	12.0'	671.02	4.00%	12.0'	671.50				
669.18	4.4'	-4.00%	669.36	12.0'	-4.00%	669.84	12.0'	-4.00%	15.0' LT	670.32	4.00%	12.0'	670.80	4.00%	12.0'	671.28		520+75.00					670.49	15.0' RT	4.00%	12.0'	670.97	4.00%	12.0'	671.45				
669.12	2.8'	-4.00%	669.23	12.0'	-4.00%	669.71	12.0'	-4.00%	14.9' LT	670.19	4.00%	12.0'	670.67	4.00%	11.5'	671.13		521+00.00					670.35	14.9' RT	4.00%	12.0'	670.83	4.00%	12.0'	671.31				
			669.04	12.0'	-4.00%	669.52	12.0'	-4.00%	14.3' LT	670.00	4.00%	12.0'	670.48	4.00%	9.5'	670.86		521+25.00					670.16	14.3' RT	4.00%	12.0'	670.64	4.00%	12.0'	671.12				
			668.78	12.0'	-4.00%	669.26	12.0'	-4.00%	13.8' LT	669.74	4.00%	12.0'	670.22	4.00%	7.5'	670.52		521+50.00					669.90	13.8' RT	4.00%	12.0'	670.38	4.00%	12.0'	670.86				
			668.47	12.0'	-4.00%	668.95	12.0'	-4.00%	13.2' LT	669.43	4.00%	12.0'	669.91	4.00%	5.5'	670.13		521+75.00					669.57	13.2' RT	4.00%	12.0'	670.05	4.00%	12.0'	670.53				
			668.09	12.0'	-4.00%	668.57	12.0'	-4.00%	12.7' LT	669.05	4.00%	12.0'	669.53	4.00%	3.5'	669.67		522+00.00					669.19	12.7' RT	4.00%	12.0'	669.67	4.00%	12.0'	670.15				
			667.65	12.0'	-4.00%	668.13	12.0'	-4.00%	12.1' LT	668.61	4.00%	12.0'	669.09	4.00%	1.5'	669.15		522+25.00					668.73	12.1' RT	4.00%	12.0'	669.21	4.00%	12.0'	669.69				
			667.14	12.0'	-4.00%	667.62	12.0'	-4.00%	11.5' LT	668.10	4.00%	11.5'	668.56					522+50.00					668.22	11.5' RT	4.00%	12.0'	668.70	4.00%	12.0'	669.18				
			666.58	12.0'	-4.00%	667.06	12.0'	-4.00%	11.0' LT	667.54	4.00%	9.5'	667.92					522+75.00					667.64	11.0' RT	4.00%	12.0'	668.12	4.00%	12.0'	668.60				
			665.95	12.0'	-4.00%	666.43	12.0'	-4.00%	10.4' LT	666.91	4.00%	7.5'	667.21					523+00.00					667.00	10.4' RT	4.00%	12.0'	667.48	4.00%	12.0'	667.96				
			665.26	12.0'	-4.00%	665.74	12.0'	-4.00%	9.9' LT	666.22	4.00%	5.5'	666.44					523+25.00					666.30	9.9' RT	4.00%	12.0'	666.78	4.00%	12.0'	667.26				
			665.00	12.0'	-4.00%	665.48	12.0'	-4.00%	9.7' LT	665.96	4.00%	4.8'	666.15					523+33.89					666.04	9.7' RT	4.00%	12.0'	666.52	4.00%	12.0'	667.00				
																		FULL SUPERELEVATION																
			664.57	12.0'	-3.75%	665.02	12.0'	-3.75%	9.3' LT	665.47	3.75%	3.5'	665.60					523+50.00					665.55	9.3' RT	3.52%	12.0'	665.97	3.52%	12.0'	666.40				
			664.19	12.0'	-3.00%	664.55	12.0'	-3.00%	8.9' LT	664.91	3.00%	2.1'	664.97					523+67.64					664.96	8.9' RT	3.00%	12.0'	665.32	3.00%	12.0'	665.68				
			663.96	12.0'	-3.00%	664.32	12.0'	-3.00%	8.8' LT	664.68								523+75.00					664.73	8.8' RT	2.78%	12.0'	665.06	2.78%	12.0'	665.40				
			663.21	12.0'	-3.00%	663.57	12.0'	-3.00%	8.2' LT	663.93								523+98.58					663.96	8.5' RT	2.08%	12.0'	664.21	2.08%	12.0'	664.46				
			663.16	12.0'	-3.00%	663.52	12.0'	-3.00%	8.2' LT	663.88								524+00.00					663.91	8.5' RT	2.04%	12.0'	664.15	2.04%	12.0'	664.40				
			662.37	12.0'	-3.00%	662.73	12.0'	-3.00%	7.6' LT	663.09								524+25.00					663.10	8.5' RT	1.30%	12.0'	663.26	1.30%	12.0'	663.41				
			661.57	12.0'	-3.00%	661.93	12.0'	-3.00%	7.1' LT	662.29								524+50.00			662.28	1.8'	-0.56%	662.29	8.5' RT	0.56%	12.0'	662.36	0.56%	12.0'	662.42	-2.60%	4.0'	662.32
660.82	3.7'	-4.00%	660.97	12.0'	-3.00%	661.33	12.0'	-3.00%	6.7' LT	661.69								524+68.89		661.68	3.0'	0.00%	661.68	8.5' RT	0.00%	12.0'	661.68	0.00%	12.0'	661.68	-2.60%	6.4'	661.51	
660.60	4.5'	-4.00%	660.78	12.0'	-3.00%	661.14	12.0'	-3.00%	6.5' LT	661.50								524+75.00		661.49	3.3'	0.18%	661.48	8.5' RT	-0.18%	12.0'	661.46	-0.18%	12.0'	661.44	-2.60%	7.2'	661.25	
659.68	7.5'	-4.00%	659.98	12.0'	-3																													