


PLAN	SURVEYED	DATE
	DESIGNED	BY
	DRAWN	
	CHECKED	
	NOTED	
	STRUCTURE	
	NOTATIONS	
	CHKD	

PROFILE	SURVEYED	DATE
	DESIGNED	BY
	DRAWN	
	CHECKED	
	NOTED	
	STRUCTURE	
	NOTATIONS	
	CHKD	



NOTE:  
ALL STATION OFFSET CALLOUTS ARE BASED ON THE ARTHUR-LEFT CONSTRUCTION BASELINE.

\*CE - HMA DRIVEWAYS TO MATCH EXISTING REFERENCE BD-01 AND BD-02 DISTRICT ONE DETAILS. INCLUDES AGGREGATE BASE CSE., TYPE B, 3"

CURVE #1  
 $\Delta = 18^\circ - 52' - 58''$   
 $T = 66.52'$   
 $R = 400'$   
 $L = 131.83'$   
 $C = 131.23'$   
 $E = 5.49'$   
 P.C. STA. = 908+99.53  
 P.I. STA. = 909+66.04  
 N = 1970341.93  
 E = 1083967.32  
 P.T. STA. = 910+31.36

NOTE B: CHAIN LINK GATE TO BE REMOVED AND RE-ERECTED  
 THE CONTRACTOR SHALL BE AWARE OF THE LOCATION OF AN EXISTING MECHANICALLY OPERATED CHAIN LINK GATE AND CHAIN LINK GATE ASSEMBLY AT APPROXIMATELY STATION 908+13, ALONG ARTHUR AVENUE ALIGNMENT.  
 THE CONTRACTOR SHALL CONDUCT CONSTRUCTION OPERATIONS TO AVOID DAMAGE TO THE ABOVE-MENTIONED GATE SYSTEM AND SHALL PERFORM WORK IN ACCORDANCE WITH THE REQUIREMENTS OF SECTION 664.  
 THIS WORK SHALL CONSIST OF ADJUSTING AND RELOCATING THE EXISTING CHAIN LINK GATE AND CHAIN LINK GATE ASSEMBLY TO ACCOMMODATE THE PROPOSED IMPROVEMENTS IN ORDER TO PROHIBIT ACCESS TO THE PROTECTED PROPERTY AT THE LOCATION SHOWN ON THE PLANS OR AS DIRECTED BY THE ENGINEER.  
 THIS WORK WILL BE PAID FOR AT THE CONTRACT UNIT PRICE PER EACH FOR CHAIN LINK GATE TO BE REMOVED AND RE-ERECTED.

NOTE:  
THE GENERAL CONTRACTOR IS REQUIRED TO HIRE AN ENVIRONMENTAL FIRM WITH AT LEAST FIVE (5) DOCUMENTED LEAKING, UNDERGROUND STORAGE TANK (LUST) CLEANUPS OR THAT IS PRE-QUALIFIED IN HAZARDOUS WASTE BY THE DEPARTMENT TO REMEDIATE THE SOIL CONTAMINATION AND MONITOR FOR WORKER PROTECTION.

