



PLAN  
 REVISIONS  
 DATE  
 BY  
 CHECKED  
 DATE  
 BY  
 CHECKED  
 DATE  
 BY  
 CHECKED  
 DATE



**PLAN LEGEND:**  
 [ADJ] MANHOLES OR CATCH BASINS TO BE ADJUSTED  
 [REC] MANHOLES TO BE RECONSTRUCTED  
 \* WITH NEW TYPE 1 FRAME, CLOSED LID  
 \*\* WITH NEW TYPE 1 FRAME, OPEN LID  
 [R] REMOVING MANHOLES OR CATCH BASINS  
 [---] STORM SEWER REMOVAL

PROFILE  
 REVISIONS  
 DATE  
 BY  
 CHECKED  
 DATE  
 BY  
 CHECKED  
 DATE



**DRAINAGE STRUCTURE TABLE**

STR. NO.	STA.	OFFSET	MH	TC=2" TA=4"	CB	INL	OTHER	FRAME AND GRATE	N	S	E	W	RIM ELEV.
25	310+44.1	28.0	RT	TA				T-24	656.56	656.84			659.50
26	313+05.2	28.0	RT	TA				T-24	656.98	656.98			664.64
27	314+04.9	28.0	RT	TA				T-24	660.56	660.06			666.01

**DRAINAGE PIPE TABLE**

PIPE NO.	STR. NO. FROM	STR. NO. TO	DESCRIPTION	IN DIA.	FT LEN	SLOPE	CU YD TBF
124	25	ex	SS, CL A, TY 1	12	4.0	0.29%	0.5
125	26	ex	SS, CL A, TY 2	12	14.0	0.54%	10.2
126	27	ex	SS, CL A, TY 2	12	6.0	3.92%	1.8

**STRUCTURES TO BE ADJUSTED/RECONSTRUCTED**

STA.	OFFSET	TYPE	RIM ELEV		INVERT (TOP FOR WATER)			
			EX	PROP	N	S	E	W
313+07.2	40.3	LT MH	665.17	665.28	EX 660.54	EX 657.50	EX 657.77	
313+07.7	45.3	RT MH	665.25	665.44	EX 666.90	EX 658.61		EX 658.84
315+25.1	38.1	LT WATER	667.95	667.97				EX 662.75 EX 662.78