

LOCATION	STATION	OFFSET	SIGN CODE	MESSAGE OR DESCRIPTION	SIGN DIMENSIONS		SIGN PANEL			WOOD SIGN SUPPORT		TELESCOPING STEEL SIGN SUPPORT	BASE FOR TELESCOPING STEEL SIGN SUPPORT
					LENGTH	HEIGHT	TYPE I	TYPE II	TYPE III	POST 1	POST 2		
					In	In	sq ft	sq ft	sq ft	ft	ft		
IL 336 (CONTINUED)	54+00.00	69' RT	D2-2		66	30		14			14.5	15.0	
	54+15.00	69' LT	D1-2A		84	30		18			14.5	15.5	
	55+50.00	69' RT	R2-1		36	48		12			16.0		
	56+00.00	69' RT	D7-1		72	42		21			15.5	16.5	
	56+50.00	69' LT	M2-1		21	15	2.19				14.0		
			M1-I100		24	24	4.00						
	59+50.00	69' RT	R2-I104		48	96			32		20.0		
	63+00.00	63' RT	W2-1		36	36	9.00				16.0		
			W17-I100		30	12	2.50						
	66+85.00	69' LT	R2-I104		48	96			32		20.0		
	67+30.00	69' LT	Advance Guide		102	90			64		19.5	20.5	
	70+85.00	69' LT	R2-1		36	48		12			16.0		
	72+70.00	0' RT	R5-1A		36	24	6.00				14.0		
	72+70.00	69' RT	R5-1A		36	24	6.00				14.0		
	74+70.00	0' RT	R5-1		36	36	9.00				15.0		
	74+70.00	69' RT	R5-1		36	36	9.00				15.0		
	75+05.00	8' LT	R1-2		48	48	8.00				16.0		
			R6-1R		36	12	3.00						
			R6-1L		36	12	3.00						
	76+10.00	8' RT	R1-2		48	48	8.00				16.0		
			R6-1R		36	12	3.00						
			R6-1L		36	12	3.00						
	76+50.00	0' LT	R5-1		36	36	9.00				15.0		
	76+50.00	69' LT	R5-1		36	36	9.00				15.0		
	78+50.00	0' LT	R5-1A		36	24	6.00				14.0		
	78+50.00	69' LT	R5-1A		36	24	6.00				14.0		
	80+30.00	69' RT	R2-1		36	48		12			16.0		
	84+30.00	69' RT	R2-I104		48	96			32		20.0		
	88+00.00	69' LT	W2-1		36	36	9.00				16.0		
			W17-I100		30	12	2.50						
	102+05.00	0' RT	R6-1R		36	12	3.00				13.0		
			R6-1R		36	12	3.00						
	103+25.00	69' RT	W2-1		36	36	9.00				16.0		
			W17-I100		30	12	2.50						
	107+00.00	69' LT	R2-I104		48	96			32		20.0		
	111+00.00	69' LT	R2-1		36	48		12			16.0		
	113+00.00	0' RT	R5-1A		36	24	6.00				14.0		
	113+00.00	69' RT	R5-1A		36	24	6.00				14.0		
	115+00.00	0' RT	R5-1		36	36	9.00				15.0		
	115+00.00	69' RT	R5-1		36	36	9.00				15.0		
	115+20.00	7' LT	R1-2		48	48	8.00				16.0		
			R6-1R		36	12	3.00						
			R6-1L		36	12	3.00						
	116+25.00	7' RT	R1-2		48	48	8.00				16.0		
			R6-1R		36	12	3.00						
			R6-1L		36	12	3.00						
	116+70.00	0' LT	R5-1		36	36	9.00				15.0		
	116+70.00	69' LT	R5-1		36	36	9.00				15.0		
	118+70.00	0' LT	R5-1A		36	24	6.00				14.0		
	118+70.00	69' RT	R5-1A		36	24	6.00				14.0		
	120+45.00	69' RT	R2-1		36	48		12			16.0		
	124+45.00	69' RT	R2-I104		48	96			32		20.0		
	128+25.00	69' LT	W2-1		36	36	9.00				16.0		
			W17-I100		30	12	2.50						
TR 257	300+75.00	35' LT	R1-1		36	36	9.00				15.0		
			R6-3		24	18	3.00						
			R6-1L		36	12	3.00						
			R6-1R		36	12	3.00						
	301+00.00	30' RT	W14-2		36	36	9.00				16.0		
FR 01	299+00.00	24' LT	W14-2		36	36	9.00				16.0		
	299+30.00	35' RT	R1-1		36	36	9.00				15.0		
			R6-3		24	18	3.00						
			R6-1L		36	12	3.00						
			R6-1R		36	12	3.00						
FR 02	172+57.00	8' LT	W8-I108		30	30	6.25				15.5		
	199+35.00	22' LT	W14-1		30	30	6.25				15.5		
	199+35.00	26' RT	R1-2		48	48	8.00				16.0		
	200+60.00	22' RT	R1-2		48	48	8.00				16.0		

(CONTINUED ON NEXT SHEET)

All dimensions are in millimeters (Inches) unless otherwise noted.

DATE	REVISIONS	BY
1-1-97	RENUM. E-3.04, METRICS, NEW REVISION BOX, REVISED TITLE BOX	T.P.

ILLINOIS DEPARTMENT OF TRANSPORTATION  
**SPECIAL DETAIL SHEET**

TABULATION OF SIGNS

CADD STANDARD 720011-D4  
 SCALE: NOT DRAWN TO SCALE  
 DATE 7/18/2006

DRAWN BY CADD  
 CHECKED BY

7/18/2006