



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

January 4, 2024

SUBJECT: Route FAS 58 (River Road)
Section 22-00185-13-PP
Stephenson County
Contract No. 85749
Item 064
January 19, 2024 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

- 1. Revised Page 1 of the Special Provisions.**
- 2. Revised Pages 2, 4, 5 and 6 of the Plans.**
- 3. Revised the Schedule of Prices.**

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Jack A. Elston'.

Jack A. Elston, P.E.
Bureau Chief, Design and Environment



Local Public Agency	County	Section Number
Stephenson County Highway Department	Stephenson	22-00185-13-PP

The following Special Provision supplement the "Standard Specifications for Road and Bridge Construction", adopted January 1, 2022, the latest edition of the "Manual on Uniform Traffic Control Devices for Streets and Highways", and the "Manual of Test Procedures of Materials" in effect on the date of invitation of bids, and the Supplemental Specification and Recurring Special Provisions indicated on the Check Sheet included here in which apply to and govern the construction of the above named section, and in case of conflict with any parts, or parts of said Specifications, the said Special Provisions shall take precedence and shall govern.

DESCRIPTION OF WORK:

This work shall consist of Cold-in-Place Recycling of existing bituminous asphalt on River Road to a depth of 5 inches.

SHORT TERM PAVEMENT MARKING:

The material used for this pay item shall be paint.

Basis of Payment: This item shall be paid for at the contract unit price per Foot of Short Term Pavement Marking which price is to include the cost of removal of short term pavement markings.

TRAFFIC CONTROL AND PROTECTION (SPECIAL)

Standards:

701001 701006 701011 701201 701306
701311 701701 701901 720011 728001 729001

Details: None.

Signs:

"BUMP" (W8-1(O)48) signs shall be installed as directed by the Engineer.

"UNEVEN LANES" W8-11 (O)48 shall be installed at 1 mile intervals or as directed by the Engineer.

"LOW SHOULDER" (W8-9(O)48) signs shall be installed at 1-mile intervals or as directed by the Engineer.

"NO PASSING ZONES NOT STRIPED NEXT ___ MILES" (G20-I 100(O)) signs shall be 60" x 36".

When covering existing Department signs, no tape shall be used on the reflective portion of the sign. Contact the District sign shop for covering techniques.

Any plates or direct applied sheeting used to alter signs shall have the same sheeting as the base sign.

No more than one kind of alteration shall be used to alter a sign.

Any post stubs without a sign in place and visible shall have a reflector placed on each post.


Devices:

A minimum of 3 drums spaced at 4 feet shall be placed at each return when the side road is open.

CONSTRUCTION TYPE CODE 0005
SUMMARY OF QUANTITIES

CODE NO.	ITEM	UNIT	QUANTITY	
			RIVER ROAD	TOTAL
LR400055	CIR-FDR EMULSIFIED ASPHALT	TON	1,018	1,018
LR400750	COLD IN-PLACE RECYCLING 5" ^Δ	SQ YD	65,184	65,184
LR403300	SURFACE PROFILE MILLING	SQ YD	65,184	65,184
LR400015	ADD ROCK	SQ YD	65,184	65,184
67100100	MOBILIZATION	L SUM	1	1
X7010216	TRAFFIC CONTROL AND PROTECTION SPECIAL	L SUM	1	1
70300100	SHORT TERM PAVEMENT MARKING	FOOT	2,667	2,667

2



OMISSION:
 STRUCTURE 089-0049
 Sta. 47 + 66 to 50 + 28
 = 262.00 FT.

OMISSION:
 STRUCTURE 089-5003
 Sta. 69 + 55 to 69 + 85
 = 30.00 FT.


OMISSION:
 STRUCTURE 089-3006
 Sta. 162 + 18 to 163 + 00
 = 82.00 FT.

OMISSION:
 STRUCTURE 089-5039
 Sta. 210 + 42 to 210 + 64
 = 22.00 FT.

River Road
 (Route 75 to Rock City Road)

STA. 4+73 TO 21+15 LT	STA 4+73 TO 22+18 RT
STA 28+89 TO 89+42 LT	STA 31+73 TO 79+01 RT
STA 91+73 TO 121+47 LT	STA 84+66 TO 275+35 RT
STA 123+59 TO 275+35 LT	

R. O. W. LINE



60' & VAR.

26'-0"

11'-0"

11'-0"

2'-0"

2:1 & Var.

12"

C.L. Roadway

3/16" Per FT.

3/4" / FT. SLOPE 3:1 & Var.

6" Conc. Gutter

Existing 10" Agg. Base

Proposed Cold In Place Recycling Depth (5")

Existing 4" HMA Bituminous Surface

CONCRETE GUTTER
RIVER ROAD

- Station 21 + 15 to 28 + 89 LT.
- Station 22 + 18 to 31 + 73 RT.
- Station 79 + 01 to 84 + 66 RT.
- Station 89 + 42 to 91 + 73 LT.
- Station 121 + 47 to 123 + 59 LT.

R. O. W. LINE

SCHEDULE OF AREA
COLD IN-PLACE RECYCLING

RIVER ROAD	(FROM IL. RTE 75 TO ROCK CITY ROAD)						5.13 MILES
MAINLINE :							
STA 4+73 TO STA. 275+35	Total Length	=	27,062 FT.	X	22 FT. X 1/9	=	66,152 S.Y.
OMISSION STA. 47+66 TO 50+28			-262	X	22 FT. X 1/9	=	-640
OMISSION STA. 69+55 TO 69+85			-30				
OMISSION STA. 162+18 TO 163+00			-82				
OMISSION STA 210+42 TO 210+64			-22	X	22 FT. X 1/9	=	-54
	NET LENGTH	=	26,666 FT.	=	5.05 MILES	=	65457 S.Y.

70300100	SHORT TERM PAVEMENT MARKING						
			26,666 FT	X	4 / 40	=	2,667 FT.

LR400055	CIR-FDR EMULSIFIED ASPHALT						
		=	26,666 FT.	X	22 FT. X 1/9	3.75 GAL/SY /240 Gal/T	1,018 TON

LR400750	COLD IN-PLACE RECYCLING 5"	=	26,666 FT.	X	22 FT. X 1/9	=	65,184 S.Y.
-----------------	-----------------------------------	---	------------	---	--------------	---	--------------------

LR403300	SURFACE PROFILE MILLING	=	26,666 FT.	X	22 FT. X 1/9	=	65,184 S.Y.
-----------------	--------------------------------	---	------------	---	--------------	---	--------------------

LR400015	ADD ROCK	=	26,666 FT.	X	22 FT. X 1/9	=	65,184 S.Y.
-----------------	-----------------	---	------------	---	--------------	---	--------------------