



F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80/94	*	COOK	231	153
STA.	TO STA.			
FED. ROAD DIST. NO. 1	ILLINOIS	FED. AID PROJECT		
*(0203.1 & 0304) R-6			CONTRACT # 62105	



NOTES:

1. ALL HIGH MAST TOWERS ARE EXISTING OR TO BE INSTALLED UNDER CONTRACT 62352, SHOWN FOR INFORMATION ONLY.
2. CONDUIT EMBEDDED IN STRUCTURE, 30MM DIA. CNC, 4 WIDE X 2 HIGH. FOR DETAILS, SEE DRAWING ED16-4.
3. CONDUIT ENCASED IN REINFORCED CONCRETE, 30MM DIA. CNC, 4 WIDE X 2 HIGH. THE REINFORCEMENT SHALL BEGIN MINIMUM 1.5 METER BEFORE DUCT BANK LEAVES THE MEDIAN BARRIER WALL FOUNDATION ON BOTH SIDES OF BRIDGE PIER STRUCTURES. FOR INSTALLATION DETAILS, SEE DRAWING ED16-2.
4. JUNCTION BOX, STAINLESS STEEL, 600MM X 1200MM X 300MM IS TO BE INSTALLED ON TOP OF BARRIER WALL IN CONTRACT 62664.
5. FOR DETAILS OF BARRIER WALL CONDUIT INSTALLATION AT JUNCTION BOXES, SEE DRAWING ED16-1.
6. PROVIDE "CONCRETE GLARE SCREEN, SPECIAL" CONTINUOUSLY FROM THE J.B. AT STA. 3+807 TO 3+810.



REVISIONS	
NAME	DATE

RL16-3

ILLINOIS DEPARTMENT OF TRANSPORTATION
 F.A.I. ROUTE 80/94 (INTERSTATE 80/294)
 ELECTRICAL RACEWAY
 PLAN
 STA. 3+550 TO STA. 3+850

SCALE: 1:500
 DATE: JULY 18, 2005

DRAWN BY: MB
 CHECKED BY: KMY

McDonough Associates Inc.
 Engineers / Architects

MATCHLINE STA. 3+550 FOR CONTINUATION, SEE DWG. RL16-2

MATCHLINE STA. 3+850 FOR CONTINUATION, SEE DWG. RL16-4