If you plan to submit a bid directly to the Department of Transportation

PREQUALIFICATION

Any contractor who desires to become pre-qualified to bid on work advertised by IDOT must submit the properly completed pre-qualification forms to the Bureau of Construction no later that 4:30 p.m. prevailing time twenty-one days prior to the letting of interest. This pre-qualification requirement applies to first time contractors, contractors renewing expired ratings, contractors maintaining continuous pre-qualification or contractors requesting revised ratings. To be eligible to bid, existing pre-qualification ratings must be effective through the date of letting.

REQUESTS FOR AUTHORIZATION TO BID

Contractors downloading and/or ordering CD-ROM's and are wanting to bid on items included in a particular letting must submit the properly completed "Request for Authorization to Bid/or Not For Bid Status" (BDE 124INT) and the ORIGINAL, signed and notarized, "Affidavit of Availability" (BC 57) to the proper office no later than 4:30 p.m. prevailing time, three (3) days prior to the letting date.

WHO CAN BID ?

Bids will be accepted from only those companies that request and receive written **Authorization to Bid** from IDOT's Central Bureau of Construction.

WHAT CONSTITUTES WRITTEN AUTHORIZATION TO BID? When a prospective prime bidder submits a "Request for Authorization to Bid/or Not For Bid Status" (BDE 124INT) he/she must indicate at that time which items are being requested For Bidding purposes. Only those items requested For Bidding will be analyzed. After the request has been analyzed, the bidder will be issued a **Proposal Denial and/or Authorization Form**, approved by the Central Bureau of Construction, that indicates which items have been approved For Bidding. If **Authorization to Bid** cannot be approved, the **Proposal Denial and/or Authorization Form** will indicate the reason for denial.

ABOUT AUTHORIZATION TO BID: Firms that have not received an authorization form within a reasonable time of complete and correct original document submittal should contact the department as to status. This is critical in the week before the letting. These documents must be received three days before the letting date. Firms unsure as to authorization status should call the Prequalification Section of the Bureau of Construction at the number listed at the end of these instructions.

ADDENDA AND REVISIONS: It is the contractor's responsibility to determine which, if any, addenda or revisions pertain to any project they may be bidding. Failure to incorporate all relevant addenda or revisions may cause the bid to be declared unacceptable.

Each addendum will be placed with the contract number. Addenda and revisions will also be placed on the Addendum/Revision Checklist and each subscription service subscriber will be notified by e-mail of each addendum and revision issued.

The Internet is the Department's primary way of doing business. The subscription server e-mails are an added courtesy the Department provides. It is suggested that bidder check IDOT's website http://www.dot.il.gov/desenv/delett.html before submitting final bid information.

IDOT is not responsible for any e-mail related failures.

Addenda Questions may be directed to the Contracts Office at (217)782-7806 or D&Econtracts@dot.il.gov

Technical Questions about downloading these files may be directed to Tim Garman (217)524-1642 or garmantr@dot.il.gov.

WHAT MUST BE INCLUDED WHEN BIDS ARE SUBMITTED?: Bidders need not return the entire proposal when bids are submitted. That portion of the proposal that must be returned includes the following:

- 1. All documents from the Proposal Cover Sheet through the Proposal Bid Bond
- 2. Other special documentation and/or information that may be required
 - by the contract special provisions

All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed by IDOT personnel.

ABOUT SUBMITTING BIDS: It is recommended that bidders deliver bids in person to insure they arrive at the proper location prior to the time specified for the receipt of bids. Any bid received at the place of letting after the time specified will not be accepted.

WHO SHOULD BE CALLED IF ASSISTANCE IS NEEDED?

| Questions Regarding | Call |
|--|---------------|
| Prequalification and/or Authorization to Bid | (217)782-3413 |
| Preparation and submittal of bids | (217)782-7806 |
| Mailing of plans and proposals | (217)782-7806 |
| Electronic plans and proposals | (217)524-1642 |

ADDENDUMS AND REVISIONS TO THE PROPOSAL FORMS

Planholders should verify that they have received and incorporated the addendum and/or revision prior to submitting their bid. Failure by the bidder to include an addendum could result in a bid being rejected as irregular.

Proposal Submitted By



Name

Address

City

Letting January 20, 2006

NOTICE TO PROSPECTIVE BIDDERS

This proposal can be used for bidding purposes by only those companies that request and receive written AUTHORIZATION TO BID from IDOT's Central Bureau of Construction. (SEE INSTRUCTIONS ON THE INSIDE OF COVER)

Notice To Bidders, Specifications, Proposal, Contract and Contract Bond



Springfield, Illinois 62764

Contract No. 95442 FAYETTE County Section 04-18117-00-BR Route TR 272 Project BROS-51(71) District 7 Construction Funds

PLEASE MARK THE APPROPRIATE BOX BELOW:

A Bid Bond is included.

A Cashier's Check or a Certified Check is included

Prepared by

Checked by (Printed by authority of the State of Illinois

F

INSTRUCTIONS

ABOUT IDOT PROPOSALS: All proposals issued by IDOT are potential bidding proposals. Each proposal contains all Certifications and Affidavits, a Proposal Signature Sheet and a Proposal Bid Bond required for Prime Contractors to submit a bid after written **Authorization to Bid** has been issued by IDOT's Central Bureau of Construction.

WHO CAN BID?: Bids will be accepted from only those companies that request and receive written Authorization to Bid from IDOT's Central Bureau of Construction. To request authorization, a potential bidder <u>must complete and submit</u> Part B of the Request for Authorization to Bid/or Not For Bid Status form (BDE 124 INT) and submit an original Affidavit of Availability (BC 57).

WHAT CONSTITUTES WRITTEN AUTHORIZATION TO BID?: When a prospective prime bidder submits a "Request for Proposal Forms and Plans" he/she must indicate at that time which items are being requested For Bidding purposes. Only those items requested For Bidding will be analyzed. After the request has been analyzed, the bidder will be issued a **Proposal Denial and/or Authorization Form**, approved by the Central Bureau of Construction, that indicates which items have been approved For Bidding. If **Authorization to Bid** cannot be approved, the **Proposal Denial and/or Authorization Form**, they should contact the Central Bureau of Construction in advance of the letting date.

WHAT MUST BE INCLUDED WHEN BIDS ARE SUBMITTED?: Bidders need not return the entire proposal when bids are submitted. That portion of the proposal that must be returned includes the following:

- 1. All documents from the Proposal Cover Sheet through the Proposal Bid Bond
- 2. Other special documentation and/or information that may be required by the contract special provisions

All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed by IDOT personnel.

ABOUT SUBMITTING BIDS: It is recommended that bidders deliver bids in person to insure they arrive at the proper location prior to the time specified for the receipt of bids. Any bid received at the place of letting after the time specified will not be accepted.

WHO SHOULD BE CALLED IF ASSISTANCE IS NEEDED?

| Questions Regarding | Call |
|--|--------------|
| Prequalification and/or Authorization to Bid | 217/782-3413 |
| Preparation and submittal of bids | 217/782-7806 |
| Mailing of CD-ROMS | 217/782-7806 |



PROPOSAL

TO THE DEPARTMENT OF TRANSPORTATION

1. Proposal of ______

Taxpayer Identification Number (Mandatory)

for the improvement identified and advertised for bids in the Invitation for Bids as:

Contract No. 95442 FAYETTE County Section 04-18117-00-BR Project BROS-51(71) Route TR 272 District 7 Construction Funds

Construction consists of a three span 1 @ 32'-0" and 2 @ 31' 5 3/4" precast, prestressed concrete deck beam bridge carrying TR 272 over Sandy Run, 1 mile south of Bluff City.

2. The undersigned bidder will furnish all labor, material and equipment to complete the above described project in a good and workmanlike manner as provided in the contract documents provided by the Department of Transportation. This proposal will become part of the contract and the terms and conditions contained in the contract documents shall govern performance and payments.

BD 353A (Rev. 12/2005)

- 3. ASSURANCE OF EXAMINATION AND INSPECTION/WAIVER. The undersigned further declares that he/she has carefully examined the proposal, plans, specifications, form of contract and contract bond, and special provisions, and that he/she has inspected in detail the site of the proposed work, and that he/she has familiarized themselves with all of the local conditions affecting the contract and the detailed requirements of construction, and understands that in making this proposal he/she waives all right to plead any misunderstanding regarding the same.
- 4. EXECUTION OF CONTRACT AND CONTRACT BOND. The undersigned further agrees to execute a contract for this work and present the same to the department within fifteen (15) days after the contract has been mailed to him/her. The undersigned further agrees that he/she and his/her surety will execute and present within fifteen (15) days after the contract has been mailed to him/her contract bond satisfactory to and in the form prescribed by the Department of Transportation, in the penal sum of the full amount of the contract, guaranteeing the faithful performance of the work in accordance with the terms of the contract.
- 5. **PROPOSAL GUARANTY.** Accompanying this proposal is either a bid bond on the department form, executed by a corporate surety company satisfactory to the department, or a proposal guaranty check consisting of a bank cashier's check or a properly certified check for not less than 5 per cent of the amount bid or for the amount specified in the following schedule:

| | | | Proposal | | | | Proposal |
|-------------|-----------|-------------|-----------------|--------------|---------|--------------|-----------------|
| | Amount of | of Bid | <u>Guaranty</u> | <u>Arr</u> | nount c | of Bid | <u>Guaranty</u> |
| Up to | | \$5,000 | \$150 | \$2.000.000 | to | \$3,000,000 | \$100.000 |
| \$5,000 | to | \$10,000 | • | \$3,000,000 | to | \$5,000,000 | , , |
| \$10,000 | to | \$50,000 | \$1,000 | \$5,000,000 | to | \$7,500,000 | \$250,000 |
| \$50,000 | to | \$100,000 | \$3,000 | \$7,500,000 | to | \$10,000,000 | \$400,000 |
| \$100,000 | to | \$150,000 | \$5,000 | \$10,000,000 | to | \$15,000,000 | \$500,000 |
| \$150,000 | to | \$250,000 | \$7,500 | \$15,000,000 | to | \$20,000,000 | \$600,000 |
| \$250,000 | to | \$500,000 | \$12,500 | \$20,000,000 | to | \$25,000,000 | \$700,000 |
| \$500,000 | to | \$1,000,000 | \$25,000 | \$25,000,000 | to | \$30,000,000 | \$800,000 |
| \$1,000,000 | to | \$1,500,000 | \$50,000 | \$30,000,000 | to | \$35,000,000 | \$900,000 |
| \$1,500,000 | to | \$2,000,000 | \$75,000 | over | | \$35,000,000 | \$1,000,000 |

Bank cashier's checks or properly certified checks accompanying proposals shall be made payable to the Treasurer, State of Illinois, when the state is awarding authority; the county treasurer, when a county is the awarding authority; or the city, village, or town treasurer, when a city, village, or town is the awarding authority.

If a combination bid is submitted, the proposal guaranties which accompany the individual proposals making up the combination will be considered as also covering the combination bid.

The amount of the proposal guaranty check is ______\$(). If this proposal is accepted and the undersigned shall fail to execute a contract bond as required herein, it is hereby agreed that the amount of the proposal guaranty shall become the property of the State of Illinois, and shall be considered as payment of damages due to delay and other causes suffered by the State because of the failure to execute said contract and contract bond; otherwise, the bid bond shall become void or the proposal guaranty check shall be returned to the undersigned.

Attach Cashier's Check or Certified Check Here

In the event that one proposal guaranty check is intended to cover two or more proposals, the amount must be equal to the sum of the proposal guaranties which would be required for each individual proposal. If the guaranty check is placed in another proposal, state below where it may be found.

Mark the proposal cover sheet as to the type of proposal guaranty submitted.

BD 354 (Rev. 11/2001)

6. COMBINATION BIDS. The undersigned further agrees that if awarded the contract for the sections contained in the following combination, he/she will perform the work in accordance with the requirements of each individual proposal comprising the combination bid specified in the schedule below, and that the combination bid shall be prorated against each section in proportion to the bid submitted for the same. If an error is found to exist in the gross sum bid for one or more of the individual sections included in a combination, the combination bid shall be corrected as provided in the specifications.

When a combination bid is submitted, the schedule below must be completed in each proposal comprising the combination.

If alternate bids are submitted for one or more of the sections comprising the combination, a combination bid must be submitted for each alternate.

Schedule of Combination Bids

| Combination | | Combination Bid | | | | | |
|-------------|----------------------------------|-----------------|--|--|--|--|--|
| No. | Sections Included in Combination | Dollars | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

- 7. SCHEDULE OF PRICES. The undersigned bidder submits herewith, in accordance with the rules and instructions, a schedule of prices for the items of work for which bids are sought. The unit prices bid are in U.S. dollars and cents, and all extensions and summations have been made. The bidder understands that the quantities appearing in the bid schedule are approximate and are provided for the purpose of obtaining a gross sum for the comparison of bids. If there is an error in the extension of the unit prices, the unit prices shall govern. Payment to the contractor awarded the contract will be made only for actual quantities of work performed and accepted or materials furnished according to the contract. The scheduled quantities of work to be done and materials to be furnished may be increased, decreased or omitted as provided elsewhere in the contract.
- 8. **CERTIFICATE OF AUTHORITY.** The undersigned bidder, if a business organized under the laws of another State, assures the Department that it will furnish a copy of its certificate of authority to do business in the State of Illinois with the return of the executed contract and bond. Failure to furnish the certificate within the time provided for execution of an awarded contract may be cause for cancellation of the award and forfeiture of the proposal guaranty to the State.

STATE JOB #- C-97-001-06 PPS NBR - 7-10265-0000

ILLINOIS DEPARTMENT OF TRANSPORTATION ECMS002 DTGECM03 ECMR003 PAGE SCHEDULE OF PRICES CONTRACT NUMBER - 95442

•

1 RUN DATE - 12/07/05 RUN TIME - 183252

.

| COUNTY N FAYETTE | IAME CODE DIST SECTI 051 07 04-18117-00-BR | BROS | PROJECT NUMBER -0051/071/000 | | |
|---------------------|---|--------------------|---------------------------------|-----------------------------|----------------------------|
| ITEM NUMBER | PAY ITEM DESCRIPTION | UNIT OF MEASURE | QUANTITY | UNIT PRICE DOLLARS CENTS | TOTAL PRICE DOLLARS CTS |
| 20300100 | CHANNEL EXCAV | CU YD | 210.000 | | |
| 20700110 | POROUS GRAN EMBANK | TON | 42.000 | - X = | |
| 25001000 | SEEDING CL 2 SPL | ACRE | 0.100 | . X | |
| 28100807 | STONE DUMP RIP CL A4 | TON | 425.000 | - X , | |
| 40200800 | AGG SURF CSE B | TON | 124.000 | - X = | |
| 50100100 | REM EXIST STRUCT | EACH | 1.000 > | - X - | |
| 50300225 | CONC STRUCT | CU YD | 35.800 > | - - X = | |
| 50400305 | P P CONC DK BM 17 DP | SQ FT | 2,688.000 | - X | |
| 50800105 | REINFORCEMENT BARS | POUND | 4,240.000 | - { | |
| 50900205 | STEEL RAILING TY S1 | FOOT | 196.000 > | | |
| 51201600 | FUR STL PILE HP12X53 | FOOT | 975.000 > | - K | |
| 51202700 | DRIVE STL PILE | FOOT | 975.000 > | - { = | |
| 51203600 | TEST PILE ST HP12X53 | EACH | 1.000 | - { | |
| 51204315 | CONCRETE ENCASEMENT | CU YD | 16.500 | | |
| 51500100 | NAME PLATES | EACH | 1.000 > | - { | |

TR 272 04-18117-00-BR FAYETTE

ILLINOIS DEPARTMENT OF TRANSPORTATION ECMS002 DTGECM03 ECMR003 PAGE SCHEDULE OF PRICES CONTRACT NUMBER - 95442

2 RUN DATE - 12/07/05 RUN TIME - 183252

| | DAY ITEM DECODIDITION | UNIT OF | | UNIT PRI | | TOTAL PRIC | |
|----------|-----------------------|----------------|----------|----------|-----------|------------|-----|
| NUMBER | PAY ITEM DESCRIPTION | <u>MEASURE</u> | QUANTITY | DOLLARS | CENTS | DOLLARS | CTS |
| 63000000 | SPBGR TY A | FOOT | 25.000 > | { | | : | |
| 63100075 | TRAF BAR TERM T5A | EACH | 3.000 > | | === | | |
| 63100167 | TR BAR TRM T1 SPL TAN | EACH | 3.000 > | < | ===== | | |
| 67100100 | MOBILIZATION | L SUM | 1.000 > | { | = | | |
| 78201000 | TERMINAL MARKER - DA | EACH | 3.000 × | (| = | | |
| t | | | I | | I | · | |

TOTAL

NOTE:

- 1. EACH PAY ITEM SHOULD HAVE A UNIT PRICE AND A TOTAL PRICE.
- 2. THE UNIT PRICE SHALL GOVERN IF NO TOTAL PRICE IS SHOWN OR IF THERE IS A DISCREPANCY BETWEEN THE PRODUCT OF THE UNIT PRICE MULTIPLIED BY THE QUANTITY.
- 3. IF A UNIT PRICE IS OMITTED, THE TOTAL PRICE WILL BE DIVIDED BY THE QUANTITY IN ORDER TO ESTABLISH A UNIT PRICE.
- 4. A BID MAY BE DECLARED UNACCEPTABLE IF NEITHER A UNIT PRICE NOR A TOTAL PRICE IS SHOWN.

STATE REQUIRED ETHICAL STANDARDS GOVERNING CONTRACT PROCUREMENT: ASSURANCES, CERTIFICATIONS AND DISCLOSURES

I. GENERAL

A. Article 50 of the Illinois Procurement Code establishes the duty of all State chief procurement officers, State purchasing officers, and their designees to maximize the value of the expenditure of public moneys in procuring goods, services, and contracts for the State of Illinois and to act in a manner that maintains the integrity and public trust of State government. In discharging this duty, they are charged by law to use all available information, reasonable efforts, and reasonable actions to protect, safeguard, and maintain the procurement process of the State of Illinois.

B. In order to comply with the provisions of Article 50 and to carry out the duty established therein, all bidders are to adhere to ethical standards established for the procurement process, and to make such assurances, disclosures and certifications required by law. By execution of the Proposal Signature Sheet, the bidder indicates that each of the mandated assurances has been read and understood, that each certification is made and understood, and that each disclosure requirement has been understood and completed.

C. In addition to all other remedies provided by law, failure to comply with any assurance, failure to make any disclosure or the making of a false certification shall be grounds for termination of the contract and the suspension or debarment of the bidder.

II. ASSURANCES

A. The assurances hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous assurance, and the surety providing the performance bond shall be responsible for the completion of the contract.

B. Felons

1. The Illinois Procurement Code provides:

Section 50-10. Felons. Unless otherwise provided, no person or business convicted of a felony shall do business with the State of Illinois or any state agency from the date of conviction until 5 years after the date of completion of the sentence for that felony, unless no person held responsible by a prosecutorial office for the facts upon which the conviction was based continues to have any involvement with the business.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-10.

C. Conflicts of Interest

1. The Illinois Procurement Code provides in pertinent part:

Section 50-13. Conflicts of Interest.

(a) Prohibition. It is unlawful for any person holding an elective office in this State, holding a seat in the General Assembly, or appointed to or employed in any of the offices or agencies of state government and who receives compensation for such employment in excess of 60% of the salary of the Governor of the State of Illinois, or who is an officer or employee of the Capital Development Board or the Illinois Toll Highway Authority, or who is the spouse or minor child of any such person to have or acquire any contract, or any direct pecuniary interest in any contract therein, whether for stationery, printing, paper, or any services, materials, or supplies, that will be wholly or partially satisfied by the payment of funds appropriated by the General Assembly of the State of Illinois or in any contract of the Capital Development Board or the Illinois Toll Highway authority.

(b) Interests. It is unlawful for any firm, partnership, association or corporation, in which any person listed in subsection (a) is entitled to receive (i) more than 7 1/2% of the total distributable income or (ii) an amount in excess of the salary of the Governor, to have or acquire any such contract or direct pecuniary interest therein.

(c) Combined interests. It is unlawful for any firm, partnership, association, or corporation, in which any person listed in subsection (a) together with his or her spouse or minor children is entitled to receive (i) more than 15%, in the aggregate, of the total distributable income or (ii) an amount in excess of 2 times the salary of the Governor, to have or acquire any such contract or direct pecuniary interest therein.

(d) Securities. Nothing in this Section invalidates the provisions of any bond or other security previously offered or to be offered for sale or sold by or for the State of Illinois.

(e) Prior interests. This Section does not affect the validity of any contract made between the State and an officer or employee of the State or member of the General Assembly, his or her spouse, minor child or any combination of those persons if that contract was in existence before his or her election or employment as an officer, member, or employee. The contract is voidable, however, if it cannot be completed within 365 days after the officer, member, or employee takes office or is employed.

The current salary of the Governor is \$150,700.00. Sixty percent of the salary is \$90,420.00.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-13, or that an effective exemption has been issued by the Board of Ethics to any individual subject to the Section 50-13 prohibitions pursuant to the provisions of Section 50-20 of the Code and Executive Order Number 3 (1998). Information concerning the exemption process is available from the Department upon request.

D. Negotiations

1. The Illinois Procurement Code provides in pertinent part:

Section 50-15. Negotiations.

(a) It is unlawful for any person employed in or on a continual contractual relationship with any of the offices or agencies of State government to participate in contract negotiations on behalf of that office or agency with any firm, partnership, association, or corporation with whom that person has a contract for future employment or is negotiating concerning possible future employment.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-15, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

E. Inducements

1. The Illinois Procurement Code provides:

Section 50-25. Inducement. Any person who offers or pays any money or other valuable thing to any person to induce him or her not to bid for a State contract or as recompense for not having bid on a State contract is guilty of a Class 4 felony. Any person who accepts any money or other valuable thing for not bidding for a State contract or who withholds a bid in consideration of the promise for the payment of money or other valuable thing is guilty of a Class 4 felony.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-25, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

F. Revolving Door Prohibition

1. The Illinois Procurement Code provides:

Section 50-30. Revolving door prohibition. Chief procurement officers, associate procurement officers, State purchasing officers, their designees whose principal duties are directly related to State procurement, and executive officers confirmed by the Senate are expressly prohibited for a period of 2 years after terminating an affected position from engaging in any procurement activity relating to the State agency most recently employing them in an affected position for a period of at least 6 months. The prohibition includes, but is not limited to: lobbying the procurement process; specifying; bidding; proposing bid, proposal, or contract documents; on their own behalf or on behalf of any firm, partnership, association, or corporation. This Section applies only to persons who terminate an affected position on or after January 15, 1999.

2. The bidder assures the Department that the award and execution of the contract would not cause a violation of Section 50-30, and that the bidder has no knowledge of any facts relevant to the kinds of acts prohibited therein.

G. Reporting Anticompetitive Practices

1. The Illinois Procurement Code provides:

Section 50-40. Reporting anticompetitive practices. When, for any reason, any vendor, bidder, contractor, chief procurement officer, State purchasing officer, designee, elected official, or State employee suspects collusion or other anticompetitive practice among any bidders, offerors, contractors, proposers, or employees of the State, a notice of the relevant facts shall be transmitted to the Attorney General and the chief procurement officer.

2. The bidder assures the Department that it has not failed to report any relevant facts concerning the practices addressed in Section 50-40 which may involve the contract for which the bid is submitted.

H. Confidentiality

1. The Illinois Procurement Code provides:

Section 50-45. Confidentiality. Any chief procurement officer, State purchasing officer, designee, or executive officer who willfully uses or allows the use of specifications, competitive bid documents, proprietary competitive information, proposals, contracts, or selection information to compromise the fairness or integrity of the procurement, bidding, or contract process shall be subject to immediate dismissal, regardless of the Personnel code, any contract, or any collective bargaining agreement, and may in addition be subject to criminal prosecution.

2. The bidder assures the Department that it has no knowledge of any fact relevant to the practices addressed in Section 50-45 which may involve the contract for which the bid is submitted.

I. Insider Information

1. The Illinois Procurement Act provides:

Section 50-50. Insider information. It is unlawful for any current or former elected or appointed State official or State employee to knowingly use confidential information available only by virtue of that office or employment for actual or anticipated gain for themselves or another person.

2. The bidder assures the Department that it has no knowledge of any facts relevant to the practices addressed in Section 50-50 which may involve the contract for which the bid is submitted.

III. CERTIFICATIONS

A. The certifications hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous certification, and the surety providing the performance bond shall be responsible for completion of the contract.

B. Bribery

1. The Illinois Procurement Code provides:

Section 50-5. Bribery.

(a) Prohibition. No person or business shall be awarded a contract or subcontract under this Code who:

(1) has been convicted under the laws of Illinois or any other state of bribery or attempting to bribe an officer or employee of the State of Illinois or any other state in that officer's or employee's official capacity; or

(2) has made an admission of guilt of that conduct that is a matter of record but has not been prosecuted for that conduct.

(b) Businesses. No business shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of the business if the employee or agent is no longer employed by the business and:

(1) the business has been finally adjudicated not guilty; or

(2) the business demonstrates to the governmental entity with which it seeks to contract, and that entity finds that the commission of the offense was not authorized, requested, commanded, or performed by a director, officer, or high managerial agent on behalf of the business as provided in paragraph (2) of subsection (a) of Section 5-4 of the Criminal Code of 1961.

(c) Conduct on behalf of business. For purposes of this Section, when an official, agent, or employee of a business committed the bribery or attempted bribery on behalf of the business and in accordance with the direction or authorization of a responsible official of the business, the business shall be chargeable with the conduct.

(d) Certification. Every bid submitted to and contract executed by the State shall contain a certification by the contractor that the contractor is not barred from being awarded a contract or subcontract under this Section. A contractor who makes a false statement, material to the certification, commits a Class 3 felony.

2. The bidder certifies that it is not barred from being awarded a contract under Section 50.5.

C. Educational Loan

1. Section 3 of the Educational Loan Default Act provides:

§ 3. No State agency shall contract with an individual for goods or services if that individual is in default, as defined in Section 2 of this Act, on an educational loan. Any contract used by any State agency shall include a statement certifying that the individual is not in default on an educational loan as provided in this Section.

2. The bidder, if an individual as opposed to a corporation, partnership or other form of business organization, certifies that the bidder is not in default on an educational loan as provided in Section 3 of the Act.

D. Bid-Rigging/Bid Rotating

1. Section 33E-11 of the Criminal Code of 1961 provides:

§ 33E-11. (a) Every bid submitted to and public contract executed pursuant to such bid by the State or a unit of local government shall contain a certification by the prime contractor that the prime contractor is not barred from contracting with any unit of State or local government as a result of a violation of either Section 33E-3 or 33E-4 of this Article. The State and units of local government shall provide the appropriate forms for such certification.

(b) A contractor who makes a false statement, material to the certification, commits a Class 3 felony.

A violation of Section 33E-3 would be represented by a conviction of the crime of bid-rigging which, in addition to Class 3 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be barred for 5 years from the date of conviction from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

A violation of Section 33E-4 would be represented by a conviction of the crime of bid-rotating which, in addition to Class 2 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be permanently barred from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

2. The bidder certifies that it is not barred from contracting with the Department by reason of a violation of either Section 33E-3 or Section 33E-4.

E. International Anti-Boycott

1. Section 5 of the International Anti-Boycott Certification Act provides:

§ 5. State contracts. Every contract entered into by the State of Illinois for the manufacture, furnishing, or purchasing of supplies, material, or equipment or for the furnishing of work, labor, or services, in an amount exceeding the threshold for small purchases according to the purchasing laws of this State or \$10,000.00, whichever is less, shall contain certification, as a material condition of the contract, by which the contractor agrees that neither the contractor nor any substantially-owned affiliated company is participating or shall participate in an international boycott in violation of the provisions of the U.S. Export Administration Act of 1979 or the regulations of the U.S. Department of Commerce promulgated under that Act.

2. The bidder makes the certification set forth in Section 5 of the Act.

F. Drug Free Workplace

1. The Illinois "Drug Free Workplace Act" applies to this contract and it is necessary to comply with the provisions of the "Act" if the contractor is a corporation, partnership, or other entity (including a sole proprietorship) which has 25 or more employees.

2. The bidder certifies that if awarded a contract in excess of \$5,000 it will provide a drug free workplace by:

(a) Publishing a statement notifying employees that the unlawful manufacture, distribution, dispensation, possession or use of a controlled substance, including cannabis, is prohibited in the contractor's workplace; specifying the actions that will be taken against employees for violations of such prohibition; and notifying the employee that, as a condition of employment on such contract, the employee shall abide by the terms of the statement, and notify the employer of any criminal drug statute conviction for a violation occurring in the workplace no later than five (5) days after such conviction.

(b) Establishing a drug free awareness program to inform employees about the dangers of drug abuse in the workplace; the contractor's policy of maintaining a drug free workplace; any available drug counseling, rehabilitation, and employee assistance programs; and the penalties that may be imposed upon employees for drug violations.

(c) Providing a copy of the statement required by subparagraph (1) to each employee engaged in the performance of the contract and to post the statement in a prominent place in the workplace.

(d) Notifying the Department within ten (10) days after receiving notice from an employee or otherwise receiving actual notice of the conviction of an employee for a violation of any criminal drug statute occurring in the workplace.

(e) Imposing or requiring, within 30 days after receiving notice from an employee of a conviction or actual notice of such a conviction, an appropriate personnel action, up to and including termination, or the satisfactory participation in a drug abuse assistance or rehabilitation program approved by a federal, state or local health, law enforcement or other appropriate agency.

(f) Assisting employees in selecting a course of action in the event drug counseling, treatment, and rehabilitation is required and indicating that a trained referral team is in place.

(g) Making a good faith effort to continue to maintain a drug free workplace through implementation of the actions and efforts stated in this certification.

G. Debt Delinquency

1. The Illinois Procurement Code provides:

Section 50-11 and 50-12. Debt Delinquency.

The contractor or bidder certifies that it, or any affiliate, is not barred from being awarded a contract under 30 ILCS 500. Section 50-11 prohibits a person from entering into a contract with a State agency if it knows or should know that it, or any affiliate, is delinquent in the payment of any debt to the State as defined by the Debt Collection Board. Section 50-12 prohibits a person from entering into a contract with a State agency if it, or any affiliate, has failed to collect and remit Illinois Use Tax on all sales of tangible personal property into the State of Illinois in accordance with the provisions of the Illinois Use Tax Act. The contractor further acknowledges that the contracting State agency may declare the contract void if this certification is false or if the contractor, or any affiliate, is determined to be delinquent in the payment of any debt to the State during the term of the contract.

H. Sarbanes-Oxley Act of 2002

1. The Illinois Procurement Code provides:

Section 50-60(c).

The contractor certifies in accordance with 30 ILCS 500/50-10.5 that no officer, director, partner or other managerial agent of the contracting business has been convicted of a felony under the Sarbanes-Oxley Act of 2002 or a Class 3 or Class 2 felony under the Illinois Securities Law of 1953 for a period of five years prior to the date of the bid or contract. The contractor acknowledges that the contracting agency shall declare the contract void if this certification is false.

I. ADDENDA

The contractor or bidder certifies that all relevant addenda have been incorporated in to this contract. Failure to do so may cause the bid to be declared unacceptable.

J. Section 42 of the Environmental Protection Act

The contractor certifies in accordance with 30 ILCS 500/50-12 that the bidder or contractor is not barred from being awarded a contract under this Section which prohibits the bidding on or entering into contracts with the State of Illinois or a State agency by a person or business found by a court or the Pollution Control Board to have committed a willful or knowing violation of Section 42 of the Environmental Protection Act for a period of five years from the date of the order. The contractor acknowledges that the contracting agency may declare the contract void if this certification is false.

K. Apprenticeship and Training Certification (Does not apply to federal aid projects)

In accordance with the provisions of Section 30-22 (6) of the Illinois Procurement Code, the bidder certifies that it is a participant, either as an individual or as part of a group program, in the approved apprenticeship and training programs applicable to each type of work or craft that the bidder will perform with its own forces. The bidder further certifies for work that will be performed by subcontract that each of its subcontractors submitted for approval either (a) is, at the time of such bid, participating in an approved, applicable apprenticeship and training program; or (b) will, prior to commencement of performance of work pursuant to this contract, begin participation in an approved apprenticeship and training program applicable to the work of the subcontract. The Department, at any time before or after award, may require the production of a copy of each applicable Certificate of Registration issued by the United States Department of Labor evidencing such participation by the contractor and any or all of its subcontractors. Applicable apprenticeship and training programs are those that have been approved and registered with the United States Department of Labor. The bidder shall list in the space below, the official name of the program sponsor holding the Certificate of Registration for all of the types of work or crafts in which the bidder is a participant and that will be performed with the bidder's forces. Types of work or craft work that will be subcontracted shall be included and listed as subcontract work. The list shall also indicate any type of work or craft job category that does not have an applicable apprenticeship or training program. The bidder is responsible for making a complete report and shall make certain that each type of work or craft job category that will be utilized on the project as reported on the Construction Employee Workforce Projection (Form BC-1256) and returned with the bid is accounted for and listed.

NA - FEDERAL

The requirements of this certification and disclosure are a material part of the contract, and the contractor shall require this certification provision to be included in all approved subcontracts. In order to fulfill this requirement, it shall not be necessary that an applicable program sponsor be currently taking or that it will take applications for apprenticeship, training or employment during the performance of the work of this contract.

TO BE RETURNED WITH BID

IV. DISCLOSURES

A. The disclosures hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder. The Department may terminate the contract if it is later determined that the bidder rendered a false or erroneous disclosure, and the surety providing the performance bond shall be responsible for completion of the contract.

B. Financial Interests and Conflicts of Interest

1. Section 50-35 of the Illinois Procurement Code provides that all bids of more than \$10,000 shall be accompanied by disclosure of the financial interests of the bidder. This disclosed information for the successful bidder, will be maintained as public information subject to release by request pursuant to the Freedom of Information Act.

The financial interests to be disclosed shall include ownership or distributive income share that is in excess of 5%, or an amount greater than 60% of the annual salary of the Governor, of the bidding entity or its parent entity, whichever is less, unless the contractor or bidder is a publicly traded entity subject to Federal 10K reporting, in which case it may submit its 10K disclosure in place of the prescribed disclosure. If a bidder is a privately held entity that is exempt from Federal 10K reporting, but has more than 400 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any person or entity holding any ownership share that is in excess of 5%. The disclosure shall include the names, addresses, and dollar or proportionate share of ownership of each person making the disclosure, their instrument of ownership or beneficial relationship, and notice of any potential conflict of interest resulting from the current ownership or beneficial interest of each person making the disclosure having any of the relationships identified in Section 50-35 and on the disclosure form.

In addition, all disclosures shall indicate any other current or pending contracts, proposals, leases, or other ongoing procurement relationships the bidding entity has with any other unit of state government and shall clearly identify the unit and the contract, proposal, lease, or other relationship.

2. <u>Disclosure Forms</u>. Disclosure Form A is attached for use concerning the individuals meeting the above ownership or distributive share requirements. Subject individuals should be covered each by one form. In addition, a second form (Disclosure Form B) provides for the disclosure of current or pending procurement relationships with other (non-IDOT) state agencies. **The forms must be included with each bid or incorporated by reference.**

C. Disclosure Form Instructions

Form A: For bidders that have previously submitted the information requested in Form A

The Department has retained the Form A disclosures submitted by all bidders responding to these requirements for the April 24, 1998 or any subsequent letting conducted by the Department. The bidder has the option of submitting the information again or the bidder may sign the following certification statement indicating that the information previously submitted by the bidder is, as of the date of signature, current and accurate. The Certification must be signed and dated by a person who is authorized to execute contracts for the bidding company. Before signing this certification, the bidder should carefully review its prior submissions to ensure the Certification is correct. If the Bidder signs the Certification, the Bidder should proceed to Form B instructions.

CERTIFICATION STATEMENT

I have determined that the Form A disclosure information previously submitted is current and accurate, and all forms are hereby incorporated by reference in this bid. Any necessary additional forms or amendments to previously submitted forms are attached to this bid.

(Bidding Company)

Name of Authorized Representative (type or print)

Title of Authorized Representative (type or print)

Signature of Authorized Representative

Date

Form A: For bidders who have NOT previously submitted the information requested in Form A

If the bidder is a publicly traded entity subject to Federal 10K reporting, the 10K Report may be submitted to meet the requirements of Form A. If a bidder is a privately held entity that is exempt from Federal 10K reporting, but has more than 400 shareholders, it may submit the information that Federal 10K companies are required to report, and list the names of any person or entity holding any ownership share that is in excess of 5%. If a bidder is not subject to Federal 10K reporting, the bidder must determine if any individuals are required by law to complete a financial disclosure form. To do this, the bidder should answer each of the following questions. A "YES" answer indicates Form A must be completed. If the answer to each of the following questions is "NO", then the <u>NOT APPLICABLE STATEMENT</u> on the second page of Form A must be signed and dated by a person that is authorized to execute contracts for the bidding company. Note: These questions are for assistance only and are not required to be completed.

- 1. Does anyone in your organization have a direct or beneficial ownership share of greater than 5% of the bidding entity or parent entity? YES ____ NO
- 2. Does anyone in your organization have a direct or beneficial ownership share of less than 5%, but which has a value greater than \$90,420.00? YES ____ NO____
- Does anyone in your organization receive more than \$90,420.00 of the bidding entity's or parent entity's distributive income? (Note: Distributive income is, for these purposes, any type of distribution of profits. An annual salary is not distributive income.) YES ____ NO ___
- 4. Does anyone in your organization receive greater than 5% of the bidding entity's or parent entity's total distributive income, but which is less than \$90,420.00? YES ____ NO ___

(Note: Only one set of forms needs to be completed per person per bid even if a specific individual would require a yes answer to more than one question.)

A "YES" answer to any of these questions requires the completion of Form A. The bidder must determine each individual in the bidding entity or the bidding entity's parent company that would cause the questions to be answered "Yes". Each form must be signed and dated by a person that is authorized to execute contracts for your organization. **Photocopied or stamped signatures are not acceptable**. The person signing can be, but does not have to be, the person for which the form is being completed. The bidder is responsible for the accuracy of any information provided.

If the answer to each of the above questions is "NO", then the <u>NOT APPLICABLE STATEMENT</u> on page 2 of Form A must be signed and dated by a person that is authorized to execute contracts for your company.

Form B: Identifying Other Contracts & Procurement Related Information Disclosure Form B must be completed for each bid submitted by the bidding entity. It must be signed by an individual who is authorized to execute contracts for the bidding entity. Note: Signing the <u>NOT</u> <u>APPLICABLE STATEMENT</u> on Form A <u>does not</u> allow the bidder to ignore Form B. Form B must be completed, signed and dated or the bidder may be considered nonresponsive and the bid will not be accepted.

The Bidder shall identify, by checking Yes or No on Form B, whether it has any pending contracts (including leases), bids, proposals, or other ongoing procurement relationship with any other (non-IDOT) State of Illinois agency. If "No" is checked, the bidder only needs to complete the signature box on the bottom of Form B. If "Yes" is checked, the bidder must do one of the following:

Option I: If the bidder did not submit an Affidavit of Availability to obtain authorization to bid, the bidder must list all non-IDOT State of Illinois agency pending contracts, leases, bids, proposals, and other ongoing procurement relationships. These items may be listed on Form B or on an attached sheet(s). Do not include IDOT contracts. Contracts with cities, counties, villages, etc. are not considered State of Illinois agency contracts and are not to be included. Contracts with other State of Illinois agencies such as the Department of Natural Resources or the Capital Development Board must be included. Bidders who submit Affidavits of Availability are suggested to use Option II.

Option II: If the bidder is required and has submitted an Affidavit of Availability in order to obtain authorization to bid, the bidder may write or type "See Affidavit of Availability" which indicates that the Affidavit of Availability is incorporated by reference and includes all non-IDOT State of Illinois agency pending contracts, leases, bids, proposals, and other ongoing procurement relationships. For any contracts that are not covered by the Affidavit of Availability, the bidder must identify them on Form B or on an attached sheet(s). These might be such things as leases.

D. Bidders Submitting More Than One Bid

Bidders submitting multiple bids may submit one set of forms consisting of all required Form A disclosures and one Form B for use with all bids. Please indicate in the space provided below the bid item that contains the original disclosure forms and the bid items which incorporate the forms by reference.

The bid submitted for letting item _____ contains the Form A disclosures or Certification Statement and the Form B disclosures. The following letting items incorporate the said forms by reference:

RETURN WITH BID/OFFER

ILLINOIS DEPARTMENT OF TRANSPORTATION

Form A Financial Information & Potential Conflicts of Interest Disclosure

Yes <u>No</u>

| Contractor Name | | |
|------------------|---------------|---------------------------|
| | | |
| Legal Address | | |
| City, State, Zip | | |
| | | |
| Telephone Number | Email Address | Fax Number (if available) |
| | | |

Disclosure of the information contained in this Form is required by the Section 50-35 of the Illinois Procurement Code (30 ILCS 500). Vendors desiring to enter into a contract with the State of Illinois must disclose the financial information and potential conflict of interest information as specified in this Disclosure Form. This information shall become part of the publicly available contract file. This Form A must be completed for bids in excess of \$10,000, and for all open-ended contracts. A publicly traded company may submit a 10K disclosure (or equivalent if applicable) in satisfaction of the requirements set forth in Form A. See Disclosure Form Instructions.

DISCLOSURE OF FINANCIAL INFORMATION

1. Disclosure of Financial Information. The individual named below has an interest in the BIDDER (or its parent) in terms of ownership or distributive income share in excess of 5%, or an interest which has a value of more than \$90,420.00 (60% of the Governor's salary as of 7/1/01). (Make copies of this form as necessary and attach a separate Disclosure Form A for each individual meeting these requirements)

| INDIVIDUAL | . (type or print information) | | | | | | |
|---|--------------------------------------|-------------|-------------------------------------|--|--|--|--|
| NAME: | | | | | | | |
| ADDRESS | | | | | | | |
| | | | | | | | |
| Type of ownership/distributable income share: | | | | | | | |
| stock | sole proprietorship | Partnership | other: (explain on separate sheet): | | | | |
| % or \$ value | of ownership/distributable income sl | nare: | | | | | |
| | | | | | | | |

2. Disclosure of Potential Conflicts of Interest. Check "Yes" or "No" to indicate which, if any, of the following potential conflict of interest relationships apply. If the answer to any question is "Yes", please attach additional pages and describe.

(a) State employment, currently or in the previous 3 years, including contractual employment of services.

If your answer is yes, please answer each of the following questions.

- 1. Are you currently an officer or employee of either the Capitol Development Board or the Illinois Toll Highway Authority? Yes ____No ___
- 2. Are you currently appointed to or employed by any agency of the State of Illinois? If you are currently appointed to or employed by any agency of the State of Illinois, and your annual salary exceeds \$90,420.00, (60% of the Governor's salary as of 7/1/01) provide the name the State agency for which you are employed and your annual salary.

RETURN WITH BID/OFFER

- If you are currently appointed to or employed by any agency of the State of Illinois, and your annual salary exceeds \$90,420.00, (60% of the Governor's salary as of 7/1/01) are you entitled to receive (i) more than 7 1/2% of the total distributable income of your firm, partnership, association or corporation, or (ii) an amount in excess of the salary of the Governor? Yes ____ No ___
- 4. If you are currently appointed to or employed by any agency of the State of Illinois, and your annual salary exceeds \$90,420.00, (60% of the Governor's salary as of 7/1/01) are you and your spouse or minor children entitled to receive (i) more than 15% in aggregate of the total distributable income of your firm, partnership, association or corporation, or (ii) an amount in excess of 2 times the salary of the Governor? Yes ____ No ___
- (b) State employment of spouse, father, mother, son, or daughter, including contractual employment for services in the previous 2 years.

Yes <u>No</u>

If your answer is yes, please answer each of the following questions.

- 1. Is your spouse or any minor children currently an officer or employee of the Capitol Development Board or the Illinois Toll Highway Authority? Yes ____No ___
- 2. Is your spouse or any minor children currently appointed to or employed by any agency of the State of Illinois? If your spouse or minor children is/are currently appointed to or employed by any agency of the State of Illinois, and his/her annual salary exceeds \$90,420.00, (60% of the Governor's salary as of 7/1/01) provide the name of the spouse and/or minor children, the name of the State agency for which he/she is employed and his/her annual salary.
- 3. If your spouse or any minor children is/are currently appointed to or employed by any agency of the State of Illinois, and his/her annual salary exceeds \$90,420.00, (60% of the salary of the Governor as of 7/1/01) are you entitled to receive (i) more than 71/2% of the total distributable income of your firm, partnership, association or corporation, or (ii) an amount in excess of the salary of the Governor? Yes No ___
- 4. If your spouse or any minor children are currently appointed to or employed by any agency of the State of Illinois, and his/her annual salary exceeds \$90,420.00, (60% of the Governor's salary as of 7/1/01) are you and your spouse or any minor children entitled to receive (i) more than 15% in the aggregate of the total distributable income from your firm, partnership, association or corporation, or (ii) an amount in excess of 2 times the salary of the Governor?

Yes ___ No ___

(c) Elective status; the holding of elective office of the State of Illinois, the government of the United States, any unit of local government authorized by the Constitution of the State of Illinois or the statutes of the State of Illinois currently or in the previous 3 years.

(d) Relationship to anyone holding elective office currently or in the previous 2 years; spouse, father, mother, son, or daughter. Yes ____No ___

(e) Appointive office; the holding of any appointive government office of the State of Illinois, the United State of America, or any unit of local government authorized by the Constitution of the State of Illinois or the statues of the State of Illinois, which office entitles the holder to compensation in excess of the expenses incurred in the discharge of that office currently or in the previous 3 years. Yes No ___

(f) Relationship to anyone holding appointive office currently or in the previous 2 years; spouse, father, mother, son, or daughter. Yes <u>No</u>

(g) Employment, currently or in the previous 3 years, as or by any registered lobbyist of the State government. Yes ___No ___

RETURN WITH BID/OFFER

- (h) Relationship to anyone who is or was a registered lobbyist in the previous 2 years; spouse, father, mother, son, or daughter. Yes ____No ___
- (i) Compensated employment, currently or in the previous 3 years, by any registered election or reelection committee registered with the Secretary of State or any county clerk of the State of Illinois, or any political action committee registered with either the Secretary of State or the Federal Board of Elections. Yes No ___
- (j) Relationship to anyone; spouse, father, mother, son, or daughter; who was a compensated employee in the last 2 years by any registered election or re-election committee registered with the Secretary of State or any county clerk of the State of Illinois, or any political action committee registered with either the Secretary of State or the Federal Board of Elections.

Yes No ____

| | APPLICABLE STATEMENT | |
|---------------------|--|----------------|
| This Disclosure For | rm A is submitted on behalf of the INDIVIDUAL named on previ | ous page. |
| Completed by: | | |
| | Name of Authorized Representative (type or print) | |
| Completed by: | | |
| - | Title of Authorized Representative (type or print) | |
| Completed by: | | |
| - | Signature of Individual or Authorized Representative | Date |
| | NOT APPLICABLE STATEMENT | |
| require the complet | | |
| This Disclosure For | rm A is submitted on behalf of the CONTRACTOR listed on the | previous page. |
| | | |
| - | Name of Authorized Representative (type or print) | |
| _ | | |
| | Title of Authorized Representative (type or print) | |
| - | Signature of Authorized Representative | |
| | | Date |

ILLINOIS DEPARTMENT OF TRANSPORTATION

Form B Other Contracts & Procurement Related Information Disclosure

| Contractor Name | | |
|--|---------------|---------------------------|
| Legal Address | | |
| City, State, Zip | | |
| Telephone Number | Email Address | Fax Number (if available) |
| Diadaguna of the information contained in this | | |

Disclosure of the information contained in this Form is required by the Section 50-35 of the Illinois Procurement Act (30 ILCS 500). This information shall become part of the publicly available contract file. This Form B must be completed for bids in excess of \$10,000, and for all open-ended contracts.

DISCLOSURE OF OTHER CONTRACTS AND PROCUREMENT RELATED INFORMATION

1. Identifying Other Contracts & Procurement Related Information. The BIDDER shall identify whether it has any pending contracts (including leases), bids, proposals, or other ongoing procurement relationship with any other State of Illinois agency: Yes No If "No" is checked, the bidder only needs to complete the signature box on the bottom of this page.

2. If "Yes" is checked. Identify each such relationship by showing State of Illinois agency name and other descriptive information such as bid or project number (attach additional pages as necessary). SEE DISCLOSURE FORM INSTRUCTIONS:

THE FOLLOWING STATEMENT MUST BE SIGNED

| Name of Authorized Representative (type or print) | |
|--|----|
| Title of Authorized Representative (type or print) | |
| Signature of Authorized Representative | Da |

SPECIAL NOTICE TO CONTRACTORS

The following requirements of the Illinois Department of Human Rights' Rules and Regulations are applicable to bidders on all construction contracts advertised by the Illinois Department of Transportation:

CONSTRUCTION EMPLOYEE UTILIZATION PROJECTION

- (a) All bidders on construction contracts shall complete and submit, along with and as part of their bids, a Bidder's Employee Utilization Form (Form BC-1256) setting forth a projection and breakdown of the total workforce intended to be hired and/or allocated to such contract work by the bidder including a projection of minority and female employee utilization in all job classifications on the contract project.
- (b) The Department of Transportation shall review the Employee Utilization Form, and workforce projections contained therein, of the contract awardee to determine if such projections reflect an underutilization of minority persons and/or women in any job classification in accordance with the Equal Employment Opportunity Clause and Section 7.2 of the Illinois Department of Human Rights' Rules and Regulations for Public Contracts adopted as amended on September 17, 1980. If it is determined that the contract awardee's projections reflect an underutilization of minority persons and/or women in any job classification, it shall be advised in writing of the manner in which it is underutilizing and such awardee shall be considered to be in breach of the contract unless, prior to commencement of work on the contract project, it submits revised satisfactory projections or an acceptable written affirmative action plan to correct such underutilization including a specific timetable geared to the completion stages of the contract.
- (c) The Department of Transportation shall provide to the Department of Human Rights a copy of the contract awardee's Employee Utilization Form, a copy of any required written affirmative action plan, and any written correspondence related thereto. The Department of Human Rights may review and revise any action taken by the Department of Transportation with respect to these requirements.



Contract No. 95442 FAYETTE County Section 04-18117-00-BR Project BROS-51(71) Route TR 272 District 7 Construction Funds

PART I. IDENTIFICATION

Dept. Human Rights # _____

Duration of Project:

Name of Bidder: ___

PART II. WORKFORCE PROJECTION

A. The undersigned bidder has analyzed minority group and female populations, unemployment rates and availability of workers for the location in which this contract work is to be performed, and for the locations from which the bidder recruits employees, and hereby submits the following workforce projection including a projection for minority and female employee utilization in all job categories in the workforce to be allocated to this contract:

| | | | | | BLE A | | | | | | | | | | TABLE | : В | | |
|---------------------------|---|--------------|-------|--------------------|---------|----------|--------------------|--------------|-------------|----------|---|--------|---|-------------------------------|---------|-----------------------|---------|---|
| | | TOT | AL Wo | rkforce | Project | tion for | ⁻ Contr | act | | | | | 1 | (| CURRENT | ΕN | IPLOYEE | S |
| | | | | MINORITY EMPLOYEES | | | | | | TRAINEES | | | | TO BE ASSIGNED TO CONTRACT | | | | |
| JOB CATEGORIES | | TAL OYEES | BL | ACK | HISP | ANIC | | THER NOR. | APPF TIC | | | HE JOB | | TOTAL EMPLOYEES | | MINORITY EMPLOYEES | | |
| 0.112001120 | M | F | M | F | M | F | M | F | M | F | M | F | 1 | M | F | | M | F |
| OFFICIALS (MANAGERS) | | | | | | | | | | | | | | | | | | |
| SUPERVISORS | | | | | | | | | | | | | | | | | | |
| FOREMEN | | | | | | | | | | | | | | | | | | |
| CLERICAL | | | | | | | | | | | | | | | | | | |
| EQUIPMENT OPERATORS | | | | | | | | | | | | | | | | | | |
| MECHANICS | | | | | | | | | | | | | | | | | | |
| TRUCK DRIVERS | | | | | | | | | | | | | - | | | | | |
| IRONWORKERS | | | | | | | | | | | | | | | | | | |
| CARPENTERS | | | | | | | | | | | | | | | | | | |
| CEMENT MASONS | | | | | | | | | | | | | | | | | | |
| ELECTRICIANS | | | | | | | | | | | | | | | | | | |
| PIPEFITTERS, PLUMBERS | | | | | | | | | | | | | | | | | | |
| PAINTERS | | | | | | | | | | | | | | | | | | |
| LABORERS, SEMI-SKILLED | | | | | | | | | | | | | | | | | | |
| LABORERS, UNSKILLED | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | |

| TABLE C | | | | | | | | |
|------------------------|--|--|--|---|----------|---|------------------|--|
| T | TOTAL Training Projection for Contract | | | | | | | |
| EMPLOYEES IN | YEES TOTAL EMPLOYEES | | | | HISPANIC | | *OTHER MINOR. | |
| TRAINING | M F M F M F | | | F | М | F | | |
| APPRENTICES | | | | | | | | |
| ON THE JOB TRAINEES | | | | | | | | |

*Other minorities are defined as Asians (A) or Native Americans (N).

Please specify race of each employee shown in Other Minorities column.

Note: See instructions on the next page

FOR DEPARTMENT USE ONLY

BC 1256 - Pg 1 (Rev. 3/98) IL 494-0454 Contract No. 95442 **FAYETTE County** Section 04-18117-00-BR Project BROS-51(71) Route TR 272 **District 7 Construction Funds**

PART II. WORKFORCE PROJECTION - continued

B. Included in "Total Employees" under Table A is the total number of new hires that would be employed in the event the undersigned bidder is awarded this contract.

The undersigned bidder projects that: (number) ______ new hires would be recruited from the area in which the contract project is located; and/or (number) ____ new hires would be recruited from the area in which the bidder's principal office or base of operation is located.

C. Included in "Total Employees" under Table A is a projection of numbers of persons to be employed directly by the undersigned bidder as well as a projection of numbers of persons to be employed by subcontractors.

The undersigned bidder estimates that (number) ____ ____ persons will be directly employed by the prime contractor and that (number) persons will be employed by subcontractors.

PART III. AFFIRMATIVE ACTION PLAN

- A. The undersigned bidder understands and agrees that in the event the foregoing minority and female employee utilization projection included under PART II is determined to be an underutilization of minority persons or women in any job category, and in the event that the undersigned bidder is awarded this contract, he/she will, prior to commencement of work, develop and submit a written Affirmative Action Plan including a specific timetable (geared to the completion stages of the contract) whereby deficiencies in minority and/or female employee utilization are corrected. Such Affirmative Action Plan will be subject to approval by the contracting agency and the Department of Human Rights.
- B. The undersigned bidder understands and agrees that the minority and female employee utilization projection submitted herein, and the goals and timetable included under an Affirmative Action Plan if required, are deemed to be part of the contract specifications.

Company

Telephone Number

Address

| | NOT | ICE REGARDING SIGNATURE | | | |
|---------------|--|--|---|--|--|
| | The Bidder's signature on the Proposal Signature Sheet will constitute the signing of this form. The following signature needs to be completed only if revisions are required. | | | | |
| Sig | nature: | Title: | Date: | | |
| Instructions: | All tables must include subcontractor personne | I in addition to prime contractor persor | nnel. | | |
| Table A - | | k, and include all apprentices and on- | t work and the total number currently employed the-job trainees. The "Total Employees" column nees to be employed on the contract work. | | |
| Table B - | Include all employees currently employed that currently employed. | will be allocated to the contract work i | ncluding any apprentices and on-the-job trainees | | |
| Table C - | Indicate the racial breakdown of the total appre | ntices and on-the-job trainees shown | in Table A. BC-1256-Pg. 2 (Rev. 3/98) | | |

ADDITIONAL FEDERAL REQUIREMENTS

In addition to the Required Contract Provisions for Federal-Aid Construction Contracts (FHWA 1273), all bidders make the following certifications.

- A. By the execution of this proposal, the signing bidder certifies that the bidding entity has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. This statement made by the undersigned bidder is true and correct under penalty of perjury under the laws of the United States.
- B. <u>CERTIFICATION, EQUAL EMPLOYMENT OPPORTUNITY</u>:
 - 1. Have you participated in any previous contracts or subcontracts subject to the equal opportunity clause. YES _____ NO _____
 - If answer to #1 is yes, have you filed with the Joint Reporting Committee, the Director of OFCC, any Federal agency, or the former President's Committee on Equal Employment Opportunity, all reports due under the applicable filing requirements of those organizations? YES _____ NO _____

Contract No. 95442 FAYETTE County Section 04-18117-00-BR Project BROS-51(71) Route TR 272 District 7 Construction Funds

PROPOSAL SIGNATURE SHEET

The undersigned bidder hereby makes and submits this bid on the subject Proposal, thereby assuring the Department that all requirements of the Invitation for Bids and rules of the Department have been met, that there is no misunderstanding of the requirements of paragraph 3 of this Proposal, and that the contract will be executed in accordance with the rules of the Department if an award is made on this bid.

| | Firm Name | |
|---|------------------------|--|
| (IF AN INDIVIDUAL) | | |
| | | |
| | | |
| | | |
| | Firm Name | |
| | | |
| (IF A CO-PARTNERSHIP) | | |
| `````````````````````````````````````` | | |
| | | Name and Address of All Members of the Firm: |
| | | |
| | | |
| | | |
| | Corporate Name | |
| | Ву | |
| (IF A CORPORATION) | | Signature of Authorized Representative |
| | | Typed or printed name and title of Authorized Representative |
| | | |
| | Attest | |
| (IF A JOINT VENTURE, USE THIS SECTION | | Signature |
| FOR THE MANAGING PARTY AND THE SECOND PARTY SHOULD SIGN BELOW) | Business Address | |
| | | |
| | Corporate Name | |
| | | |
| (IF A JOINT VENTURE) | Ву | Signature of Authorized Representative |
| | | |
| | | Typed or printed name and title of Authorized Representative |
| | A # = = + | |
| | Attest | Signature |
| | Business Address | |
| | | |
| If more than two parties are in the joint venture, | please attach an addit | ional signature sheet. |



Division of Highways Proposal Bid Bond (Effective November 1, 1992)

Item No. Letting Date

KNOW ALL MEN BY THESE PRESENTS, That We

as PRINCIPAL, and

as SURETY, are

held jointly, severally and firmly bound unto the STATE OF ILLINOIS in the penal sum of 5 percent of the total bid price, or for the amount specified in Article 102.09 of the "Standard Specifications for Road and Bridge Construction" in effect on the date of invitation for bids, whichever is the lesser sum, well and truly to be paid unto said STATE OF ILLINOIS, for the payment of which we bind ourselves, our heirs, executors, administrators, successors and assigns.

THE CONDITION OF THE FOREGOING OBLIGATION IS SUCH, That Whereas, the PRINCIPAL has submitted a bid proposal to the STATE OF ILLINOIS, acting through the Department of Transportation, for the improvement designated by the Transportation Bulletin Item Number and Letting Date indicated above.

NOW, THEREFORE, if the Department shall accept the bid proposal of the PRINCIPAL; and if the PRINCIPAL shall, within the time and as specified in the bidding and contract documents, submit a DBE Utilization Plan that is accepted and approved by the Department; and if, after award by the Department, the PRINCIPAL shall enter into a contract in accordance with the terms of the bidding and contract documents including evidence of the required insurance coverages and providing such bond as specified with good and sufficient surety for the faithful performance of such contract and for the prompt payment of labor and material furnished in the prosecution thereof; or if, in the event of the failure of the PRINCIPAL to make the required DBE submission or to enter into such contract and to give the specified bond, the PRINCIPAL pays to the Department the difference not to exceed the penalty hereof between the amount specified in the bid proposal and such larger amount for which the Department may contract with another party to perform the work covered by said bid proposal, then this obligation shall be null and void, otherwise, it shall remain in full force and effect.

IN THE EVENT the Department determines the PRINCIPAL has failed to comply with any requirement as set forth in the preceding paragraph, then Surety shall pay the penal sum to the Department within fifteen (15) days of written demand therefor. If Surety does not make full payment within such period of time, the Department may bring an action to collect the amount owed. Surety is liable to the Department for all its expenses, including attorney's fees, incurred in any litigation in which it prevails either in whole or in part.

In TESTIMONY WHEREOF, the said PRINCIPAL and the said SURETY have caused this instrument to be signed by their respective officers this ______ day of ______ A.D., _____.

| PRINCIPAL | SURETY | |
|--|---|--|
| (Company Name) | (Company Name) | |
| By: | By: | |
| (Signature & Title) | (Signature of Attorney-in-Fact) | |
| STATE OF ILLINOIS, COUNTY OF | Notary Certification for Principal and Surety | |
| I, | , a Notary Public in and for said County, do hereby certify that | |
| ar | l | |
| (Insert names of in | ividuals signing on behalf of PRINCIPAL & SURETY) | |
| | s whose names are subscribed to the foregoing instrument on behalf of PRINCIPA vledged respectively, that they signed and delivered said instrument as their free an | |
| Given under my hand and notarial seal this | day of, A.D | |
| My commission expires | | |
| | Notary Public | |
| | | |

In lieu of completing the above section of the Proposal Bid Form, the Principal may file an Electronic Bid Bond. By signing below the Principal is ensuring the identified electronic bid bond has been executed and the Principal and Surety are firmly bound unto the State of Illinois under the conditions of the bid bond as shown above.

Electronic Bid Bond ID#

Company/Bidder Name

Signature and Title

PROPOSAL ENVELOPE



PROPOSALS

for construction work advertised for bids by the Illinois Department of Transportation

| Item No. | Item No. | Item No. |
|----------|----------|----------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Submitted By:

| lame: | |
|-----------|--|
| Address: | |
| | |
| | |
| Phone No. | |

Bidders should use an IDOT proposal envelope or affix this form to the front of a 10" x 13" envelope for the submittal of bids. If proposals are mailed, they should be enclosed in a second or outer envelope addressed to:

Engineer of Design and Environment - Room 326 Illinois Department of Transportation 2300 South Dirksen Parkway Springfield, Illinois 62764

NOTICE

Individual bids, including Bid Bond and/or supplemental information if required, should be securely stapled.

CONTRACTOR OFFICE COPY OF CONTRACT SPECIFICATIONS

NOTICE

None of the following material needs to be returned with the bid package unless the special provisions require documentation and/or other information to be submitted.

Contract No. 95442 FAYETTE County Section 04-18117-00-BR Project BROS-51(71) Route TR 272 District 7 Construction Funds





NOTICE TO BIDDERS

- 1. TIME AND PLACE OF OPENING BIDS. Sealed proposals for the improvement described herein will be received by the Department of Transportation at the Harry R. Hanley Building, 2300 South Dirksen Parkway, in Springfield, Illinois until 10:00 o'clock a.m., January 20, 2006. All bids will be gathered, sorted, publicly opened and read in the auditorium at the Department of Transportation's Harry R. Hanley Building shortly after the 10:00 a.m. cut off time.
- 2. DESCRIPTION OF WORK. The proposed improvement is identified and advertised for bids in the Invitation for Bids as:

Contract No. 95442 FAYETTE County Section 04-18117-00-BR Project BROS-51(71) Route TR 272 District 7 Construction Funds

Construction consists of a three span 1 @ 32'-0" and 2 @ 31' 5 3/4" precast, prestressed concrete deck beam bridge carrying TR 272 over Sandy Run, 1 mile south of Bluff City.

- 3. INSTRUCTIONS TO BIDDERS. (a) This Notice, the invitation for bids, proposal and letter of award shall, together with all other documents in accordance with Article 101.09 of the Standard Specifications for Road and Bridge Construction, become part of the contract. Bidders are cautioned to read and examine carefully all documents, to make all required inspections, and to inquire or seek explanation of the same prior to submission of a bid.
 - (b) State law, and, if the work is to be paid wholly or in part with Federal-aid funds, Federal law requires the bidder to make various certifications as a part of the proposal and contract. By execution and submission of the proposal, the bidder makes the certification contained therein. A false or fraudulent certification shall, in addition to all other remedies provided by law, be a breach of contract and may result in termination of the contract.
- 4. AWARD CRITERIA AND REJECTION OF BIDS. This contract will be awarded to the lowest responsive and responsible bidder considering conformity with the terms and conditions established by the Department in the rules, Invitation for Bids and contract documents. The issuance of plans and proposal forms for bidding based upon a prequalification rating shall not be the sole determinant of responsibility. The Department reserves the right to determine responsibility at the time of award, to reject any or all proposals, to readvertise the proposed improvement, and to waive technicalities.

By Order of the Illinois Department of Transportation

Timothy W. Martin, Secretary

BD 351 (Rev. 01/2003)

INDEX FOR SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS Adopted March 1, 2005

This index contains a listing of SUPPLEMENTAL SPECIFICATIONS and frequently used RECURRING SPECIAL PROVISIONS and LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS.

ERRATA Standard Specifications for Road and Bridge Construction (Adopted 1-1-02) (Revised 3-1-05)

SUPPLEMENTAL SPECIFICATIONS

| eta en | Pac | e No. |
|------------|---|----------|
| 101 101 | <u>ec. Sec.</u> Definition of Terms | 1 |
| | Control of Work | 2 |
| 105 205 | Embankment | 3 |
| 205 | Mulch | 4 |
| | Riprap | 5 |
| 281 | Filter Fabric for Use With Riprap | 8 |
| 282 285 | Concrete Revetment Mats | 10 |
| | Granular Subbase | 14 |
| 311 | Aggregate Base Course | 15 |
| 351 | Removal of Existing Pavement and Appurtenances | 16 |
| 440 | Pavement Patching | 17 |
| 442 | Removal and Replacement of Preformed Elastomeric Compression Joint Seal | 18 |
| 449 | Aggregate Shoulders | 19 |
| 481 | Removal of Existing Structures | 20 |
| 501 | Concrete Structures | 21 |
| 503 | Steel Structures | 22 |
| 505 | Cleaning and Painting Metal Structures | 25 |
| 506 | Cleaning and Painting Metal Structures | 26 |
| 508 | Reinforcement Bars | 27 |
| 512 | Piling | 28 |
| 540 | Box Culverts | 30 |
| 589 | Elastic Joint Sealer | 00 |
| 602 | Catch Basin, Manhole, Inlet, Drainage Structures and Valve Vault | 31 |
| | Construction, Adjustment and Reconstruction | 32 |
| 603 | Adjusting Frames and Grates of Drainage and Utility Structures | 33 |
| 610 | Shoulder Inlets with Curb | 34 |
| 665 | Woven Wire Fence | 35 |
| 669 | Removal and Disposal of Regulated Substances | 36 |
| 671 | Mobilization | 37 |
| 702 | Work Zone Traffic Control Devices | 38 |
| 1003 | Fine Aggregates | |
| 1004 | Coarse Aggregate | 29 |
| 1005 | Stone, Concrete Blocks and Broken Concrete for Erosion Protection, | 42 |
| | Sediment Control and Rockfill | 42 46 |
| 1006 | Metals | 40 49 |
| 1007 | Timber and Preservative Treatment | |
| 1012 | Hydrated Lime | 50 |
| 1020 | Portland Cement Concrete | 51 |
| 1021 | Concrete Admixtures | 58 |
| 1022 | Concrete Curing Materials | 59 |
| 1024 | Nonshrink Grout | 61 |
| 1041 | Brick | 63 |
| 1043 | Precast Reinforced Concrete Manhole Sections and Adjusting Rings | 64 |
| 1056 | Preformed Flexible Gaskets and Mastic Joint Sealer for Sewer and Culvert Pipe | 66 |
| 1059 | Elastic Joint Sealers | 67 |
| 1060 | Waterproofing Materials | 68 |
| 1069 | Pole and Tower | 69 |
| 1070 | Foundation and Breakaway Devices | 70 |
| 1077 | Post and Foundation | 72 |
| 1080 | Fabric Materials | 73 |
| 1081 | Materials For Planting | 76 |
| 1083 | Elastomeric Bearings | 77 |
| 1094 | Overhead Sign Structures | 78 |
| 1103 | Portland Cement Concrete Equipment | 79 |

RECURRING SPECIAL PROVISIONS The following RECURRING SPECIAL PROVISIONS and RECURRING LOCAL ROADS AND STREETS SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

| - | PAGE | |
|-------------------|---|-------|
| CHECI | <u>YAGE // YAGE</u> State Required Contract Provisions All Federal-aid Construction Contracts (Eff. 2-1-69) (Rev. 10-1-83) | |
| <u>1 X</u> | State Required Contract Provisions All Federal-and Construction Contracts (En. 2-1-09) ((ev. 10-1-00) | . 00 |
| $\frac{2 X}{2 X}$ | Subletting of Contracts (Federal-aid Contracts) (Eff. 1-1-88) (Rev. 5-1-93) EEO (Eff. 7-21-78) (Rev. 11-18-80) | 83 |
| | EEO (Eff. 7-21-78) (Rev. 11-18-80) Specific Equal Employment Opportunity Responsibilities NonFederal-aid Contracts | |
| 4 | $(E_{A}^{H}) = 0 + (C_{A}^{H}) + (C_{A}^{H})$ | 94 |
| - | (Eff. 3-20-69) (Rev. 1-1-94) Required Provisions - State Contracts (Eff. 4-1-65) (Rev. 4-1-93) | 100 |
| 5 | Required Provisions - State Contracts (EII: 4-1-05) (Nev. 4-1-55) | 105 |
| 6 | Asphalt Quantities and Cost Reviews (Eff. 7-1-88) | 106 |
| 7 | National Pollutant Discharge Elimination System Permit (Eff. 7-1-94) (Rev. 1-1-03) | 107 |
| 8 | | |
| <u>9, X</u> | (Eff. 1-2-92) (Rev. 1-1-98) | 108 |
| 40 | (Eff. 1-2-92) (Rev. 1-1-90) Construction Layout Stakes Except for Bridges (Eff. 1-1-99) (Rev. 1-1-02) | 109 |
| 10 | Construction Layout Stakes (Eff. 5-1-93) (Rev. 1-1-02) | . 112 |
| 11 | Use of Geotextile Fabric for Railroad Crossing (Eff. 1-1-95) (Rev. 1-1-97) | . 115 |
| 12 | Asphaltic Emulsion Slurry Seal and Fibrated Asphaltic Emulsion Slurry Seal (Eff. 8-1-89) (Rev. 2-1-97). | . 117 |
| 13 | Bituminous Surface Treatments Half-Smart (Eff. 7-1-93) (Rev. 1-1-97) | 123 |
| 14 | Quality Control/Quality Assurance of Bituminous Concrete Mixtures (Eff. 1-1-00) (Rev. 3-1-05) | 129 |
| 15 | Subsealing of Concrete Pavements (Eff. 11-1-84) (Rev. 2-1-95) | 148 |
| 16 | Bituminous Surface Removal (Cold Milling) (Eff. 11-1-87) (Rev. 10-15-97) | 152 |
| 17 | Resurfacing of Milled Surfaces (Eff. 10-1-95) | 154 |
| 18 | PCC Partial Depth Bituminous Patching (Eff. 1-1-98) | . 155 |
| 19 | PCC Partial Depth Bituminous Patching (Eff. 1-1-96) | . 157 |
| 20 | Reserved | 159 |
| 21 | Protective Shield System (Eff. 4-1-95) (Rev. 1-1-03) | 160 |
| 22 | Protective Shield System (Eff. 4-1-95) (Rev. 1-1-05) | 162 |
| 23 | Controlled Low-Strength Material (CLSM) (Eff. 1-1-90) (Rev. 3-1-05) | 164 |
| 24 | Pipe Underdrains (Eff. 9-9-87) (Rev. 1-1-98) | 169 |
| 25 26 V | | . 170 |
| <u>26 X</u> 27 | Bicycle Racks (Eff. 4-1-94) (Rev. 1-1-97) | 175 |
| 27 | Reserved | . 177 |
| 20 29 | Reserved | 178 |
| 29 30 | Reserved | 179 |
| 30 | Night Time Inspection of Roadway Lighting (Eff. 5-1-96) | 180 |
| 32 | Reserved | 181 |
| 33 | English Substitution of Metric Bolts (Eff. 7-1-96) | 182 |
| 34 | English Substitution of Metric Beinforcement Bats (Eff. 4-1-96) (Rev. 1-1-03) | 183 |
| 35 | English Substitution of Metric Reinforcement Bars (Eff. 4-1-96) (Rev. 1-1-03) Polymer Modified Emulsified Asphalt (Eff. 5-15-89) (Rev. 1-1-04) | 185 |
| 36 | Corresion Inhibitor (Eff. 3-1-80) (Rev. 7-1-99) | 187 |
| 37 | Quality Control of Concrete Mixtures at the Plant-Single A (Eff. 8-1-00) (Rev. 1-1-04) | 188 |
| 38 | Ouality Control of Concrete Mixtures at the Plant-Double A (Eff. 8-1-00) (Rev. 1-1-04) | 194 |
| 20 | Quality Control/Quality Assurance of Concrete Mixtures (Eff. 4-1-92) (Rev. 3-1-05) | 202 |
| | Traffic Barrier Terminal Type 1, Special (Eff. 8-1-94) (Rev. 1-1-03) | 215 |
| 41 | Pesenved | 210 |
| 42 | Segregation Control of Bituminous Concrete (Eff. 7-15-97) | 217 |
| 43 | Reserved | 220 |
| | | |

LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS

| | LUCAL RUADO AND STREETS RECURRING SPECIAL PROVIDIONO | |
|--------|--|-----------------|
| | | <u>PAGE NO.</u> |
| LRS 1 | Cooperation With Utilities (Eff. 1-1-99) (Rev. 1-1-02) | 222 |
| LRS 2 | □ Furnished Excavation (Eff. 1-1-99) (Rev. 1-1-02) | 224 |
| LRS 3 | X Construction Zone Traffic Control (Eff. 1-1-99 | 225 |
| LRS 4 | □ Flaggers in Work Zones (Eff. 1-1-99) | 226 |
| LRS 4 | Reserved | 227 |
| | Bidding Requirements and Conditions for Contract Proposals (Eff. 1-1-02) | 228 |
| LRS 6 | Bidding Requirements and Conditions for Material Proposals (Eff. 1-1-03) | 234 |
| LRS 7 | | 240 |
| LRS 8 | Failure to Complete the Work on Time (Eff. 1-1-99) | 241 |
| LRS 9 | Bituminous Surface Treatments (Eff. 1-1-99) | 242 |
| LRS 10 | Reflective Sheeting Type C (Eff. 1-1-99) (Rev. 1-1-02) | 242 |
| LRS 11 | Employment Practices (Eff. 1-1-99) | |
| LRS 12 | Wages of Employees on Public Works (Eff. 1-1-99) | 245 |
| LRS 13 | Selection of Labor (Eff. 1-1-99) | 246 |
| | | |

Fayette County Vandalia Road District TR 272 Bridge over Sandy Run Section 04-18117-00-BR

INDEX

<u>ITEM</u>

i

PAGE NUMBER

| - | | |
|-----|---|---|
| 1) | DESIGNATION OF PROJECT | 1 |
| 2) | DESCRIPTION OF WORK | 1 |
| 3) | TRAFFIC CONTROL | 1 |
| 4) | POROUS GRANULAR EMBANKMENT | 1 |
| 5) | SEEDING, CLASS 2 (SPECIAL) | 1 |
| 6) | STONE DUMPED RIPRAP, CLASS A4 | 2 |
| 7) | AGGREGATE SURFACE COURSE, TYPE B | 2 |
| 8) | REMOVAL OF EXISTING STRUCTURE | 2 |
| 9) | LIFTING DEVICES | 2 |
| 10) | BRIDGE SHOP DRAWINGS | 3 |
| 11) | OVERHAUL | 3 |
| 12) | TEMPORARY RUNAROUNDS AND CONSTRUCTION CROSSINGS | 3 |
| 13) | DELIVERY OF CONSTRUCTION MATERIALS / EQUIPMENT | |
| | TO / FROM JOBSITE | 3 |
| 14) | STATUS OF UTILITIES TO BE NOTIFIED / ADJUSTED | 3 |
| 15) | BORING DATA | 3 |
| 16) | SOIL BORINGS | 4 |
| 17) | CORPS OF ENGINEERS LETTER / PERMIT | 8 |

.....

INDEX LOCAL ROADS AND STREETS SPECIAL PROVISIONS

| <u>LR#</u> | | <u>title</u> <u>title</u> <u>E</u> | AGE |
|------------|---|---|-----|
| SD 16 | | "Slab Movement Detection Device" (Eff. 11-1-84) | |
| SD 17 | | "Required Cold Milled Surface Texture" (Eff. 11-1-87) | |
| 105 | Х | "Cooperation with Utilities" (Eff 1/1/99) (Rev 1/1/06) | 12 |
| 107-1 | X | "Nationwide Permit No. 14" (Eff. 2-1-04) (Rev. 3-1-05). Developed by the Bureau of Local Roads and Streets | 14 |
| | | to outline the necessary requirements to comply with No. 14 permits. | |
| 107-2 | | "Railroad Protective Liability Insurance for Local Lettings" (Eff. 3-1-05). Developed by the Bureau of Local | |
| | | Roads & Streets to require insurance policies to be submitted to the letting agency rather than the department. | |
| 107-3 | | "Wages of Employees on Public Works" (Eff 8-10-95) | |
| 108 | | "Combination Bids (Eff. 1-1-94)(Rev. 3-1-05). Developed by the Bureau of Local Roads & Streets to allow | |
| | | the revision of working days and calendar days. Revised to incorporate applicable portions of deleted | |
| | | Sections 102 & 103 | |
| 109 | | "Contract Claims" (Eff. 1-1-02) (Rev. 5-1-02). Developed by the Bureau of Local Roads | |
| | | and Streets to assist local agencies in handling contract claims. | |
| 212 | | "Shaping Roadway" (Eff. 8-1-69) (Rev. 1-1-02) | |
| 302 | | Rescinded | |
| 355-1 | | "Asphalt Stabilized Base Course, Road Mix or Traveling Plant Mix" (Eff. 10-1-73)(Rev. 1-1-02) | |
| 355-2 | | "Asphalt Stabilized Base Course, Plant Mix" (Eff. 2-20-63)(Rev. 1-1-02) | • |
| 355-3 | | "Bituminous Aggregate Mixture Base Course" (6-27-66)(Rev. 1-1-02). Developed by the | |
| | | Bureau of Materials and Physical Research and the Bureau of Local Roads and Streets to | |
| | | construct a stabilized base course with paving grade asphalt. | |
| 400 | | "Penetrating Emulsified Prime" (Eff. 4-1-84)(Rev. 1-1-02) | |
| 402 | | "Salt Stabilized Surface Course" (Eff. 2-20-63)(Rev. 1-1-02) | |
| 403-1 | | "Penetrating Emulsified Asphalt" (Eff. 1-1-94) (Rev. 1-1-02). Developed for bituminous | |
| | | surface treatments on roads that require flexibility and penetration due to low traffic volume. | |
| 403-2 | | Bituminous Hot Mix Sand Seal Coat" (Eff. 8-1-69)(Rev. 1-1-02) | |
| 420 | | "PCC Pavement (Special)" (Eff. 5-12-64)(Rev. 1-1-02). Developed by the Bureau of Local Roads & Streets | |
| | | to allow local agencies to construct quality PCC pavements for low volume roads. | |
| 430 | | "Paving Brick and Concrete Paver Pavements and Sidewalks" (Eff 1-1-04) Developed by the Bureau | |
| | | of Local Roads & Streets and the Bureau of Materials & Physical Research to provide statewide requirements | |
| | | for paving brick and concrete paver pavements and sidewalks. | |
| 442 | | "Bituminous Patching Mixtures for Maintenance Use" (Eff 1-1-04). Developed by the Bureau of Local Roads | |
| | | & Streets to reference approved bituminous patching mixtures. | |
| 451 | | "Crack Filling Bituminous Pavement with Fiber-Asphalt" (Eff. 10-1-91)(Rev. 1-1-02) | |
| 503-1 | | "Furnishing Class SI Concrete" (Eff. 10-1-73)(Rev. 1-1-02) | |
| 503-2 | | "Furnishing Class SI Concrete (Short Load)" (Eff. 1-1-89) (Rev. 1-1-02). Developed by the Bureau of Local | |
| | | Roads and Streets to allow a load charge to be added when short loads are expected during the contract. | |
| 542 | | "Pipe Culverts, Type (Furnished)" (Eff. 9-1-64) (Rev. 1-1-02) | |
| 663 | | "Calcium Chloride Applied" (Eff. 6-1-58) (Rev. 1-1-02) | |
| 671 | | Rescinded | |
| 701 | | "Flagger Certification" (Eff. 1-1-93) (Rev. 1-1-02) | |
| 702 | X | "Construction and Maintenance Signs" (Eff 1-1-04) Developed by the Bureau of Local Roads & Streets to | 1 |
| | | require florescent orange sheeting and a minimum sign size of 48" X 48" on construction and maintenance signs. | |
| 1004 | | "Coarse Aggregate for Bituminous Surface Treatment" (Eff. 1-1-02). Developed by the Bureau of Materials & | |
| | | Physical Research, the Bureau of Local Roads & Streets, and Local Agencies to provide a coarser mix | |
| | | when aggregate producers have adjusted the CA-16 gradation according to the Aggregate Gradation | |
| | | Control System (AGCS) to a finer mix for Hot-Mix Asphalt. | |
| 1013 | | "Rock Salt (Sodium Chloride)" (Eff. 8-1-69) (Rev. 1-1-02) | |

BDE SPECIAL PROVISIONS For The January 20 and March 10, 2006 Lettings

The following special provisions indicated by an "x" are applicable to this contract. An * indicates a new or revised special provision for the letting.

| # Accessible Pedestrian Signals (APS) April 1, 2003 8 00156 22 X Aggregate Stipping Tickets Jan, 1, 2006 8 0108 X Asbestos Bearing Pad Removal Nov. 1, 2003 72541 Asbestos Bearing Pad Removal June 1, 1989 June 30, 1994 80128 Authority of Raiload Engineer July 1, 2004 April 1, 2002 Aug. 1, 2005 80128 Authority of Raiload Engineer July 1, 2004 April 1, 2002 April 1, 2003 80128 Bituminous Concrete Surface Course April 1, 2002 April 1, 2004 April 1, 2003 80166 Bituminous Concrete Surface Course April 1, 2002 April 1, 2004 April 1, 2004 80065 Bituminous Concrete Surface Course Jan, 1, 2006 April 1, 2004 April 1, 2004 50481 Building Removal-Case II (Non-Friable Asbestos) Sept 1, 1990 Aug. 1, 2001 50531 Building Removal-Case II (No Asbestos) Sept 1, 1990 Aug. 1, 2001 50531 Building Removal-Case II (No Asbestos) Sept 1, 1990 Aug. 1, 2004 80051 Concrete Agmitures | File | e Name | PG | Ŭ | Special Provision Title | Effective | <u>Revised</u> |
|--|---------|--------|----|----------|---|---------------|----------------|
| 80099 Accessible Pedestrian Signals (APS) April 1, 2003 80168 22 X Aggregate Shipping Tickets Jan. 1, 2006 72541 Asbestos Bearing Pad Removal Nov. 1, 2003 80128 Authority of Rairoad Engineer June 1, 1989 June 30, 1994 80060 Bituminous Base Course/Videning Superpave April 1, 2002 Aug. 1, 2005 80060 Bituminous Concrete Surface Course April 1, 2001 April 1, 2003 80161 Building Removal-Case I (Non-Friable and Friable Asbestos) Sept. 1, 1990 Aug. 1, 2005 80066 Building Removal-Case II (Non-Friable Asbestos) Sept. 1, 1990 Aug. 1, 2001 8018 Building Removal-Case IV (No Asbestos) Sept. 1, 1990 Aug. 1, 2001 8018 Building Removal-Case IV (No Asbestos) Sept. 1, 1990 Aug. 1, 2001 8018 Building Removal-Case IV (No Asbestos) Sept. 1, 1990 Aug. 1, 2001 8018 Built Joints April 1, 2004 April 1, 2004 April 1, 2006 80051 Coalcum Choride Accelerator for Portland Cement Concrete Patching Jan. 1, 2004 April 1, 2006 80077 Chair Supports Jan. 1, 2004 April 1, 2004 April 1, 2004 April 1, 2004 80052 Coarcete Aggregate for Trench Backfill, Backfill and Bedding Ap | <u></u> | | | | | | |
| • 80166 22 X Aggregate Shipping Tickets Jan. 1, 2006 80100 Asbestos Bearing Pad Removal Nov. 1, 2003 June 1, 1989 June 30, 1994 72541 Asbestos Waterproofing Membrane and Asbestos Bituminous June 1, 1989 June 30, 1994 80126 Autority of Raincad Engineer July 1, 2004 Aug. 1, 2005 80126 Bituminous Concrete Surface Course April 1, 2002 Aug. 1, 2004 80026 Bituminous Equipment, Spreading and Finishing Machine April 1, 2004 April 1, 2004 90281 Building Removal-Case II (Non-Frable and Frable Asbestos) Sept. 1, 1990 Aug. 1, 2001 90481 Building Removal-Case II (Non-Frable Asbestos) Sept. 1, 1990 Aug. 1, 2001 90531 Building Removal-Case II (Non-Frable Asbestos) Sept. 1, 1990 Aug. 1, 2001 90511 Building Removal-Case II (Non-Frable Asbestos) Sept. 1, 1990 Aug. 1, 2005 9051 Building Removal-Case II (Non-Frable Asbestos) Sept. 1, 1990 Aug. 1, 2001 9051 Concrete Admitures April 1, 2004 April 1, 2004 April 1, 2004 9052 | | 80099 | | | Accessible Pedestrian Signals (APS) | April 1, 2003 | |
| 80108Asbestos Bearing Pad RemovalNov. 1, 200372541Asbestos Waterproofing Membrane and Asbestos BituminousJune 1, 1989June 30, 199480128Authority of Ralinoad EngineerJuly 1, 200480066Bituminous Concrete Surface CourseApril 1, 200180066Bituminous Concrete Surface CourseApril 1, 200580066Bituminous Concrete Surface CourseApril 1, 200480182Bituminous Concrete Surface CourseApril 1, 200580066Bridge Deck ConstructionApril 1, 200580066Building Removal-Case I (Non-Friable Asbestos)Sept 1, 199090181Building Removal-Case II (Non-Friable Asbestos)Sept 1, 199090261Building Removal-Case II (Non-Friable Asbestos)Sept 1, 199090311Calcium Chloride Accelerator for Portland Cement Concrete PatchingJan. 1, 200190312Calcium Chloride Accelerator for Portland Cement Concrete PatchingJan. 1, 200190312Concrete AdmixturesJan. 1, 20039034223Concrete AdmixturesJan. 1, 20039034223Concrete AdmixturesJan. 1, 20039034324Curing and Protection of Concrete ConstructionJan. 1, 20049034425Discdvantaged Business Enterprise ParticipationSept. 1, 20019034426Disedvantaged Business Enterprise ParticipationSept. 1, 20039034426Disedvantaged Business Enterprise ParticipationApril 1, 20049035444Curing and Protection of Concrete ConstructionJan. | * | | 22 | X | | Jan. 1, 2006 | |
| 72541 Asbestos Waterproofing Membrane and Asbestos Bituminous June 1, 1989 June 3, 1984 80128 Authority of Raiiroad Engineer July 1, 2004 80065 Bituminous Base Course/Widening Superpave April 1, 2001 April 1, 2003 80142 Bituminous Equipment, Spreading and Friable Machine April 1, 2004 April 1, 2004 80066 Bituminous Equipment, Spreading and Friable Asbestos) Sept. 1, 1990 Aug. 1, 2001 50261 Building Removal-Case II (Non-Friable Asbestos) Sept. 1, 1990 Aug. 1, 2001 50481 Building Removal-Case II (Non-Friable Asbestos) Sept. 1, 1990 Aug. 1, 2001 50531 Building Removal-Case IV (No Asbestos) Sept. 1, 1990 Aug. 1, 2001 80051 Calcium Chioride Accelerator for Portland Cement Concrete Patching Nov. 1, 2002 Nov. 2, 2002 80051 Calcium Chioride Accelerator for Portland Cement Concrete Patching Jan. 1, 2004 April 1, 2004 80112 Concrete Admixtures Jan. 1, 2003 July 1, 2004 80124 X Concrete Admixtures Jan. 1, 2003 July 1, 2004 80124 X Curing and Protection of Concrete Construction Jan. 1, 2003 July 1, 2004 80124 X Curing and Protection of Concrete Construction Jan. 1, 2003 July 1, 2004 | | | | | | Nov. 1, 2003 | |
| 80128Authority of Railroad EngineerJuly 1, 200480065Bituminous Base Course/Widering SuperaveApril 1, 2001April 1, 200380142Bituminous Equipment, Spreading and Fhishing MachineJan. 1, 2005April 1, 200480166Bridge Deck ConstructionApril 1, 2004April 1, 200450261Building Removal-Case I (Non-Frable and Friable Asbestos)Sept. 1, 1990Aug. 1, 200150481Building Removal-Case I II (Friable Asbestos)Sept. 1, 1990Aug. 1, 200150491Building Removal-Case I IV (No Asbestos)Sept. 1, 1990Aug. 1, 200150531Building Removal-Case I IV (No Asbestos)Sept. 1, 1990Aug. 1, 200180031Calcium Chloride Accelerator for Portland Cement Concrets PatchingJan. 1, 2001Nov. 2, 200280051Calcium Chloride Accelerator for Portland Cement Concrets PatchingJan. 1, 2004Nov. 2, 20028005423Concrete AdmixturesJan. 1, 2004April 2, 200480102Concrete AdmixturesJan. 1, 2004April 2, 200480112Concrete BarrierJan. 1, 2004Nov. 1, 20038014428XCoring and Protection of Concrete ConstructionJan. 1, 200480128Acting and Protection of Concrete ConstructionJan. 1, 2005June 22, 200580146Detectable WarningsApril 1, 2005June 22, 200580146Disadvantaged Business Enterprise ParticipationApril 1, 2003July 1, 200480103Epoxy Pavement MarkingJan. 1, 2006June 22, 2005 <t< td=""><td></td><td></td><td></td><td></td><td></td><td>June 1, 1989</td><td>June 30,1994</td></t<> | | | | | | June 1, 1989 | June 30,1994 |
| B0065 Bituminous Base Course/Widening Superpave April 1, 2002 April 1, 2005 80050 Bituminous Concrete Surface Course April 1, 2003 April 1, 2003 80142 Bituminous Calupment, Spreading and Fhishing Machine Jan 1, 2005 April 1, 2002 April 1, 2002 80066 Bridge Deck Construction Sept. 1, 1990 Aug. 1, 2001 50261 Building Removal-Case II (Non-Friable and Friable Asbestos) Sept. 1, 1990 Aug. 1, 2001 50481 Building Removal-Case IV (No Asbestos) Sept. 1, 1990 Aug. 1, 2001 50531 Building Removal-Case IV (No Asbestos) Sept. 1, 1990 Aug. 1, 2005 80077 Chair Supports Concrete Admitures Jan. 1, 2002 Nov. 2, 2002 80051 Concrete Admitures Jan. 1, 2003 July 1, 2004 April 2, 2004 80112 Concrete Admitures Jan. 1, 2003 July 1, 2004 April 2, 2005 80122 Corurgated Metal Pipe Culverts Aug. 1, 2001 Nov. 1, 2005 July 1, 2004 80114 28 Curing and Protection of Concrete Construction Jan. 1, 2004 April 2, 2003 | | 80128 | | | | July 1, 2004 | · . |
| 80050Bituminous Concrete Surface CourseApril 1, 2001April 1, 200380142Bituminous Equipment, Spreading and Finishing MachineJan. 1, 200580066Bridge Deck ConstructionApril 1, 200450261Building Removal-Case I (Non-Friable Asbestos)Sept. 1, 199050481Building Removal-Case II (Non-Friable Asbestos)Sept. 1, 199050491Building Removal-Case II (Non-Friable Asbestos)Sept. 1, 199060511Building Removal-Case II (Non-Frable Asbestos)Sept. 1, 199060513Building Removal-Case IV (No Asbestos)Sept. 1, 199080034Calcium Chloride Accelerator for Portland Cement Concrete PatchingJan. 1, 200180051Calcium Chloride Accelerator for Portland Cement Concrete PatchingJan. 1, 200180052Concrete AdmixturesJan. 1, 200480102Concrete AdmixturesJan. 1, 200480102Corrugated Metal Pipe CulvertsJan. 1, 200580053Detectable WarningsApril 1, 200380054Zi Concrete BearingsApril 1, 200580055Disadvantaged Business Enterprise ParticipationApril 1, 200380055Zierosion and Sediment Control Deficiency DeductionAug. 1, 200380054Zi Fiagger VestsApril 1, 200580079Fiezes-Thaw RatingApril 1, 20038010145Fiagger VestsApril 1, 20038010145Fiagger VestsApril 1, 200380103Lipter Timished ExceavationAug. 1, 200380104Hand VibratorAug. 1, 200 | | | | <u> </u> | | | Aug. 1, 2005 |
| 80142Bituminous Equipment, Spreading and Finishing MachineJan. 1, 200580066Bridge Deck ConstructionApril 1, 200450261Building Removal-Case II (Non-Friable Asbestos)Sept. 1, 199050481Building Removal-Case II (Non-Friable Asbestos)Sept. 1, 199050481Building Removal-Case II (Triable Asbestos)Sept. 1, 199050481Building Removal-Case II (Triable Asbestos)Sept. 1, 199050531Building Removal-Case IV (No Asbestos)Sept. 1, 199060051Coarse Aggregate for Trench Portland Cement Concrets PatchingJan. 1, 200480054Coarse Aggregate for Trench Backfill, Backfill and BeddingApril 1, 20048005423Concrete AdmixturesJan. 1, 200380054Concrete BarrierJan. 1, 2004April 2, 200480112Concrete BarrierJan. 1, 2004April 2, 20048011428Curing and Protection of Concrete ConstructionJan. 1, 2003July 1, 2004801448Curing and Protection of Concrete ConstructionJan. 1, 2005July 1, 200480144Elastomeric BearriersApril 1, 2005Jan. 1, 2003July 1, 200480041Elastomeric BearringsApril 1, 2003Jun 1, 2003Jun 22, 20058005544X Erosion and Sediment Control Deficiency DeductionAug. 1, 2003Jan. 1, 200480072Freaze-Thaw RatingNov. 1, 2004Nov. 1, 200480073Erosion and Sediment Control Deficiency DeductionAug. 1, 2003Jan. 1, 200580074K Fiagge | | | | <u> </u> | | • | • |
| 80066Bridge Deck ConstructionApril 1, 2004April 1, 200450261Building Removal-Case I (Non-Friable Asbestos)Sept. 1, 1990Aug. 1, 200150481Building Removal-Case II (Non-Friable Asbestos)Sept. 1, 1990Aug. 1, 200150491Building Removal-Case II (Vin Asbestos)Sept. 1, 1990Aug. 1, 200150531Building Removal-Case IV (No Asbestos)Sept. 1, 1990Aug. 1, 200180018Building Removal-Case IV (No Asbestos)Sept. 1, 1990Aug. 1, 200180031Calcium Chloride Accelerator for Portland Cement Concrets PatchingJan. 1, 2004April 1, 200480077Chair SupportsJan. 1, 2001Nov. 1, 2003Nov. 1, 20038009423X Concrete AdmixturesJan. 1, 2004April 2, 200480102Corrugated Metal Pipe CulvertsJan. 1, 2004Nov. 1, 200580144Elastomeric BearrigsApril 1, 2005Nov. 1, 200580144Elastomeric BearrigsApril 1, 2004Nov. 1, 20038005544X Friagger VestsApril 1, 2004Nov. 1, 200580103Epoxy Pavement MarkingNov. 1, 2003Nov. 1, 200480103K Freeze-Thaw RatingNov. 1, 2003Nov. 1, 200480104K Freeze-Thaw RatingNov. 1, 2003Nov. 1, 200480105Hand Vibrat | | | | | | | • |
| S0261Building Removal-Case I (Non-Friable and Friable Asbestos)Sept 1, 1990Aug. 1, 200150481Building Removal-Case II (Non-Friable Asbestos)Sept 1, 1990Aug. 1, 200150491Building Removal-Case IV (No Asbestos)Sept 1, 1990Aug. 1, 200580118Building Removal-Case IV (No Asbestos)Sept 1, 1990Aug. 1, 200580031Calcium Chloride Accelerator for Portland Cement Concrete PatchingJan. 1, 2004April 1, 200580031Calcium Chloride Accelerator for Portland Cement Concrete PatchingNov. 1, 2002Nov. 2, 20028006423Concrete AdmixturesJan. 1, 2003July 1, 200480112Concrete AdmixturesJan. 1, 2003July 1, 20048011428XCuring and Protection of Concrete ConstructionJan. 1, 2003July 1, 20048011428XCuring and Protection of Concrete ConstructionJan. 1, 2005July 1, 200580144Elastomerio BearingsApril 1, 1997Jan. 1, 2005Jun. 2, 200580144Epoxy Pavement MarkingJan. 1, 2004Avril 2, 20058005444XFreeze-Thaw RatingApril 1, 2003Jan. 1, 200480072Furnished ExcavationAug. 1, 2001Aug. 1, 200380073Freeze-Thaw RatingNov. 1, 2002Nov. 1, 20048010445KFlagger VestsApril 1, 200380074Hand VibratorNov. 1, 2004Nov. 1, 200680075Furnished ExcavationAug. 1, 200380104Impact Attenuators | | | | | | April 1, 2002 | April 1, 2004 |
| S0481Building Removal-Case II (Non-Friable Asbestos)Sept. 1, 1990Aug. 1, 200150481Building Removal-Case III (Friable Asbestos)Sept. 1, 1990Aug. 1, 200150531Building Removal-Case IV (No Asbestos)Sept. 1, 1990Aug. 1, 200180118Butt JointsCalcium Chloride Accelerator for Portland Cement Concrete PatchingJan. 1, 200280031Concrete Aggregate for Trench Backfill Backfill and BeddingApril 1, 2001Nov. 1, 20038009423Concrete AdmixturesJan. 1, 2004April 2, 200480112Concrete AdmixturesJan. 1, 2004April 2, 200480112Concrete BarrierJan. 1, 2004April 2, 200480112Corrugated Metal Pipe CulvertsAug. 1, 2003July 1, 20048011428XCuring and Protection of Concrete ConstructionJan. 1, 2004April 2, 20058012936XDisadvantaged Business Enterprise ParticipationSept. 1, 2000June 22, 200580146Detectable WarningsApril 1, 2005April 1, 2005June 22, 200580141Epoxy Coating on ReinforcementApril 1, 2007April 1, 20038005544Erosion and Sediment Control Deficiency DeductionAug. 1, 2001Nov. 1, 200380013Expansion JointsAug. 1, 2003Jun. 1, 200680079Freeze-Thaw RatingNov. 1, 2004Nov. 1, 200480104Expansion JointsAug. 1, 2003Aug. 1, 200380105Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 2003 | | | | | | • | |
| 50491Building Removal-Case III (Friable Asbestos)Sept. 1, 1990Aug. 1, 200150531Building Removal-Case IV (No Asbestos)Sept. 1, 1990Aug. 1, 200180118Butt JointsApril 1, 2004April 1, 200480031Calcium Chloride Accelerator for Portland Cement Concrete PatchingJan. 1, 200180077Chair SupportsNov. 2, 20028005423XConcrete AdmixturesJan. 1, 200380102Concrete AdmixturesJan. 1, 2004April 2, 200480112Concrete MarinerAug. 1, 2005July 1, 20048011428XCuring and Protection of Concrete ConstructionJan. 1, 2003July 1, 200480146Detectable WarningsApril 1, 2005Nov. 1, 200580146Detectable WarningsApril 1, 2005June 22, 200580144Elastomeric BearingsApril 1, 2005June 22, 200580144Elastomeric BearingsApril 1, 2003Jun. 1, 20038005544XFrosion and Sediment Control Deficiency DeductionAug. 1, 200280079Freeze-Thaw RatingNov. 1, 2003Jan. 1, 200480074Hand VibratorAug. 1, 2005Nov. 1, 200380104Stepasion JointsAug. 1, 2003Jan. 1, 200480114Stepasion JointsApril 1, 2005Nov. 1, 200480114Flagger VestsApril 1, 2005Nov. 1, 200480104Stepasion JointsApril 1, 2005Nov. 1, 200480114Flagger VestsApril 1, 2005Nov. 1, | | | | | | Sept. 1, 1990 | Aug. 1, 2001 |
| S0031Building Removal-Case IV (No Asbestos)Sept. 1, 1990Aug. 1, 200180118Butt JointsApril 1, 2005April 1, 200580031Calcium Chloride Accelerator for Portland Cement Concrete PatchingJan. 1, 200180077Chair SupportsNov. 1, 200280051Coarse Aggregate for Trench Backfill, Backfill and BeddingApril 1, 200180112Concrete AdmixturesJan. 1, 200380102Conrugated Metal Pipe CulvertsAug. 1, 200480112Concrete BarrierJan. 1, 200480112Conrugated Metal Pipe CulvertsAug. 1, 20048011428Curing and Protection of Concrete ConstructionJan. 1, 200580114Elastomeric BearingsApril 1, 200580125Epoxy Coating on ReinforcementApril 1, 200580136Epoxy Coating on ReinforcementApril 1, 20038010145K Flagger VestsApril 1, 20038011454Flagger VestsApril 1, 20038011455Flagger VestsApril 1, 20038012Freeze-Thaw RatingNov. 1, 20028013Klipt Emitting Diode (LED) Signal HeadNov. 1, 200380147Illuminated SignNov. 1, 200480160Insertion Thing of Pipe CulvertsNov. 1, 2004< |) | | | | | | Aug. 1, 2001 |
| 80118Butt JointsApril 1, 2004April 1, 200580031Calcium Chloride Accelerator for Portland Cement Concrete PatchingJan. 1, 2001Nov. 1, 200280051Coarse Aggregate for Trench Backfill, Backfill and BeddingApril 1, 2001Nov. 1, 20038009423XConcrete AdmixturesJan. 1, 2004April 1, 200480112Concrete ArriverJan. 1, 2004April 2, 200480102Corrugated Metal Pipe CulvertsAug. 1, 2003July 1, 20048011428XCuring and Protection of Concrete ConstructionJan. 1, 20058012936XDisadvantaged Business Enterprise ParticipationSept. 1, 20058002936XDisadvantaged Business Enterprise ParticipationSept. 1, 200380041Epoxy Pavement MarkingJan. 1, 2001Aug. 1, 200380041Epoxy Pavement MarkingJan. 1, 2001Aug. 1, 200380041Epoxy Pavement MarkingJan. 1, 2003Nov. 1, 200180079Freeze-Thaw RatingNov. 1, 2002Nov. 1, 200480072Furnished ExcavationAug. 1, 2005Nov. 1, 200380104Lipht Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200380104Inpact Attenuators, TemporaryNov. 1, 200380105Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200580109Impact Attenuators, TemporaryNov. 1, 200580109Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200580130Light Emitting Diode (LED) Pedestrian | | | | | | | |
| Bit StrainCalcium Chloride Accelerator for Portland Cement Concrete PatchingJan. 1, 2001Nov. 2, 200280077Chair SupportsNov. 1, 2003Nov. 1, 2003Nov. 1, 2003Nov. 1, 20038008423XConcrete AdmixturesJan. 1, 2004April 1, 2001Nov. 1, 20038008423XConcrete BarrierJan. 1, 2004April 2, 200480102Corrugated Metal Pipe CulvertsAug. 1, 2003July 1, 200480112Corrugated Metal Pipe CulvertsAug. 1, 2003July 1, 200480112Curing and Protection of Concrete ConstructionJan. 1, 2004Nov. 1, 20058012936XDetectable WarningsAug. 1, 2003June 22, 200580144Elastomeric BearingsApril 1, 2005June 22, 200580144Elastomeric BearingsApril 1, 2001Nov. 1, 20038005544XErosion and Sediment Control Deficiency DeductionAug. 1, 200380079Freeze-Thaw RatingNov. 1, 2003Nov. 1, 200480072Furnished ExcavationAug. 1, 2004Nov. 1, 200480074Hand VibratorAug. 1, 2004Nov. 1, 200480075Hand VibratorAug. 1, 2003Nov. 1, 200480076Freeze-Thaw RatingNov. 1, 2003Nov. 1, 200480077Furnished ExcavationAug. 1, 2004Nov. 1, 200480078Filagger VestsNov. 1, 2003Nov. 1, 200480104Linet FiltersNov. 1, 2004Nov. 1, 200480079Freeze-Thaw Rat | | | | | | • | • |
| 80077Chair SupportsNov. 1, 2002Nov. 2, 200280051Coarse Aggregate for Trench Backfill, Backfill and BeddingApril 1, 2001Nov. 1, 20038009423Concrete AdmixturesJan. 1, 2003July 1, 200480112Concrete BarrierJan. 1, 2003July 1, 200480112Corrugated Metal Pipe CulvertsJan. 1, 2003July 1, 200480112Corrugated Metal Pipe CulvertsJan. 1, 2003July 1, 20048011428Curing and Protection of Concrete ConstructionJan. 1, 2004Nov. 1, 200580146Disadvantaged Business Enterprise ParticipationSept. 1, 2000June 22, 200580144Elastomeric BearingsApril 1, 1997Jan. 1, 20038005544Erosion and Sediment Control Deficiency DeductionAug. 1, 20038005644XFlagger VestsApril 1, 200580072Freeze-Thaw RatingNov. 1, 2003Jan. 1, 200680073Freeze-Thaw RatingNov. 1, 2003In. 1, 200480054Hand VibratorNov. 1, 2003Nov. 1, 200480054Hand VibratorNov. 1, 2003April 1, 200480104Impact Attenuators, TemporaryNov. 1, 2003April 1, 200480105Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200380104IntersNov. 1, 2005April 1, 200480105Light Emitting Diode (LED) Signal HeadNov. 1, 200580104Interstabilized Soil MixtureNov. 1, 200580067Light Emitting Diode (LED) | | | | | | • | • |
| 80051Coarse Aggregate for Trench Backfill, Backfill and BeddingApril 1, 2001Nov. 1, 20038009423XConcrete AdmixturesJan. 1, 2003July 1, 200480112Concrete BarrierJan. 1, 2003July 1, 200480112Corrugated Metal Pipe CulvertsAug. 1, 2003July 1, 20048011428XCuring and Protection of Concrete ConstructionJan. 1, 2004Nov. 1, 200580146Detectable WarningsAug. 1, 2005Sept. 1, 2000June 22, 200580144Elastomeric BearingsApril 1, 1997Jan. 1, 200380041Epoxy Pavement MarkingJan. 1, 2001Aug. 1, 20038005544XErosion and Sediment Control Deficiency DeductionAug. 1, 2001Nov. 1, 20038005644XErosion and Sediment Control Deficiency DeductionAug. 1, 2003Jan. 1, 200380079Freeze-Thaw RatingNov. 1, 2002Nov. 1, 2001Nov. 1, 200480072Furnished ExcavationAug. 1, 2003Jan. 1, 200380147Illuminated SignAug. 1, 2003Nov. 1, 200380110Impact Attenuators, TemporaryNov. 1, 2003April 1, 200480104Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200480105Light Emitting Diode (LED) Signal HeadNov. 1, 200480104Light Emitting Diode (LED) Signal HeadNov. 1, 200580133Light Emitting Diode (LED) Signal HeadNov. 1, 200480134Material Transfer DeviceJan. 1, 2005 | | | | | | | Nov. 2, 2002 |
| 8008423XConcrete AdmixturesJan. 1, 2003July 1, 200480112Concrete AdmixturesJan. 1, 2004April 2, 200480102Corrugated Metal Pipe CulvertsJan. 1, 2004April 2, 20048011428XCuring and Protection of Concrete ConstructionJan. 1, 2004Nov. 1, 20058012936XDisadvantaged Business Enterprise ParticipationSept. 1, 2005Nov. 1, 200580144Elastomeric BearingsApril 1, 1997Jan. 1, 2003July 2, 200581578Epoxy Coating on ReinforcementApril 1, 1997Jan. 1, 2001Aug. 1, 200380041Epoxy Pavement MarkingJan. 1, 2001Aug. 1, 20038005544XFrosion and Sediment Control Deficiency DeductionAug. 1, 200380103Expansion JointsAug. 1, 2003Jan. 1, 200480074Freeze-Thaw RatingApril 1, 2003Jan. 1, 200680075Freeze-Thaw RatingAug. 1, 2003Jan. 1, 200480054Hand VibratorAug. 1, 2003Nov. 1, 200380100Impact AttenuatorsNov. 1, 2003April 1, 200380101Impact Attenuators, TemporaryNov. 1, 2003April 1, 200380160Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200580081Lime Gradation RequirementsNov. 1, 200580081Lime Gradation RequirementsNov. 1, 200580082Multilane Pavement PatchingNov. 1, 200580133Multilane Pavement PatchingNov. 1, 2005 <td></td> <td></td> <td></td> <td><u> </u></td> <td></td> <td></td> <td>Nov. 1, 2003</td> | | | | <u> </u> | | | Nov. 1, 2003 |
| 80112Concrete BarrierJan. 1, 2004April 2, 200480112Corrugated Metal Pipe CulvertsAug. 1, 2003July 1, 20048011428Curing and Protection of Concrete ConstructionJan. 1, 2004Nov. 1, 200580146Detectable WarningsAug. 1, 2005June 22, 200580147Elastomeric BearingsApril 1, 1997Jan. 1, 200380041Epoxy Coating on ReinforcementApril 1, 1997Jan. 1, 2001800424XErosion and Sediment Control Deficiency DeductionAug. 1, 200180043Expansion JointsApril 1, 200380079Freeze-Thaw RatingNov. 1, 200280079Freeze-Thaw RatingNov. 1, 200380074Illuminated SignAug. 1, 200380109Impact AttenuatorsNov. 1, 200380100Insertion Lining of Pipe CulvertsNov. 1, 200380101Light Emitting Diode (LED) Signal HeadNov. 1, 200380160Light Emitting Diode (LED) Signal HeadNov. 1, 200480164Lime Stabilized Soil MixtureNov. 1, 200480173Material Transfer DeviceJune 15, 199980184Material Transfer DeviceJune 15, 199980195Material Transfer DeviceJune 15, 199980165Material Transfer DeviceJune 15, 199980174Material Transfer DeviceJune 15, 199980184Light Emitting Diode (LED) Signal HeadNov. 1, 200580184Light Emitting Diode (LED) Signal HeadNov. 1, 200580185Light Emit | | | 23 | X | | | July 1, 2004 |
| 80102Corrugated Metal Pipe CulvertsAug. 1, 2003July 1, 20048011428XCuring and Protection of Concrete ConstructionJan. 1, 2004Nov. 1, 200580146Detectable WarningsAug. 1, 2005Nov. 1, 200580147Disadvantaged Business Enterprise ParticipationSept. 1, 2000June 22, 200580144Elastomeric BearingsApril 1, 2005June 22, 200580144Elastomeric BearingsApril 1, 1997Jan. 1, 200380041Epoxy Pavement MarkingJan. 1, 2001Aug. 1, 20038005544XErosion and Sediment Control Deficiency DeductionAug. 1, 20038005444XFlagger VestsApril 1, 200380079Freeze-Thaw RatingNov. 1, 2002Nov. 1, 200280072Furnished ExcavationAug. 1, 2003Nov. 1, 200480054Hand VibratorNov. 1, 2003Nov. 1, 200380109Impact AttenuatorsNov. 1, 2003April 1, 200480104Inlet FiltersNov. 1, 2003April 1, 200480105Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 2003April 1, 200480161Lime Gradation RequirementsNov. 1, 2002Nov. 1, 200380150Light Emitting Diode (LED) Signal HeadNov. 1, 2002Nov. 1, 200580081Lime Gradation RequirementsNov. 1, 2004April 1, 200580150Material Transfer DeviceJune 15, 1999March 1, 200180151Mulching Seeded AreasJan. 1, 2005March 1, 2005 | | | 20 | <u> </u> | | • | |
| 8011428XCuring and Protection of Concrete ConstructionJan. 1, 2004Nov. 1, 200580146Detectable WarningsAug. 1, 20058002936XDisadvantaged Business Enterprise ParticipationSept. 1, 200080144Elastomeric BearingsApril 1, 200581778Epoxy Coating on ReinforcementApril 1, 199780041Epoxy Pavement MarkingJan. 1, 20018005544XErosion and Sediment Control Deficiency Deduction8010145XFlagger Vests80079Freeze-Thaw RatingNov. 1, 200280072Furnished ExcavationAug. 1, 200380054Hand VibratorAug. 1, 200380147Illuminated SignAug. 1, 200380109Impact Attenuators, TemporaryNov. 1, 200380100Insertion Lining of Pipe CulvertsNov. 1, 200380080Light Emitting Diode (LED) Signal HeadNov. 1, 200280081Lime Gradation RequirementsNov. 1, 200480085Material Transfer DeviceJune 15, 199980137Mulching Seeded AreasJan. 1, 200480138Mulching Seeded AreasJan. 1, 200580082Mulching Seeded AreasJan. 1, 200480138Mulching Pavement PatchingNov. 1, 20028029Nothed Wedge Longitudinal JointJuly 1, 2004 | | | | | | | |
| 80146Detectable WarningsAug. 1, 20058002936XDisadvantaged Business Enterprise ParticipationSept. 1, 2000June 22, 200580144Elastomeric BearingsApril 1, 2005Sept. 1, 2003Jan. 1, 200331578Epoxy Coating on ReinforcementApril 1, 1997Jan. 1, 2003Jan. 1, 200180041Epoxy Pavement MarkingJan. 1, 2001Aug. 1, 20038005544XErosion and Sediment Control Deficiency DeductionAug. 1, 20038013Expansion JointsAug. 1, 2003Jan. 1, 200380079Freeze-Thaw RatingNov. 1, 200280072Furnished ExcavationAug. 1, 200580147Illuminated SignAug. 1, 200380140Inher FiltersNov. 1, 200380147Illuminated SignAug. 1, 200380140Inher FiltersNov. 1, 200380150Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200480080Insertion Lining of Pipe CulvertsNov. 1, 200280081Light Emitting Diode (LED) Signal HeadNov. 1, 200280133Lime Gradation RequirementsNov. 1, 200480147Minimum Lane Width with Lane ClosureJan. 1, 200480150Mulching Seeded AreasJan. 1, 200580081Mulching Seeded AreasJan. 1, 200580082Mulching Seeded AreasJan. 1, 200580133Mulching Seeded AreasJan. 1, 200580138Mulching Seeded AreasJan. 1, 200580139Mulching Seeded A | | | 28 | x | | | |
| 8002936XDisadvantaged Business Enterprise ParticipationSept. 1, 2000June 22, 200580144Elastomeric BearingsApril 1, 200531578Epoxy Coating on ReinforcementApril 1, 1997Jan. 1, 200380041Epoxy Pavement MarkingJan. 1, 2001Aug. 1, 20038005544XErosion and Sediment Control Deficiency DeductionAug. 1, 200180103Expansion JointsAug. 1, 200380079Freeze-Thaw RatingApril 1, 200280072Furnished ExcavationAug. 1, 200280054Hand VibratorNov. 1, 200380110Impact AttenuatorsNov. 1, 200380110Impact AttenuatorsNov. 1, 200380110Insertion Lining of Pipe CulvertsNov. 1, 200380080Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200280067Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200280081Lime Gradation RequirementsNov. 1, 200280045Material Transfer DeviceJune 15, 199980137Mulching Seeded AreasJan. 1, 200580082Mulching Seeded AreasJan. 1, 200580082Mulching Seeded AreasJan. 1, 200580138Mulching Seeded AreasJan. 1, 200580139Notched Wedge Longitudinal JointJuly 1, 2004 | | | 20 | <u> </u> | | | |
| 80144Elastomeric BearingsApril 1, 200531578Epoxy Coating on ReinforcementApril 1, 1997Jan. 1, 200380041Epoxy Pavement MarkingJan. 1, 2001Aug. 1, 20038005544K crosion and Sediment Control Deficiency DeductionAug. 1, 2001Nov. 1, 200180103Expansion JointsAug. 1, 2003Jan. 1, 200380079Freeze-Thaw RatingApril 1, 2002Nov. 1, 200280072Furnished ExcavationAug. 1, 2002Nov. 1, 200480054Hand VibratorNov. 1, 2003Nov. 1, 200380147Illuminated SignAug. 1, 2003Nov. 1, 200380109Impact AttenuatorsNov. 1, 2003Nov. 1, 200380104Inject Attenuators, TemporaryNov. 1, 2003April 1, 200480160Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 2002Nov. 1, 200380160Light Emitting Diode (LED) Signal HeadNov. 1, 2002Nov. 1, 200280081Lime Gradation RequirementsNov. 1, 2004April 1, 200580085Material Transfer DeviceJan. 1, 2005March 1, 200580133Lime Stabilized Soil MixtureNov. 1, 2005March 1, 200580134Mulching Seeded AreasJan. 1, 2005March 1, 200580129Notched Wedge Longitudinal JointJuly 1, 2004April 1, 2005 | | | 36 | X | | Sept. 1, 2000 | June 22, 2005 |
| 31578Epoxy Coating on ReinforcementApril 1, 1997Jan. 1, 200380041Epoxy Pavement MarkingJan. 1, 2001Aug. 1, 20038005544XErosion and Sediment Control Deficiency DeductionAug. 1, 200180103Expansion JointsAug. 1, 20038010145XFlagger VestsApril 1, 200380079Freeze-Thaw RatingNov. 1, 200280072Furnished ExcavationAug. 1, 200380147Illuminated SignAug. 1, 200380147Illuminated SignAug. 1, 200380147Impact AttenuatorsNov. 1, 200380109Impact AttenuatorsNov. 1, 200380104Inlet FiltersAug. 1, 200380105Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200280080Light Emitting Diode (LED) Signal HeadNov. 1, 200280081Lime Gradation RequirementsNov. 1, 200280045Material Transfer DeviceJune 15, 199980133Minimum Lane Width with Lane ClosureJan. 1, 200580138Mulching Seeded AreasJan. 1, 200580138Mulching Seeded AreasJan. 1, 200580129Notched Wedge Longitudinal JointJuly 1, 2004 | | | | | | April 1, 2005 | |
| 80041Epoxy Pavement MarkingJan. 1, 2001Aug. 1, 20038005544XErosion and Sediment Control Deficiency DeductionAug. 1, 2001Nov. 1, 200180103Expansion JointsAug. 1, 2003Fuestion JointsAug. 1, 2003Jan. 1, 200680079Freeze-Thaw RatingApril 1, 2003Jan. 1, 2006Nov. 1, 200280072Furnished ExcavationAug. 1, 2002Nov. 1, 200480054Hand VibratorNov. 1, 2003Nov. 1, 200380147Illuminated SignAug. 1, 2003Nov. 1, 200380109Impact AttenuatorsNov. 1, 2003Nov. 1, 200380104Inlet FiltersAug. 1, 2003April 1, 200480105Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 2002Aug. 1, 200580067Light Emitting Diode (LED) Signal HeadNov. 1, 2002Nov. 1, 200580081Lime Gradation RequirementsNov. 1, 2002March 1, 200580045Material Transfer DeviceJune 15, 1999March 1, 200180133Mulching Seeded AreasJan. 1, 2005March 1, 200180138Mulching Seeded AreasJan. 1, 2005Nov. 1, 200280138Mulching Seeded AreasJan. 1, 200580138Mulching Seeded AreasJan. 1, 200580139Notched Wedge Longitudinal JointNov. 1, 2002 | | | | | | April 1, 1997 | Jan. 1, 2003 |
| 8005544XErosion and Sediment Control Deficiency DeductionAug. 1, 2001Nov. 1, 200180103Expansion JointsAug. 1, 2003Aug. 1, 2003Jan. 1, 200680079Flagger VestsApril 1, 2002Nov. 1, 200280072Furnished ExcavationAug. 1, 2002Nov. 1, 200480054Hand VibratorNov. 1, 2003Nov. 1, 200380147Illuminated SignAug. 1, 2005Nov. 1, 200380109Impact AttenuatorsNov. 1, 2003April 1, 200380104Inlet FiltersNov. 1, 2003April 1, 200480055Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 2002Aug. 1, 200580067Light Emitting Diode (LED) Signal HeadNov. 1, 2002Nov. 1, 200580081Lime Gradation RequirementsNov. 1, 2002Nov. 1, 200580045Material Transfer DeviceJan. 1, 2005March 1, 200180137Minimum Lane Width with Lane ClosureJan. 1, 2005March 1, 200180138Mulching Seeded AreasJan. 1, 2005Nov. 1, 200280129Notched Wedge Longitudinal JointNov. 1, 2002April 1, 2004 | | | | | | Jan. 1, 2001 | Aug. 1, 2003 |
| 80103Expansion JointsAug. 1, 2003*80101 45XFlagger VestsApril 1, 200380079Freeze-Thaw RatingNov. 1, 200280072Furnished ExcavationAug. 1, 200280054Hand VibratorNov. 1, 200380147Illuminated SignAug. 1, 200380109Impact AttenuatorsNov. 1, 200380104Impact Attenuators, TemporaryNov. 1, 200380104Inlet FiltersNov. 1, 200380080Insertion Lining of Pipe CulvertsNov. 1, 200380067Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200280081Light Emitting Diode (LED) Signal HeadNov. 1, 200280081Lime Gradation RequirementsNov. 1, 200280133Lime Stabilized Soil MixtureNov. 1, 200480136Mulching Seeded AreasJan. 1, 200580082Multilane Pavement PatchingNov. 1, 200280129Notched Wedge Longitudinal JointJuly 1, 2004 | | | 44 | X | | Aug. 1, 2001 | Nov. 1, 2001 |
| * 8010145XFlagger VestsApril 1, 2003Jan. 1, 200680079Freeze-Thaw RatingNov. 1, 2002Nov. 1, 2002Nov. 1, 200280072Furnished ExcavationAug. 1, 2002Nov. 1, 200380054Hand VibratorNov. 1, 2003Nov. 1, 200380147Illuminated SignAug. 1, 2005Nov. 1, 200380109Impact AttenuatorsNov. 1, 2003April 1, 200380110Impact Attenuators, TemporaryNov. 1, 2003April 1, 200480104Inlet FiltersAug. 1, 2003April 1, 200380150Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 2002Aug. 1, 200380081Light Emitting Diode (LED) Signal HeadNov. 1, 2002Nov. 1, 200580081Lime Gradation RequirementsNov. 1, 2002Nov. 1, 200580133Lime Stabilized Soil MixtureNov. 1, 2004April 1, 200580133Material Transfer DeviceJan. 1, 2005March 1, 200580138Mulching Seeded AreasJan. 1, 200580138Mulching Seeded AreasJan. 1, 200580138Mulching Pavement PatchingNov. 1, 2002Nov. 1, 200280129Notched Wedge Longitudinal JointJuly 1, 2004April 1, 2005 | | | | | | | |
| 80079Freeze-Thaw RatingNov. 1, 200280072Furnished ExcavationAug. 1, 200280054Hand VibratorNov. 1, 200380147Illuminated SignAug. 1, 200580109Impact AttenuatorsNov. 1, 200380110Impact Attenuators, TemporaryNov. 1, 200380104Inlet FiltersNov. 1, 200380105Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200280067Light Emitting Diode (LED) Signal HeadNov. 1, 200280081Lime Gradation RequirementsNov. 1, 200280133Lime Stabilized Soil MixtureNov. 1, 200480137Minimum Lane Width with Lane ClosureJan. 1, 200580138Mulching Seeded AreasJan. 1, 200580139Notched Wedge Longitudinal JointJuly 1, 2004 | * | | 45 | X | | April 1, 2003 | Jan. 1, 2006 |
| 80072Furnished ExcavationAug. 1, 2002Nov. 1, 200480054Hand VibratorNov. 1, 200380147Illuminated SignAug. 1, 200580109Impact AttenuatorsNov. 1, 200380110Impact Attenuators, TemporaryNov. 1, 200380104Inlet FiltersAug. 1, 200380080Insertion Lining of Pipe CulvertsNov. 1, 200380067Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200580081Light Emitting Diode (LED) Signal HeadNov. 1, 200580081Lime Gradation RequirementsNov. 1, 200280133Lime Stabilized Soil MixtureNov. 1, 200480137Minimum Lane Width with Lane ClosureJan. 1, 200580138Mulching Seeded AreasJan. 1, 200580082Multilane Pavement PatchingNov. 1, 200280129Notched Wedge Longitudinal JointJuly 1, 2004 | | | | | | | |
| 80054Hand VibratorNov. 1, 200380147Illuminated SignAug. 1, 200580109Impact AttenuatorsNov. 1, 200380110Impact Attenuators, TemporaryNov. 1, 200380104Inlet FiltersAug. 1, 200380080Insertion Lining of Pipe CulvertsNov. 1, 200280150Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200580067Light Emitting Diode (LED) Signal HeadNov. 1, 200280081Lime Gradation RequirementsNov. 1, 200280133Lime Stabilized Soil MixtureNov. 1, 200480145Material Transfer DeviceJune 15, 199980137Minimum Lane Width with Lane ClosureJan. 1, 200580082Multilane Pavement PatchingNov. 1, 200280129Notched Wedge Longitudinal JointJuny 1, 2004 | | | | | Furnished Excavation | - | Nov. 1, 2004 |
| 80147Illuminated SignAug. 1, 200580109Impact AttenuatorsNov. 1, 200380110Impact Attenuators, TemporaryNov. 1, 200380104Inlet FiltersAug. 1, 200380080Insertion Lining of Pipe CulvertsNov. 1, 200280080Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200580087Light Emitting Diode (LED) Signal HeadNov. 1, 200280081Lime Gradation RequirementsNov. 1, 200280133Lime Stabilized Soil MixtureNov. 1, 200480045Material Transfer DeviceJune 15, 199980137Minimum Lane Width with Lane ClosureJan. 1, 200580138Mulching Seeded AreasJan. 1, 200580082Multilane Pavement PatchingNov. 1, 200480129Notched Wedge Longitudinal JointJuly 1, 2004 | | | | | Hand Vibrator | | |
| 80110Impact Attenuators, TemporaryNov. 1, 2003April 1, 200480104Inlet FiltersAug. 1, 200380080Insertion Lining of Pipe CulvertsNov. 1, 2002Aug. 1, 200380150Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 2005Aug. 1, 200380067Light Emitting Diode (LED) Signal HeadNov. 1, 2005Nov. 1, 200580081Lime Gradation RequirementsNov. 1, 2002Nov. 1, 200580133Lime Stabilized Soil MixtureNov. 1, 2004April 1, 200580137Material Transfer DeviceJune 15, 1999March 1, 200180138Mulching Seeded AreasJan. 1, 2005Jan. 1, 200580082Multilane Pavement PatchingNov. 1, 2002July 1, 200480129Notched Wedge Longitudinal JointJuly 1, 2004Aug. 1, 2002 | | | | | Illuminated Sign | | |
| Not fillImpact Attendation, Femperary80104Inlet Filters80080Insertion Lining of Pipe Culverts80080Insertion Lining of Pipe Culverts80150Light Emitting Diode (LED) Pedestrian Signal Head80067Light Emitting Diode (LED) Signal Head80081Lime Gradation Requirements80133Lime Stabilized Soil Mixture80145Material Transfer Device80137Minimum Lane Width with Lane Closure80138Mulching Seeded Areas80082Multilane Pavement Patching80129Notched Wedge Longitudinal Joint | | 80109 | | | Impact Attenuators | | |
| 80080Insertion Lining of Pipe CulvertsNov. 1, 2002Aug. 1, 200380150Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200580067Light Emitting Diode (LED) Signal HeadApril 1, 2002Nov. 1, 200580081Lime Gradation RequirementsNov. 1, 2002Nov. 1, 200280133Lime Stabilized Soil MixtureNov. 1, 2004April 1, 200580045Material Transfer DeviceJune 15, 1999March 1, 200180137Minimum Lane Width with Lane ClosureJan. 1, 2005Jan. 1, 200580138Mulching Seeded AreasJan. 1, 2005Nov. 1, 200280129Notched Wedge Longitudinal JointJuly 1, 2004Aug. 1, 2002 | | 80110 | | | Impact Attenuators, Temporary | | April 1, 2004 |
| 80150Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200580067Light Emitting Diode (LED) Signal HeadApril 1, 200280081Lime Gradation RequirementsNov. 1, 200280133Lime Stabilized Soil MixtureNov. 1, 200480045Material Transfer DeviceJune 15, 199980137Minimum Lane Width with Lane ClosureJan. 1, 200580138Mulching Seeded AreasJan. 1, 200580082Multilane Pavement PatchingNov. 1, 200480129Notched Wedge Longitudinal JointJuly 1, 2004 | | | | | Inlet Filters | • | |
| 80150Light Emitting Diode (LED) Pedestrian Signal HeadNov. 1, 200580067Light Emitting Diode (LED) Signal HeadApril 1, 200280081Lime Gradation RequirementsNov. 1, 200280133Lime Stabilized Soil MixtureNov. 1, 200480045Material Transfer DeviceJune 15, 199980137Minimum Lane Width with Lane ClosureJan. 1, 200580138Mulching Seeded AreasJan. 1, 200580082Multilane Pavement PatchingNov. 1, 200280129Notched Wedge Longitudinal JointJuly 1, 2004 | | 80080 | | | Insertion Lining of Pipe Culverts | | Aug. 1, 2003 |
| 80081Lime Gradation RequirementsNov. 1, 200280133Lime Stabilized Soil MixtureNov. 1, 2004April 1, 200580045Material Transfer DeviceJune 15, 1999March 1, 200180137Minimum Lane Width with Lane ClosureJan. 1, 200580138Mulching Seeded AreasJan. 1, 200580082Multilane Pavement PatchingNov. 1, 200280129Notched Wedge Longitudinal JointJuly 1, 2004 | | 80150 | | | Light Emitting Diode (LED) Pedestrian Signal Head | | |
| 80133Lime Stabilized Soil MixtureNov. 1, 2004April 1, 200580045Material Transfer DeviceJune 15, 1999March 1, 200180137Minimum Lane Width with Lane ClosureJan. 1, 200580138Mulching Seeded AreasJan. 1, 200580082Multilane Pavement PatchingNov. 1, 200280129Notched Wedge Longitudinal JointJuly 1, 2004 | | 80067 | | | Light Emitting Diode (LED) Signal Head | | Nov. 1, 2005 |
| 80045Material Transfer DeviceJune 15, 1999March 1, 200180137Minimum Lane Width with Lane ClosureJan. 1, 200580138Mulching Seeded AreasJan. 1, 200580082Multilane Pavement PatchingNov. 1, 200280129Notched Wedge Longitudinal JointJuly 1, 2004 | | 80081 | | | Lime Gradation Requirements | | |
| 80137Minimum Lane Width with Lane ClosureJan. 1, 200580138Mulching Seeded AreasJan. 1, 200580082Multilane Pavement PatchingNov. 1, 200280129Notched Wedge Longitudinal JointJuly 1, 2004 | | 80133 | | | Lime Stabilized Soil Mixture | | |
| 80138Mulching Seeded AreasJan. 1, 200580082Multilane Pavement PatchingNov. 1, 200280129Notched Wedge Longitudinal JointJuly 1, 2004 | | 80045 | | | | | March 1, 2001 |
| 80082 Multilane Pavement Patching Nov. 1, 2002 80129 Notched Wedge Longitudinal Joint July 1, 2004 | | 80137 | | | Minimum Lane Width with Lane Closure | | |
| 80129 Notched Wedge Longitudinal Joint July 1, 2004 | | 80138 | | | Mulching Seeded Areas | • | |
| | | 80082 | | | | • • | |
| 80069 Organic Zinc-Rich Paint System Nov. 1, 2001 Aug. 1, 2003 | | 80129 | | | | - | |
| | | 80069 | | | Organic Zinc-Rich Paint System | Nov. 1, 2001 | Aug. 1, 2003 |

| | | • | | | |
|-----|----------------|-----------|--|-------------------------------|------------------------------|
| | | | | | |
| | | | | | |
| | | | | | |
| Fil | <u>e Name</u> | <u>PG</u> | Special Provision Title | <u>Effective</u> | <u>Revised</u> |
| | 80116 | # 46 | X Partial Payments | Sept. 1, 2003 | |
| | 80013 | 40 | Pavement and Shoulder Resurfacing | Feb. 1, 2000 | July 1, 2004 |
| | 53600 | | Pavement Thickness Determination for Payment | April 1, 1999 | Jan. 1, 2004 |
| * | 80022 | 47 | X Payments to Subcontractors | June 1, 2000 | Jan. 1, 2006 |
| ι. | 80155 | 49 | X Payrolls and Payroll Records | Aug. 10, 2005 | |
| | 80130 | 51 | X Personal Protective Equipment | July 1, 2004 | |
| * | 80148 | | Planting Woody Plants | Jan. 1, 2006 | |
| | 80134 | | Plastic Blockouts for Guardrail | Nov. 1, 2004 | |
| | 80073 | | Polymer Modified Emulsified Asphalt | Nov. 1, 2002 | |
| | 80119 | | Polyurea Pavement Marking | April 1, 2004 Nov. 1, 1993 | April 2, 2004 |
| | 80124 | | Portable Changeable Message Signs | Jan. 1, 2005 | Nov. 1, 2004 |
| | 80139 | 52 | X Portland Cement | Nov. 1, 2002 | NOV. 1, 2000 |
| | 80083 | 53 | X Portland Cement Concrete Portland Cement Concrete Patching | Jan. 1, 2001 | Jan. 1, 2004 |
| | 80036 419 | | Precast Concrete Products | July 1, 1999 | Nov. 1, 2004 |
| | 80120 | | Precast Concrete Members | April 1, 2004 | |
| | 80084 | | Preformed Recycled Rubber Joint Filler | Nov. 1, 2002 | |
| | 80015 | | Public Convenience and Safety | Jan. 1, 2000 | |
| | 80121 | | PVC Pipeliner | April 1, 2004 | April 1, 2005 |
| | 80122 | | Railroad, Full-Actuated Controller and Cabinet | April 1, 2004 | |
| * | 3426I | | Railroad Protective Liability Insurance | Dec. 1, 1986 | Jan. 1, 2006 |
| * | 80157 | | Railroad Protective Liability Insurance (5 and 10) | Jan. 1, 2006 | |
| | 80105 | | Raised Reflective Pavement Markers (Bridge) | Aug. 1, 2003 | 1 1 4 0000 |
| | 80011 | | RAP for Use in Bituminous Concrete Mixtures | Jan. 1, 2000 | April 1, 2002 |
| * | 80151 | 54 | X Reinforcement Bars | Nov. 1, 2005 Jan. 1, 2001 | Nov. 2, 2005 Jan. 1, 2005 |
| | 80032 | | Remove and Re-Erect Steel Plate Beam Guardrail and Traffic Barrier | Jan. 1, 2001 | Jan. 1, 2003 |
| | 80085 | | Terminals Sealing Abandoned Water Wells | Nov. 1, 2002 | |
| | 80131 | | Seeding and Sodding | July 1, 2004 | Aug. 1, 2005 |
| | 80152 | | Self-Consolidating Concrete for Cast-In-Place Construction | Nov. 1, 2005 | |
| | 80132 | | Self-Consolidating Concrete for Precast Products | July 1, 2004 | Nov. 1, 2005 |
| | 80096 | | Shoulder Rumble Strips | Jan. 1, 2003 | |
| | 80140 | | Shoulder Stabilization at Guardrail | Jan. 1, 2005 | |
| | 80135 | | Soil Modification | Nov. 1, 2004 | April 1, 2005 |
| | 80070 | | Stabilized Subbase and Bituminous Shoulders Superpave | April 1, 2002 | Aug. 1, 2005 |
| | 80127 | | Steel Cost Adjustment | April 2, 2004 | July 1, 2004 |
| | 80153 | | Steel Plate Beam Guardrail | Nov. 1, 2005 | |
| | 80143 | 56 | X Subcontractor Mobilization Payments | April 2, 2005 Nov. 1, 2002 | |
| | 80086 | | Subgrade Preparation | Nov. 1, 2002 Nov. 1, 2004 | |
| | 80136 80010 | | Superpave Bituminous Concrete Mixture IL-4.75 Superpave Bituminous Concrete Mixtures | Jan. 1, 2004 | April 1, 2004 |
| | 80039 | | Superpave Bituminous Concrete Mixtures (Low ESAL) | Jan. 1, 2001 | April 1, 2004 |
| | 80035 | | Surface Testing of Pavements | April 1, 2002 | Nov. 1, 2005 |
| | 80145 | | Suspension of Slipformed Parapets | June 11, 2004 | |
| | 80092 | | Temporary Concrete Barrier | Oct. 1, 2002 | Nov. 1, 2003 |
| | 80087 | 57 | X Temporary Erosion Control | Nov. 1, 2002 | |
| | 80008 | | Temporary Module Glare Screen System | Jan. 1, 2000 | |
| | 80106 | | Temporary Portable Bridge Traffic Signals | Aug. 1, 2003 | |
| | 80098 | 59 | X Traffic Barrier Terminals | Jan. 1, 2003 | |
| | 57291 | 60 | X Traffic Control Deficiency Deduction | April 1, 1992 | Jan. 1, 2005 |
| | 20338 | | Training Special Provisions | Oct. 15, 1975 | |
| | 80107 | | Transient Voltage Surge Suppression | Aug. 1, 2003 April 1, 2004 | |
| | 80123 | | Truck Bed Release Agent | Nov. 1, 2004 | |
| | 80154 | | Turf Reinforcement Mat | 1404. 11 2000 | |

| <u>File Name</u> | <u>PG</u> # | Special Provision Title | <u>Effective</u> | <u>Revised</u> |
|---|---------------------|--|--|--|
| 80149 80048 80090 * 80125 80126 80097 80071 | ± 61 63 65 | Variable Spaced Tining X Weight Control Deficiency Deduction Work Zone Public Information Signs Work Zone Speed Limit Signs Work Zone Traffic Control X Work Zone Traffic Control Devices X Working Days | Aug. 1, 2005 April 1, 2001 Sept. 1, 2002 April 2, 2004 April 2, 2004 Jan. 1, 2003 Jan. 1, 2002 | Aug. 1, 2002 Jan. 1, 2005 Jan. 1, 2006 Nov. 1, 2005 Nov. 1, 2004 |

The following special provisions have been deleted from use:

80113 Curb Ramps for Sidewalk This special provision has been replaced by the BDE Special Provision, "Detectable Warnings".

The following special provisions require additional information from the designer. The additional information needs to be included in a separate document attached to this check sheet. The Project Development and Implementation section will then include the information in the applicable special provision. The Special Provisions are:

- Building Removal-Case I
- Building Removal-Case II
- Building Removal-Case III
- Building Removal-Case IV
- DBE Participation
- Material Transfer Device
- Railroad Protective Liability Insurance
- Training Special Provisions
- Working Days

Fayette County Vandalia Road District TR 272 Bridge over Sandy Run Section 04-18117-00-BR Page 1 of 3

Special Provisions

The following Special Provisions supplement the "Standard Specifications for Road and Bridge Construction," adopted January 1, 2002, the latest edition of the "Manual on Uniform Traffic Control Devices for Streets and Highways", and the "Manual of Test Procedures for Materials" in effect on the date of invitation for bids, and the Supplemental Specifications and Recurring Special Provisions indicated on the Check Sheet included herein which apply to and govern the construction of Section 04-18117-00-BR, and in case of conflict with any part, or parts, of said Specifications, the said Special Provisions shall take precedent and shall govern.

<u>DESCRIPTION OF WORK</u>: The proposed work shall consist of the removal of a three (3) span structure carrying TR 272 over Sandy Run, construction of a three (3) span precast prestressed concrete deck beam superstructure on steel H-pile supported spill-thru concrete abutments and concrete encased steel H-pile bent piers, reconstruction of approaches, and all miscellaneous work necessary to complete the proposed improvement.

<u>TRAFFIC CONTROL</u>: Traffic control shall be in accordance with the applicable section of the Standard Specifications, the applicable guidelines contained in the Illinois Manual of Uniform Traffic Control Devices, these Special Provisions, and any special details and Highway Standards contained herein and in the plans. This work will not be paid for separately but shall be considered incidental to the contract.

Special attention is called to Article 107.09 and 107.14 of the Standard Specifications and the following Highway Standards: 702001 and BLR 21.

<u>POROUS GRANULAR EMBANKMENT</u>: Porous Granular Embankment shall meet the applicable portions of Section 207 except the material under paragraph 207.02 MATERIALS shall be gradation CA 6, CA 8, or CA 10 as specified under Section 1004 paragraph 1004.01 MATERIALS and paragraph 1004.06 EMBANKMENT. Method of measurement shall be in accordance with the requirements of Article 311.08.

<u>SEEDING, CLASS 2 (SPECIAL)</u>: Earth shoulders and slopes constructed in accordance with the typical sections shall be seeded with Class 2 Seeding in accordance with Sections 250 and 251 of the Standard Specifications. Fertilizer nutrients and Mulch Method 1 shall be included in this pay item and shall be applied at the following rates:

| Nitrogen Fertilizer Nutrient | 90 lbs. / acre |
|--------------------------------|----------------|
| Phosphorus Fertilizer Nutrient | 90 lbs. / acre |
| Potassium Fertilizer Nutrient | 90 lbs. / acre |
| Mulch Method 1 | 2 tons / acre |

All seeding shall be done at the Engineer's discretion. Payment shall be made at the contract unit price per acre for Seeding, Class 2 (Special) for the surface area seeded.

Fayette County Vandalia Road District TR 272 Bridge over Sandy Run Section 04-18117-00-BR Page 2 of 3

STONE DUMPED RIPRAP, CLASS A4: This work shall be performed in accordance with Section 281, modified herein:

Article 281.02 Materials shall meet the requirement of Quality Designation "A" and Gradation Designation "RR4" as defined in Article 1005.01 of the Standard Specifications.
Article 281.04 Delete the requirement for bedding stone and filter fabric. The thickness of the riprap shall be 16 in. minimum.
Article 281.06 This work will be measured in tons as specified in Article 311.08(b) of the Standard Specifications.
Article 281.07 This work will be paid for at the contract unit price per ton for STONE DUMPED RIPRAP of the Class specified. Excavation required for installation will not be paid for separately but shall be considered incidental to the cost of the riprap.

Basis of Payment - This work will be paid for at the contract unit price per ton for Stone Dumped Riprap measured as specified herein.

AGGREGATE SURFACE COURSE, TYPE B: The gradation shall be CA 6 or CA 10.

<u>REMOVAL OF EXISTING STRUCTURE</u>: The existing structure shall be removed in accordance with Section 501 of the Standard Specifications. All materials deemed salvageable by the Engineer shall be stockpiled on the right of way and shall become the property of the Owner. The cost for completing the work described above shall be included in the contract unit price for REMOVAL OF EXISTING STRUCTURES and no extra compensation will be allowed. See Sheet 3 of the drawings for a description of the existing structure.

<u>LIFTING DEVICES</u>: Each precast prestressed concrete deck beam shall have four (4) lifting devices located as shown in the plans. The lifting devices shall be recessed in the deck beam. After the deck beams are set, the lifting devices shall be covered with non-shrink grout with the exposed surface flush with the top of the deck beam. The lifting devices to be used shall be of the Swift Lift System type as manufactured by Dayton-Richmond or an Engineer approved equal. Total safe lifting capacity for the four (4) lifting devices shall be equal to 1.25 times the self weight of the individual deck beam.

The cost of furnishing and installing the required lifting devices shall be considered incidental to the cost of the Precast Prestressed Concrete Deck Beams (17" Depth) and no additional compensation will be allowed.

Fayette County Vandalia Road District TR 272 Bridge over Sandy Run Section 04-18117-00-BR Page 3 of 3

<u>BRIDGE SHOP DRAWINGS</u>: The Contractor shall contact the County Engineer for the name of the firm responsible for review of the PPCDB shop drawings.

OVERHAUL: Overhaul will not be paid for material moved to or from any source.

<u>TEMPORARY RUNAROUNDS AND CONSTRUCTION CROSSINGS</u>: The Contractor shall not construct runarounds or construction crossings.

<u>DELIVERY OF CONSTRUCTION MATERIALS / EQUIPMENT TO / FROM JOBSITE</u>: The Contractor shall be responsible for investigating the access roadways available for the delivery of all construction materials and equipment to and from the project site. The Contractor and its subcontractors / suppliers shall abide by all posted roadway and / or bridge load limits. The Contractor shall provide notification to the County / Road District highway officials of the intended delivery routes planned for use prior to the start of construction operations.

STATUS OF UTILITIES TO BE NOTIFIED / ADJUSTED: The name and address of the existing utilities to be notified / adjusted are:

Electric: Ameren IP P.O. Box 2522 Decatur, IL 62525 Phone: 1-800-892-7715 <u>Telephone:</u> SBC Midwest 203 Goethe Street Collinsville, IL 62234 Attn: Mr. Jerry Strubhart Phone: 1-618-346-6433

JULIE: 1-800-892-0123

i.

If any utility adjustment or removal has not been removed when required by the Contractor's operations, the Contractor shall notify the Engineer in writing. A request for an extension of time will be considered to the extent the Contractor's operations were affected.

The County Engineer shall notify the utility companies of the required adjustment. The adjustment shall be made prior to or during construction. The utilities shall be adjusted in accordance with the provisions of Article 105.07 of the Standard Specifications and the Supplemental Specifications, effective January 1, 2002.

<u>BORING DATA</u>: The Boring Data is shown only as a guide for bidders in estimating soil conditions which may be encountered in the work.

| HOLCOMBFOUNDATIONENGINEERINGINC.,P.O. Box 88618-529-5262618-457-8991faxPage 1 of 2Carbondale, II. 62903618-457-8991faxPage 1 of 2 | | | | | | | | | |
|--|-------------|----|--------|----|---|-----------------|------|----------------|--|
| Bridge Foundation Boring Log | | | | | | | | | |
| Project: H=04157 Bridge STR. No. 026=3274 Date: 08/02/04 Section: 04-18117-00-BR Station Bored by: Station | | | | | | | | | |
| County: <u>Fayette</u> Checked By: <u>T. Holcomb</u> | | | | | | | | | |
| Boring No: Station: Offset: ELEJ. 99.4 = ELEV. 483.40 | | z | Qu tsf | % | Upon Completion | Elevation | | Qu tsf w 72 | |
| Ground Surface 483.40 99.4 6" Pavement | 0 | | | | sand continued | | | | |
| Brown Clayey SAND (A-2-4) with gravel | | | | | 459.40 75.4 | | | | |
| | | 10 | 0.7S | 12 | Dark Gray SILT (A—4) | - <u>25</u> | 7 (|).9B 40 | |
| 479.90 95.9 Brown Sandy CLAY (A-6) | 5 | 3 | 0.6B | 26 | | | | | |
| | | | | | | | | | |
| | | 3 | 0.6B | 17 | | <u>-30</u> | 12 0 |).7B 16 | |
| | <u></u> | 0 | 0.6B | 19 | 450.40 66.4 | | | | |
| | | | | | Gray Sandy CLAY to Clayey (A-6) to (A-2-4) | SAND. | | | |
| | | D | 0.3B | 30 | (glacial till) | - <u>35</u> | 146 | 2.95 7 | |
| 468.90 84.9 Groy Silty CLAY (A-6) with | | 5 | 1.0B | 20 | | | | | |
| isand | | | | | 12" sand seam @38.5' | | 2 | | |
| | | 4 | 0.6B | 28 | | - <u>40</u> | 13 | 21 | |
| 464.40 80.4 Gray Coarse SAND (A-2-4) sand | | 3 | | 21 | | | | | |
| Sunu | | | | | | | | | |
| A44142 9.8\$ 9N = Standard Penetration Test Blows per foot to drive 2" O.D. Split Spoon Sampler 12" with a 140 lbs. hammer falling 30"Qu-Unconfined Compressive Strength in tons/sq.ft.B = Bulge Failure Strength in tons/sq.ft.S = Shear Failure Value of oven dry weight-%VP = Penetrometer | | | | | | | | | |

| HOLCOMB FOUNDATION P.O. Box 88 Carbondale, II. 62903 | 618- | -52 | 9-5 | 26 | 2 | | | | |
|--|------------|-----|--------------------|-----------|---|--|--|--|--|
| Bridge Foundation Boring Log | | | | | | | | | |
| Project: <u>H-04157</u> Bridge Section: <u>04-18117-00-BR</u> Station Route: County: <u>Fayette</u> | | | | | | | | | |
| Boring No:1 Station: Offset: | Elevation | z | Qu tsf | % % | Surface Water Elev. Image: Surface Water Elev. Image: Surface Water Elev. Ground Water Elev. B1.4 Image: Surface Water Elev. During Drilling B1.4 Image: Surface Water Elev. Image: Surface Water Elev. Upon Completion Image: Surface Water Elev. Image: Surface Water Elev. Image: Surface Water Elev. Image: Surface Water Elev. Upon Completion Image: Surface Water Elev. Image: Surface Water Elev. Image: Surface Water Elev. Image: Surface Water Elev. | | | | |
| sandy clay cont. | | | 7.65 | 8 | sand cont. | | | | |
| 429.90 45.9 Limestone Fragments | | 124 | | 3 | | | | | |
| 424.9 Gray Sandy CLAY to Clayey SAN (A-6) to (A-2-4) | | | | 8 | <u>403.40</u> <u>19.4</u> <u>-80</u> <u>64</u> <u></u> <u>20</u> End of Boring @ -80.0' <u>-</u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u> | | | | |
| 418.40 34.4 Gray Medium SAND (A-2-4) | <u>-65</u> | 100 | | 9 | | | | | |
| N = Standard Penetration Tes Blows per foot to drive 2" (Split Spoon Sampler 12" with a 140 lbs. hammer falling 30 | D.D. | St | reng -Wat of | th ter | nfined Compressive B = Bulge Failure in tons/sq.ft. S = Shear Failure Content-percentage E = Estimated Value ren dry weight-% P = Penetrometer | | | | |

.

. . . .

| Ρ. | OLCOMB FOUN[0. Box 88 arbondale, 11. 62903 | 6 | 518- | -52 | 9-5 | 26 | 2 | Page | 1 0 | of | 2 |
|------------|---|----------------------------------|-------------|-----|-----------------------|-----------|---|--|-------------------------|--------|--|
| · | E | Bridge | F | วน | nd | at | ion Boring Log | | | | _ |
| Se Ro | oject: <u>H–04157</u> ection: <u>04–18117–00–BR</u> oute: ounty: <u>Fayette</u> | | | | | | U | ate: by: _s By: _T | Marce | 20. | |
| Sto Off | tion: fset: EV. 99.9 = EL. 483 | 5.90 | Elevation | z | Qu tsf | % % | Surface Water Elev Ground Water Elev. During Drilling <u>86.9</u> Upon Completion | Elevation | | Qu tsf | |
| 6″ | ound Surface 483.90 Pavement wn Clayey SAND (A-2 | | | | | | Gray Clayey SAND (A-2-4) | | | | |
| | | | | 5 | 0.95 | 14 | | - <u>-25</u> | 17 | | |
| Broy | 478.90 wn Sandy CLAY (A-6 | 94.9 | | 6 | 0.65 | 15 | | | | | |
| | | , | | 3 | 0.95 | 18 | 455.40 71.4 Gray SILT (ML) with fine sand | - <u>30</u> | 68 2 | .0S | - |
| | 172 00 | 50.0 | | 4 | 1.0S | 24 | | | | | |
| Bro | <u>473.90</u> wn Sandy CLAY (A-6 | <u>89.9</u>) | _ <u>10</u> | | | | 450.90 66.9 Gray Fine SAND (A-2-4) with gravel | | | | |
| | | | | 7 | 1.78 | 20 | | <u>-35</u> | 26 | | |
| | | | <u> </u> | 4 | 1.6S | 20 | | | | | |
| | 466.90 Iy Silty CLAY (A-6) w | <u>82.9</u> ith | | 3 | 0.2B | 24 | 444.40 60.4 Gray Coarse SAND (A-2-4) | 40 | 3 - | | and an and a second |
| san | IO | | 20 | 0 | 0.3B | 39 | | | | | |
| | 461.90 | 77.9 | | 6 | 0.3B | 60 | 440.90 56.9 Gray Clayey SAND (A-2-4) with sand lenses | | 127 (| 5.55 | |
| B | N = Standard Penetro Blows per foot to dr Split Spoon Sampler 1 140 Ibs. hammer fo | ition Tes ive 2" C 2" with | .D. | Q | u—Ur treng —Wal | nco th | nfined Compressive B = Bi in tons/sq.ft. S = Si Content-percentage E = Es ven dry weight% P = Pi | ulge Fa near Fa stirnated enetrom | ilure ilure 1 Val | | L |

| HOLCOMBFOUNDATIONENGINEERINGINC.P.O. Box 88618-529-5262Carbondale, II. 62903618-457-8991faxPage 2 of 2 | | | | | | | | | |
|--|-----------------|----|--------|-----|---|--|--|--|--|
| Bridge Foundation Boring Log | | | | | | | | | |
| Project: <u>H-04157</u> Bridge Section: <u>04-18117-00-BR</u> Station Route: County: <u>Fayette</u> | | | | | | | | | |
| Boring No:2 Station: Offset: | | z | Qu tsf | % % | | | | | |
| clayey sand cont. | 45 | | | | sand cont | | | | |
| | | 10 | | | 408.90 24.9 -75 ^{102 22} Gray Fine to Medium SAND | | | | |
| | - <u>55</u> | /6 | · | 15 | 403.90 19.9 -80 76 24 End of Boring © -80.0' | | | | |
| 4:20.90 <u>36.9</u> Gray Coarse SAND (A-2-4) with | | /5 | | 10 | | | | | |
| limestone fragments | <u>-65</u> | | | 8 | | | | | |
| N = Standard Penetration Test Blows per foot to drive 2" O.D. Split Spoon Sampler 12" with a 140 lbs. hammer falling 30" Qu-Unconfined Compressive Strength in tons/sq.ft. W-Water Content-percentage E = Estimated Value of oven dry weight-% P = Penetrometer | | | | | | | | | |

.

'7

DEPARTMENT OF THE ARMY



ST. LOUIS DISTRICT PORPS OF ENGINEERS 1222 SPRUCE STREET ST. LOUIS, MISSOURI 63103-2833

May 13, 2005

HER 1.5 Miles ATTENTANT, SA

Regulatory Branch File Number: 200501840

Mr. Gary L. Hahn Rhutasel and Associates, Inc. 201 South Locust Street Centralia, Illinois 62801

#51004

Dear Mr. Hahn:

We have reviewed your application, submitted on behalf of the Fayette County Highway Department, concerning the removal and replacement of the structure (Section 04-18117-00-BR) carrying TR 272 over Sandy Run, a secondary tributary to the Kaskaskia River. The project is located south of Bluff City, Fayette County, Illinois.

Based upon a review of the U.S. Geological Survey 7.5-minute topographical map, we determined that Sandy Run would possess an ordinary high water mark at this location and would be considered jurisdictional waters of the United States. Therefore, the placement of fill material below the ordinary high water elevation requires a permit from this office.

The Corps of Engineers has determined that this activity will have no affect on endangered species, and is authorized under Section 404 of the Clean Water Act by an existing Department of the Army nationwide permit as described in the January 15, 2002, Federal Register, Issuance of Nationwide Permits; Notice (67 FR 2080), Appendix A (B) (14). This **permit verification** is valid for two years from the date of this letter. Enclosed is a copy of the nationwide permit and conditions and management practices with which you must comply.

In accordance with General Condition number 14 of the Nationwide Permit, a compliance certification (Attachment A of this package) must be completed within 30 days of project completion or the permit issuance may be revoked and considered null and void.

 \mathcal{B}

The Illinois Environmental Protection Agency (IEPA) has issued Section 401 water quality certification for these permits subject to the following conditions:

a. The affected area of the stream channel shall not exceed 100 linear feet, as measured along the stream corridor.

b. Temporary run-arounds shall be constructed of clean coarse aggregate.

i

c. Any spoil material excavated, dredged or otherwise produced must not be returned to the waterway but must be deposited in a self-contained area in compliance with all State statutes, as determined by IEPA.

d. Any back filling must be done with clean material and placed in a manner to prevent violation of applicable water quality standards.

e. The applicant shall not cause: (1) violation of applicable water quality standards of the Illinois Pollution Control Board, Title 35, Subtitle C: Water Pollution Rules and Regulations; (2) water pollution as defined and prohibited by the Illinois Environmental Protection Act; or (3) interference with water use practices near public recreation areas or water supply intakes.

f. All areas affected by construction shall be mulched and seeded as soon after construction as possible. The applicant shall undertake necessary measures and procedures to reduce erosion during construction. Interim measures to prevent erosion during construction shall be taken and may include the installation of staked straw bales, sedimentation basins and temporary mulching. All construction within the waterway shall be conducted during zero or low flow conditions. The applicant shall be responsible for obtaining an NPDES Storm Water Permit prior to initiating construction if the construction activity associated with the project will result in the disturbance of five (5) or more acres, total land area. An NPDES Storm Water Permit may be obtained by submitting a properly completed Notice of Intent (NOI) form by certified mail to the Illinois EPA, Division of Water Pollution Control, Permit Section.

g. That applicant shall implement erosion control measures consistent with the "Illinois Urban Manual" (IEPA/USDA, NRCS; 1995).

This determination is applicable only to the permit program administered by the Corps of Engineers. It does not eliminate the need to obtain other Federal, state or local approvals before beginning work.

You are reminded that the **permit** is based on submitted plans. Variations from these plans shall constitute a violation of Federal law and may result in the revocation of the permit. If this nationwide permit is modified, reissued, or revoked during this period, the provisions described at 33 CFR 330.6(b) will apply.

The jurisdictional determination for this project is considered an approved jurisdictional determination in accordance with final regulations published on March 28, 2000 (65 FR 16485-16503). Enclosed is a Notification of Administrative Appeal Options and Process and Request for Appeal for your consideration and use. This determination can be appealed. The jurisdictional determination is valid for a period of five years from the date of this letter unless new information warrants revision of this determination before the expiration date.

If you have any questions concerning this matter, do not hesitate to contact me at (314) 331-8185. Please refer to file number 200500900.

Sincerely,

MAM Der

Susan L. J. Horneman Project Manager Illinois Permits Region

Enclosures

Copy Furnished: (w/o enclosures)

Mr. Paul Mauer, Illinois Department of Natural Resources Mr. James Allison, Illinois Environmental Protection Agency

iO

ATTACHMENT A

4

COMPLETED WORK CERTIFICATION

Date of Issuance: May 13, 2005

File Number: 200501840

i

Name of Permittee: Michael A. Maxey, Fayette County Highway Dept.

River Basin/County/State: Kaskaskia River/Fayette Co./Illinois

Upon completion of this activity authorized by this permit and any mitigation required by the permit, sign this certification and return it to the following address:

> U.S. Army Corps of Engineers Attn: Regulatory Branch (CO-F) 1222 Spruce Street St. Louis, Missouri 63103-2833

(Please note that your permitted activity is subject to a compliance inspection by a U.S. Army Corps of Engineers representative. If you fail to comply with this permit, you are subject to permit suspension, modification or revocation.)

I hereby certify that the work authorized by the above referenced permit has been completed in accordance with the terms and conditions of the said permit, and required mitigation was completed in accordance with the permit conditions.

Signature of Permittee

Date

State of Illinois Department of Transportation Bureau of Local Roads and Streets

SPECIAL PROVISION FOR COOPERATION WITH UTILITIES

Effective: January 1, 1999 Revised: January 1, 2006

All references to Sections or Articles in this specification shall be construed to mean specific Section or Article of the Standard Specifications for Road and Bridge Construction, adopted by the Department of Transportation.

When the plans or special provisions include information pertaining to the location of underground utility facilities, such information represents only the opinion of the Department as to the location of such utilities and is only included for the convenience of the bidder. The Department assumes no responsibility in respect to the sufficiency or the accuracy of the information shown on the plans relative to the location of the underground utility facilities. It shall be the Contractor's responsibility to determine the actual location of all such facilities. He shall also obtain from the respective utility companies detailed information relative to the location of their facilities and the working schedules of the utility companies for removing or adjusting them.

Revise Article 105.07 of the Standard Specifications to read:

"105.07 Utility Facilities. Utilities which are within the limits of the proposed construction are to be moved or removed at no cost to the Contractor except as otherwise provided for in the special provisions or as noted in the plans.

- (a) For the purpose of this Article, limits of proposed construction for utilities extending in the same longitudinal direction as the roadway, shall be defined as follows:
 - (1) The horizontal limits shall be a plane, outside of, parallel to, and 600 mm (2 ft) distant at right angles from the plan or revised slope limits and the slope limits extended vertically above the point of intersection of the slope limits and the original cross-section surface.

In cases where the limits of excavation for structures are not shown on the plans, the horizontal limits shall be a vertical plane 1.2 m (4 ft) outside the edges of structure footings or the structure where no footings are required.

- (2) The upper vertical limits shall be the regulations governing the roadbed clearance for the specific utility involved.
- (3) The lower vertical limits shall be the limits of excavation.
- (b) For the purpose of this Article, limits of proposed construction for utilities crossing the roadway in a generally transverse direction shall be defined as follows:

- (1) Utilities crossing excavations for structures that are normally made by trenching such as sewers, underdrains, etc., and all minor structures such as manholes, inlets, foundations for signs, foundations for traffic signals, etc., the limits shall be the space to be occupied by the proposed permanent construction unless otherwise required by the regulations governing the specific utility involved.
- (2) For utilities crossing the proposed site of major structures such as bridges, sign trusses, etc., the limits shall be as defined above for utilities extending in the same general longitudinal direction as the roadway.

All reasonable adjustments, as determined by the Engineer, of utilities not shown on the plans, or visible or not identified by markers will be made at no cost to the Contractor except that traffic structures, light poles, etc., that are normally located within the construction limits will not be adjusted unless required by the proposed improvement.

The Contractor may make arrangements for adjustment of utilities outside the limits of proposed construction as defined above provided the Contractor furnishes the Department with a signed agreement with the utility owner covering the adjustments to be made. The cost of any adjustments made outside the limits of proposed construction as defined above shall be the responsibility of the Contractor unless otherwise provided for.

It is understood and agreed that the Contractor has considered in his bid all of the permanent and temporary utility appurtenances in their present or relocated positions and that no additional compensation will be allowed for any delays, inconvenience, or damage sustained by him due to any interference from the said utility appurtenances or the operation of moving them either by the utility company or by him; or on account of any special construction methods required in prosecuting his work due to the existence of said appurtenances either in their present or relocated positions."

State of Illinois Department of Transportation Bureau of Local Roads and Streets

SPECIAL PROVISION FOR NATIONWIDE No. 14 PERMITS AND CONDITIONS

Effective: February 1, 2004 Revised: March 1, 2005

The following information presents the requirements for the nationwide 404/10 permits No. 14 used on this highway project.

Contractors wishing to conduct activities under the nationwide permits must comply with the terms of the applicable permit and the conditions below.

- A. Linear Transportation Projects. Activities required for the construction, expansion, modification, or improvement of linear transportation crossings (e.g., highways, railways, trails, airport runways, and taxiways) in waters of the US, including wetlands, if the activity meets the following criteria:
 - 1. This NWP is subject to the following acreage limits:

ŝ

- (a) For linear transportation projects in non-tidal waters, provided the discharge does not cause the loss of greater than 1/2- acre of waters of the US; or
- (b) For linear transportation projects in tidal waters, provided the discharge does not cause the loss of greater than 1/3-acre of waters of the US.
- 2. The permittee must notify the District Engineer in accordance with General Condition 13 if any of the following criteria are met:
 - (a) The discharge causes the loss of greater than 1/10 acre of waters of the US; or
 - (b) There is a discharge in a special aquatic site, including wetlands;
- The notification must include a compensatory mitigation proposal to offset permanent losses of 3. waters of the US to ensure that those losses result only in minimal adverse effects to the aquatic environment and a statement describing how temporary losses will be minimized to the maximum extent practicable;
- 4. For discharges in special aquatic sites, including wetlands, and stream riffle and pool complexes, the notification must include a delineation of the affected special aquatic sites;
- The width of the fill is limited to the minimum necessary for the crossing; 5
- 6. This permit does not authorize stream channelization, and the authorized activities must not cause more than minimal changes to the hydraulic flow characteristics of the stream, increase flooding, or cause more than minimal degradation of water quality of any stream (see General Conditions 9 and 21);
- 7. This permit cannot be used to authorize non-linear features commonly associated with transportation projects, such as vehicle maintenance or storage buildings, parking lots, train stations, or aircraft hangars; and
- 8. The crossing is a single and complete project for crossing waters of the US. Where a road segment (i.e., the shortest segment of a road with independent utility that is part of a larger project) has multiple crossings of streams (several single and complete projects) the Corps will consider whether it should use its discretionary authority to require an Individual Permit. (Sections 10 and 404)
- B. Nationwide Permit General Conditions. The following General Conditions must be followed in order for any authorization by an NWP to be valid:
 - 1. Navigation. No activity may cause more than a minimal adverse effect on navigation.
 - 2. Proper Maintenance. Any structure or fill authorized shall be properly maintained, including maintenance to ensure public safety.

- 3. Soil Erosion and Sediment Controls. Appropriate soil erosion and sediment controls must be used and maintained in effective operating condition during construction, and all exposed soil and other fills, as well as any work below the ordinary high water mark or high tide line, must be permanently stabilized at the earliest practicable date. Permittees are encouraged to perform work within waters of the United States during periods of low-flow or no-flow.
- 4. Aquatic Life Movements. No activity may substantially disrupt the necessary life-cycle movements of those species of aquatic life indigenous to the waterbody, including those species that normally migrate through the area, unless the activity's primary purpose is to impound water. Culverts placed in streams must be installed to maintain low flow conditions.
- Equipment. Heavy equipment working in wetlands must be placed on mats, or other measures must be taken to minimize soil disturbance
- Regional and Case-By-Case Conditions. The activity must comply with any regional conditions that may have been added by the Division Engineer (see 33 CFR 330.4(e)) and with any case specific conditions added by the Corps or by the state or tribe in its Section 401 Water Quality Certification.
- 7. Wild and Scenic Rivers. No activity may occur in a component of the National Wild and Scenic River System; or in a river officially designated by Congress as a "study river" for possible inclusion in the system, while the river is in an official study status; unless the appropriate Federal agency, with direct management responsibility for such river, has determined in writing that the proposed activity will not adversely affect the Wild and Scenic River designation, or study status. Information on Wild and Scenic Rivers may be obtained from the appropriate Federal land management agency in the area (e.g., National Park Service, U.S. Forest Service, Bureau of Land Management, U.S. Fish and Wildlife Service).

8. Water Quality.

í

- (a) In certain states and tribal lands an individual 401 Water Quality Certification must be obtained or waived (See 33 CFR 330.4(c)).
- (b) For NWP 14 where the state 401 certification (either generically or individually) does not require or approve water quality management measures, the permittee must provide water quality management measures that will ensure that the authorized work does not result in more than minimal degradation of water quality (or the Corps determines that compliance with state or local standards, where applicable, will ensure no more than minimal adverse effect on water quality). An important component of water quality management includes stormwater management that minimizes degradation of the downstream aquatic system, including water quality (refer to General Condition 21 for stormwater management requirements). Another important component of water quality management is the establishment and maintenance of vegetated buffers next to open waters, including streams (refer to General Condition 19 for vegetated buffer requirements for the NWPs). This condition is only applicable to projects that have the potential to affect water quality. While appropriate measures must be taken, in most cases it is not necessary to conduct detailed studies identify such measures or to require monitoring.

9. Notification.

- (a) Timing; where required by the terms of the NWP, the prospective permittee must notify the District Engineer with a preconstruction notification (PCN) as early as possible. The District Engineer must determine if the notification is complete within 30 days of the date of receipt and can request additional information necessary to make the PCN complete only once. However, if the prospective permittee does not provide all of the requested information, then the District Engineer will notify the prospective permittee that the notification is still incomplete and the PCN review process will not commence until all of the requested information has been received by the District Engineer. The prospective permittee shall not begin the activity:
 - (1) Until notified in writing by the District Engineer that the activity may proceed under the NWP with any special conditions imposed by the District or Division Engineer; or
 - (2) If notified in writing by the District or Division Engineer that an Individual Permit is required; or

- (3) Unless 45 days have passed from the District Engineer's receipt of the complete notification and the prospective permittee has not received written notice from the District or Division Engineer. Subsequently, the permittee's right to proceed under the NWP may be modified, suspended, or revoked only in accordance with the procedure set forth in 33 CFR 330,5(d)(2).
- (b) Contents of Notification: The notification must be in writing and include the following information:
 - (1) Name, address and telephone numbers of the prospective permittee;
 - (2) Location of the proposed project;
 - (3) Brief description of the proposed project; the project's purpose; direct and indirect adverse environmental effects the project would cause; any other NWP(s), Regional General Permit(s), or Individual Permit(s) used or intended to be used to authorize any part of the proposed project or any related activity. Sketches should be provided when necessary to show that the activity complies with the terms of the NWP (Sketches usually clarify the project and when provided result in a quicker decision.);
 - (4) For NWPs 7, 12, 14, 18, 21, 34, 38, 39, 40, 41, 42, and 43, the PCN must also include a delineation of affected special aquatic sites, including wetlands, vegetated shallows (e.g., submerged aquatic vegetation, seagrass beds), and riffle and pool complexes (see paragraph 13(f));
 - (5) For activities that may adversely affect Federally-listed endangered or threatened species, the PCN must include the name(s) of those endangered or threatened species that may be affected by the proposed work or utilize the designated critical habitat that may be affected by the proposed work; and
 - (6) For activities that may affect historic properties listed in, or eligible for listing in, the National Register of Historic Places, the PCN must state which historic property may be affected by the proposed work or include a vicinity map indicating the location of the historic property.
- (c) Form of Notification: The standard Individual Permit application form (Form ENG 4345) may be used as the notification but must clearly indicate that it is a PCN and must include all of the information required in (b) (1)-(18) of General Condition 13. A letter containing the requisite information may also be used.
- (d) District Engineer's Decision: In reviewing the PCN for the proposed activity, the District Engineer will determine whether the activity authorized by the NWP will result in more than minimal individual or cumulative adverse environmental effects or may be contrary to the public interest. The prospective permittee may submit a proposed mitigation plan with the PCN to expedite the process. The District Engineer will consider any proposed compensatory mitigation the applicant has included in the proposal in determining whether the net adverse environmental effects to the aquatic environment of the proposed work are minimal. If the District Engineer determines that the activity complies with the terms and conditions of the NWP and that the adverse effects on the aquatic environment are minimal, after considering mitigation, the District Engineer will notify the permittee and include any conditions the District Engineer deems necessary.

The District Engineer must approve any compensatory mitigation proposal before the permittee commences work. If the prospective permittee is required to submit a compensatory mitigation proposal with the PCN, the proposal may be either conceptual or detailed. If the prospective permittee elects to submit a compensatory mitigation plan with the PCN, the District Engineer will expeditiously review the proposed compensatory mitigation plan. The District Engineer must review the plan within 45 days of receiving a complete PCN and determine whether the conceptual or specific proposed mitigation would ensure no more than minimal adverse effects on the aquatic environment. If the net adverse effects of the project on the aquatic environment (after consideration of the compensatory mitigation proposal) are determined by the District Engineer to be minimal, the District Engineer will provide a timely written response to the applicant. The response will state that the project can proceed under the terms and conditions of the NWP.

If the District Engineer determines that the adverse effects of the proposed work are more than minimal, then the District Engineer will notify the applicant either: (1) That the project does not qualify for authorization under the NWP and instruct the applicant on the procedures to seek authorization under an Individual Permit; (2) that the project is authorized under the NWP subject to the applicant's submission of a mitigation proposal that would reduce the adverse effects on the aquatic environment to the minimal level; or (3) that the project is authorized under the NWP with specific modifications or conditions. Where the District Engineer determines that mitigation is required to ensure no more than minimal adverse effects occur to the aquatic environment, the activity will be authorized within the 45-day PCN period. The authorization will include the necessary conceptual or specific mitigation or a requirement that the applicant submit a mitigation proposal that would reduce the adverse effects on the aquatic environment to the minimal level. When conceptual mitigation is included, or a mitigation plan is required under item (2) above, no work in waters of the US will occur until the District Engineer has approved a specific mitigation plan.

í

(e) Agency Coordination: The District Engineer will consider any comments from Federal and state agencies concerning the proposed activity's compliance with the terms and conditions of the NWPs and the need for mitigation to reduce the project's adverse environmental effects to a minimal level.

For activities requiring notification to the District Engineer that result in the loss of greater than 1/2-acre of waters of the US, the District Engineer will provide immediately (e.g., via facsimile transmission, overnight mail, or other expeditious manner) a copy to the appropriate Federal or state offices (USFWS, state natural resource or water quality agency, EPA, State Historic Preservation Officer (SHPO), and, if appropriate, the NMFS). With the exception of NWP 37, these agencies will then have 10 calendar days from the date the material is transmitted to telephone or fax the District Engineer notice that they intend to provide substantive, site-specific comments. If so contacted by an agency, the District Engineer will wait an additional 15 calendar days before making a decision on the notification. The District Engineer will fully consider agency comments received within the specified time frame, but will provide no response to the resource agency, except as provided below. The District Engineer will indicate in the administrative record associated with each notification that the resource agencies' concerns were considered. As required by section 305(b)(4)(B) of the Magnuson-Stevens Fishery Conservation and Management Act, the District Engineer will provide a response to NMFS within 30 days of receipt of any Essential Fish Habitat conservation recommendations. Applicants are encouraged to provide the Corps multiple copies of notifications to expedite agency notification.

- (f) Wetland Delineations: Wetland delineations must be prepared in accordance with the current method required by the Corps (For NWP 29 see paragraph (b)(9)(iii) for parcels less than (1/4-acre in size). The permittee may ask the Corps to delineate the special aquatic site. There may be some delay if the Corps does the delineation. Furthermore, the 45-day period will not start until the wetland delineation has been completed and submitted to the Corps, where appropriate.
- 10. Compliance Certification. Every permittee who has received NWP verification from the Corps will submit a signed certification regarding the completed work and any required mitigation. The certification will be forwarded by the Corps with the authorization letter and will include:
 - (a) A statement that the authorized work was done in accordance with the Corps authorization, including any general or specific conditions;
 - (b) A statement that any required mitigation was completed in accordance with the permit conditions; and
 - (c) The signature of the permittee certifying the completion of the work and mitigation.

11. Endangered Species. (a) No activity is authorized under any NWP which is likely to jeopardize the continued existence of a threatened or endangered species or a species proposed for such designation, as identified under the Federal Endangered Species Act (ESA), or which will destroy or adversely modify the critical habitat of such species. Non-federal permittees shall notify the District Engineer if any listed species or designated critical habitat might be affected or is in the vicinity of the project, or is located in the designated critical habitat and shall not begin work on the activity until notified by the District Engineer that the requirements of the ESA have been satisfied and that the activity is authorized. For activities that may affect Federally-listed endangered or threatened species that may be affected by the proposed work or that utilize the designated critical habitat that may be affected by the proposed work or that utilize the designated critical habitat that may be affected by the proposed work. As a result of formal or informal consultation with the FWS or NMFS the District Engineer may add species-specific regional endangered species conditions to the NWPs.

i

(b) Authorization of an activity by a NWP does not authorize the ``take" of a threatened or endangered species as defined under the ESA. In the absence of separate authorization (e.g., an ESA Section 10 Permit, a Biological Opinion with ``incidental take" provisions, etc.) from the USFWS or the NMFS, both lethal and non-lethal ``takes" of protected species are in violation of the ESA. Information on the location of threatened and endangered species and their critical habitat can be obtained directly from the offices of the USFWS and NMFS or their world wide web pages at http://www.fws.gov/r9endspp/endspp.html and http://www.nmfs.noaa.gov/prot_res/overview/es.html respectively

- 12. Use of Multiple Nationwide Permits. The use of more than one NWP for a single and complete project is prohibited, except when the acreage loss of waters of the US authorized by the NWPs does not exceed the acreage limit of the NWP with the highest specified acreage limit (e.g. if a road crossing over tidal waters is constructed under NWP 14, with associated bank stabilization authorized by NWP 13, the maximum acreage loss of waters of the US for the total project cannot exceed 1/3-acre).
- 13.Water Supply Intakes. No activity, including structures and work in navigable waters of the US or discharges of dredged or fill material, may occur in the proximity of a public water supply intake except where the activity is for repair of the public water supply intake structures or adjacent bank stabilization.
- 14. Suitable Material. No activity, including structures and work in navigable waters of the US or discharges of dredged or fill material, may consist of unsuitable material (e.g., trash, debris, car bodies, asphalt, etc.) and material used for construction or discharged must be free from toxic pollutants in toxic amounts (see section 307 of the CWA).
- 15. Spawning Areas. Activities, including structures and work in navigable waters of the US or discharges of dredged or fill material, in spawning areas during spawning seasons must be avoided to the maximum extent practicable. Activities that result in the physical destruction (e.g., excavate, fill, or smother downstream by substantial turbidity) of an important spawning area are not authorized.

16. Management of Water Flows. To the maximum extent practicable, the activity must be designed to maintain preconstruction downstream flow conditions (e.g., location, capacity, and flow rates). Furthermore, the activity must not permanently restrict or impede the passage of normal or expected high flows (unless the primary purpose of the fill is to impound waters) and the structure or discharge of dredged or fill material must withstand expected high flows. The activity must, to the maximum extent practicable, provide for retaining excess flows from the site, provide for maintaining surface flow rates from the site similar to preconstruction conditions, and provide for not increasing water flows from the project site, relocating water, or redirecting water flow beyond preconstruction conditions. Stream channelizing will be reduced to the minimal amount necessary, and the activity must, to the maximum extent practicable, reduce adverse effects such as flooding or erosion downstream and upstream of the project site, unless the activity is part of a larger system designed to manage water flows. In most cases, it will not be a requirement to conduct detailed studies and monitoring of water flow.

This condition is only applicable to projects that have the potential to affect waterflows. While appropriate measures must be taken, it is not necessary to conduct detailed studies to identify such measures or require monitoring to ensure their effectiveness. Normally, the Corps will defer to state and local authorities regarding management of water flow.

- 17.Adverse Effects from Impoundments. If the activity creates an impoundment of water, adverse effects to the aquatic system due to the acceleration of the passage of water, and/or the restricting its flow shall be minimized to the maximum extent practicable. This includes structures and work in navigable waters of the US, or discharges of dredged or fill material.
- 18. Waterfowl Breeding Areas. Activities, including structures and work in navigable waters of the US or discharges of dredged or fill material, into breeding areas for migratory waterfowl must be avoided to the maximum extent practicable.
- 19. Removal of Temporary Fills. Any temporary fills must be removed in their entirety and the affected areas returned to their preexisting elevation.
- 20. Designated Critical Resource Waters. Critical resource waters include, NOAA-designated marine sanctuaries, National Estuarine Research Reserves, National Wild and Scenic Rivers, critical habitat for Federally listed threatened and endangered species, coral reefs, state natural heritage sites, and outstanding national resource waters or other waters officially designated by a state as having particular environmental or ecological significance and identified by the District Engineer after notice and opportunity for public comment. The District Engineer may also designate additional critical resource waters after notice and opportunity for comment.
 - (a) Except as noted below, discharges of dredged or fill material into waters of the US are not authorized by NWP 14 for any activity within, or directly affecting, critical resource waters, including wetlands adjacent to such waters. Discharges of dredged or fill materials into waters of the US may be authorized by the above NWP in National Wild and Scenic Rivers if the activity complies with General Condition 7. Further, such discharges may be authorized in designated critical habitat for Federally listed threatened or endangered species if the activity complies with General Condition 11 and the USFWS or the NMFS has concurred in a determination of compliance with this condition.

C. Regional Conditions within Illinois:

ŝ

NOTE: The Chicago District has proposed alternate regional conditions for work in McHenry, Kane, Lake, DuPage, Will and Cook Counties in Illinois. Information regarding Chicago District requirements can be accessed through their website at http://www.lrc.usace.army.mil/co-r/. If you have any questions regarding the Chicago District proposal, please contact Ms. Karon Marzec, Senior Project Manager, by telephone at 312/353-6400, ext. 4030 or e-mail <u>karon.m.marzec@usace.army.mil</u>.

- 1. Bank stabilization projects involving armoring of the streambank with riprap or the construction of retaining walls within High Value Subwatersheds exceeding 250 feet will require a PCN to the Corps of Engineers in accordance with Notification Condition (Number 13).
- 2. A proposed activity to be authorized under Nationwide Permits 12 or 14 within the Cache River Wetlands Areas (Alexander and Pulaski Counties), Kaskaskia River (Clinton, St. Clair, and Washington Counties), or Wabash River (Gallatin and White Counties) will require a PCN to the Corps of Engineers in accordance with the Notification Condition (Number 13).
- 3. Stormwater management facilities shall not be located within an intermittent stream.
- 4. High Value Subwatersheds The state of Illinois has defined these areas through a combination of factors. Various sources of information were used to analyze and rank subwatersheds. Federal Threatened and Endangered Species, % of wetlands in the watershed, Natural Areas Inventory, and Biological Stream Categorization were factors used for High Value designation. A map highlighting these areas is attached with a numerical listing of the 8-digit hydrologic units.

D. Further Information

2

i

- 1. District Engineers have authority to determine if an activity complies with the terms and conditions of an NWP.
- 2. NWPs do not obviate the need to obtain other Federal, state, or local permits, approvals, or authorizations required by law.
- 3. NWPs do not grant any property rights or exclusive privileges.
- NWPs do not authorize any injury to the property or rights of others.
- 5. NWPs do not authorize interference with any existing or proposed Federal project.
- E. Definitions are as provided in the Federal Register Vol. 67, No. 10 dated January 15, 2002.

State of Illinois Department of Transportation Bureau of Local Roads and Streets

SPECIAL PROVISION FOR CONSTRUCTION AND MAINTENANCE SIGNS

Effective: January 1, 2004

All references to Sections or Articles in this specification shall be construed to mean a specific Section or Article of the Standard Specifications for Road and Bridge Construction, adopted by the Department of Transportation.

702.05 Signs. Add the following paragraph to subparagraph (a) in Article 702.05:

į

All warning signs shall have minimum dimensions of 1200 mm x 1200 mm (48" x 48") and have a black legend on a fluorescent orange reflectorized background, meeting, as a minimum, Type AP reflectivity requirements of Table 1091-2 in Article 1091.02.

AGGREGATE SHIPPING TICKETS (BDE)

Effective: January 1, 2006

Add the following to Article 1003.01 of the Standard Specifications:

"(f) Shipping Tickets. Shipping tickets for the material shall be according to the current Bureau of Materials and Physical Research Policy Memorandum, "Designation of Aggregate Information on Shipping Tickets"."

Add the following to Article 1004.01 of the Standard Specifications:

"(f) Shipping Tickets. Shipping tickets for the material shall be according to the current Bureau of Materials and Physical Research Policy Memorandum, "Designation of Aggregate Information on Shipping Tickets"."

Add the following to Article 1005.01 of the Supplemental Specifications:

"(d) Shipping Tickets. Shipping tickets for the material shall be according to the current Bureau of Materials and Physical Research Policy Memorandum, "Designation of Aggregate Information on Shipping Tickets"."

80156

í

CONCRETE ADMIXTURES (BDE)

Effective: January 1, 2003 Revised: July 1, 2004

i

Revise Article 1020.05(b) of the Standard Specifications to read:

"(b) Admixtures. Except as specified, the use of admixtures to increase the workability or to accelerate the hardening of the concrete will be permitted only when approved in writing by the Engineer. The Department will maintain an Approved List of Concrete Admixtures. When the Department permits the use of a calcium chloride accelerator, it shall be according to Article 442.02, Note 5.

When the atmosphere or concrete temperature is 18 °C (65 °F) or higher, a retarding admixture meeting the requirements of Article 1021.03 shall be used in the Class BD Concrete and portland cement concrete bridge deck overlays. The amount of retarding admixture to be used will be determined by the Engineer. The proportions of the ingredients of the concrete shall be the same as without the retarding admixture except that the amount of mixing water shall be reduced, as may be necessary, in order to maintain the consistency of the concrete as required. In addition, a high range water-reducing admixture shall be used in Class BD Concrete. The amount of high range water-reducing admixture will be determined by the Engineer. At the option of the Contractor, a water-reducing admixture may be used. Type I cement shall be used.

For Class PC and PS Concrete, a retarding admixture may be added to the concrete mixture when the concrete temperature is 18 °C (65 °F) or higher. Other admixtures may be used when approved by the Engineer, or if specified by the contract. If an accelerating admixture is permitted by the Engineer, it shall be the non-chloride type.

At the Contractor's option, admixtures in addition to an air-entraining admixture may be used for Class PP-1 concrete. The accelerator shall be the non-chloride type. If a water-reducing or retarding admixture is used, the cement factor may be reduced a maximum 18 kg/cu m (0.30 hundredweight/cu yd). If a high range water-reducing admixture is used, the cement factor may be reduced a maximum 36 kg/cu m (0.60 hundredweight/cu yd). Cement factor reductions shall not be cumulative when using multiple admixtures. An accelerator shall always be added prior to a high range water-reducing admixture, if both are used.

If Class C fly ash or ground granulated blast-furnace slag is used in Class PP-1 concrete, a water-reducing or high range water-reducing admixture shall be used. However, the cement factor shall not be reduced if a water-reducing, retarding, or high range water-reducing admixture is used. In addition, an accelerator shall not be used.

For Class PP-2 or PP-3 concrete, a non-chloride accelerator followed by a high range water-reducing admixture shall be used, in addition to the air-entraining admixture. For Class PP-3 concrete, the non-chloride accelerator shall be calcium nitrite.

For Class PP-2 or PP-3 concrete, the Contractor has the option to use a water-reducing admixture. A retarding admixture shall not be used unless approved by the Engineer. A water-reducing, retarding, or high range water-reducing admixture shall not be used to reduce the cement factor.

i

When the air temperature is less than 13 °C (55 °F) for Class PP-1 or PP-2 concrete, the non-chloride accelerator shall be calcium nitrite.

For Class PP-4 concrete, a high range water-reducing admixture shall be used in addition to the air-entraining admixture. The Contractor has the option to use a water-reducing admixture. An accelerator shall not be used. For stationary or truck mixed concrete, a retarding admixture shall be used to allow for haul time. The Contractor has the option to use a mobile portland cement concrete plant according to Article 1103.04, but a retarding admixture shall not be used unless approved by the Engineer. A water-reducing, retarding, or high range water-reducing admixture shall not be used to reduce the cement factor.

If the Department specifies a calcium chloride accelerator for Class PP-1 concrete, the maximum chloride dosage shall be 1.0 L (1.0 quart) of solution per 45 kg (100 lb) of cement. The dosage may be increased to a maximum 2.0 L (2.0 quarts) per 45 kg (100 lb) of cement if approved by the Engineer. If the Department specifies a calcium chloride accelerator for Class PP-2 concrete, the maximum chloride dosage shall be 1.3 L (1.3 quarts) of solution per 45 kg (100 lb) of cement. The dosage may be increased to a maximum chloride dosage shall be 1.3 L (1.3 quarts) of solution per 45 kg (100 lb) of cement. The dosage may be increased to a maximum 2.6 L (2.6 quarts) per 45 kg (100 lb) of cement if approved by the Engineer.

For Class PV, MS, SI, RR, SC and SH concrete, at the option of the Contractor, or when specified by the Engineer, a water-reducing admixture or a retarding admixture may be used. The amount of water-reducing admixture or retarding admixture permitted will be determined by the Engineer. The air-entraining admixture and other admixtures shall be added to the concrete separately, and shall be permitted to intermingle only after they have separately entered the concrete batch. The sequence, method and equipment for adding the admixtures shall be approved by the Engineer. The water-reducing admixture shall not delay the initial set of the concrete by more than one hour. Type I cement shall be used.

When a water-reducing admixture is added, a cement factor reduction of up to 18 kg/cu m (0.30 hundredweight/cu yd), from the concrete designed for a specific slump without the admixture, will be permitted for Class PV, MS, SI, RR, SC and SH concrete. When an approved high range water-reducing admixture is used, a cement factor reduction of up to 36 kg/cu m (0.60 hundredweight/cu yd), from a specific water cement/ratio without the admixture, will be permitted based on a 14 percent minimum water reduction. This is applicable to Class PV, MS, SI, RR, SC and SH concrete. A cement factor below 320 kg/cu m (5.35 hundredweight/cu yd) will not be permitted for Class PV, MS, SI, RR, SC and SH concrete.

allowed for concrete placed underwater. Cement factor reductions shall not be cumulative when using multiple admixtures.

For use of admixtures to control concrete temperature, refer to Articles 1020.14(a) and 1020.14(b).

The maximum slumps given in Table 1 may be increased to 175 mm (7 in.) when a high range water-reducing admixture is used for all classes of concrete except Class PV and PP."

Revise Section 1021 of the Standard Specifications to read:

í

"SECTION 1021. CONCRETE ADMIXTURES

1021.01 General. Admixtures shall be furnished in liquid form ready for use. The admixtures may be delivered in the manufacturer's original containers, bulk tank trucks or such containers or tanks as are acceptable to the Engineer. Delivery shall be accompanied by a ticket which clearly identifies the manufacturer and trade name of the material. Containers shall be readily identifiable to the satisfaction of the Engineer as to manufacturer and trade name of the material they contain.

Prior to inclusion of a product on the Department's Approved List of Concrete Admixtures, the manufacturer shall submit a report prepared by an independent laboratory accredited by the AASHTO Accreditation Program. The report shall show the results of physical tests conducted no more than five years prior to the time of submittal, according to applicable specifications.

Tests shall be conducted using materials and methods specified on a "test" concrete and a "reference" concrete, together with a certification that no changes have been made in the formulation of the material since the performance of the tests. Per the manufacturer's option, the cement content for all required tests shall either be according to applicable specifications or 335 kg/cu m (5.65 cwt/cu yd). Compressive strength test results for six months and one year will not be required.

In addition to the report, the manufacturer shall submit AASHTO T 197 water content and set time test results on the standard cement used by the Department. The test and reference concrete mixture shall contain a cement content of 335 kg/cu m (5.65 cwt/cu yd). The manufacturer may select their lab or an independent lab to perform this testing. The laboratory is not required to be accredited by the AASHTO Accreditation Program.

Prior to the approval of an admixture, the Engineer may conduct all or part of the applicable tests on a sample that is representative of the material to be furnished. The test and reference concrete mixtures tested by the Engineer will contain a cement content of 335 kg/cu m (5.65 cwt/cu yd). For freeze-thaw testing, the Department will perform the test according to Illinois Modified AASHTO T 161, Procedure B.

2S

The manufacturer shall include in the submittal the following information according to ASTM C 494; the average and manufacturing range of specific gravity, the average and manufacturing range of solids in the solution, and the average and manufacturing range of pH. The submittal shall also include an infrared spectrophotometer trace no more than five years old.

When test results are more than seven years old, the manufacturer shall re-submit the infrared spectrophotometer trace and the report prepared by an independent laboratory accredited by the AASHTO Accreditation Program.

÷

All admixtures, except chloride-based accelerators, shall contain no more than 0.3 percent chloride by mass (weight).

1021.02 Air-Entraining Admixtures. Air-entraining admixtures shall conform to the requirements of AASHTO M 154.

If the manufacturer certifies that the air-entraining admixture is an aqueous solution of Vinsol resin that has been neutralized with sodium hydroxide (caustic soda), testing for compliance with the requirements may be waived by the Engineer. In the certification, the manufacturer shall show complete information with respect to the formulation of the solution, including the number of parts of Vinsol resin to each part of sodium hydroxide. Before the approval of its use is granted, the Engineer will test the solution for its air-entraining quality in comparison with a solution prepared and kept for that purpose.

1021.03 Retarding and Water-Reducing Admixtures. The admixture shall comply with the following requirements:

- (a) The retarding admixture shall comply with the requirements of AASHTO M 194, Type B (retarding) or Type D (water-reducing and retarding).
- (b) The water-reducing admixture shall comply with the requirements of AASHTO M 194, Type A.
- (c) The high range water-reducing admixture shall comply with the requirements of AASHTO M 194, Type F (high range water-reducing) or Type G (high range waterreducing and retarding).

When a Type F or Type G high range water-reducing admixture is used, water-cement ratios shall be a minimum of 0.32.

Type F or Type G admixtures may be used, subject to the following restrictions:

For Class MS, SI, RR, SC and SH concrete, the water-cement ratio shall be a maximum of 0.44.

The Type F or Type G admixture shall be added at the jobsite unless otherwise directed by the Engineer. The initial slump shall be a minimum of 40 mm (1 1/2 in.)

prior to addition of the Type F or Type G admixture, except as approved by the Engineer.

When a Type F or Type G admixture is used, retempering with water or with a Type G admixture will not be allowed. An additional dosage of a Type F admixture, not to exceed 40 percent of the original dosage, may be used to retemper concrete once, provided set time is not unduly affected. A second retempering with a Type F admixture may be used for all classes of concrete except Class PP and SC, provided that the dosage does not exceed the dosage used for the first retempering, and provided that the set time is not unduly affected. No further retempering will be allowed.

Air tests shall be performed after the addition of the Type F or Type G admixture.

1021.04 Set Accelerating Admixtures. The admixture shall comply with the requirements of AASHTO M 194, Type C (accelerating) or Type E (water reducing and accelerating)"

80094

í

CURING AND PROTECTION OF CONCRETE CONSTRUCTION (BDE)

Effective: January 1, 2004

ś

Revise the second and third sentences of the eleventh paragraph of Article 503.06 of the Standard Specifications to read:

"Forms on substructure units shall remain in place at least 24 hours. The method of form removal shall not result in damage to the concrete."

Delete the twentieth paragraph of Article 503.22 of the Standard Specifications.

Revise the "Unit Price Adjustments" table of Article 503.22 of the Standard Specifications to read:

| "UNIT PRICE ADJUSTMENTS | |
|--|---------------|
| | Percent |
| Type of Construction | Adjustment |
| () for an additional addition | in Unit Price |
| For concrete in substructures, culverts (having a waterway | |
| opening of more than 1 sq m (10 sq ft)), pump houses, and | |
| retaining walls (except concrete pilings, footings and | |
| | |
| foundation seals): | |
| When protected by: | 4450/ |
| Protection Method II | 115% |
| Protection Method I | 110% |
| For concrete in superstructures: | |
| When protected by: | |
| Protection Method II | 123% |
| Protection Method I | 115% |
| For concrete in footings: | |
| When protected by: | |
| Protection Method I, II or III | 107% |
| For concrete in slope walls: | |
| When protected by: | - 4 4 |
| Protection Method I | 107%" |

Delete the fourth paragraph of Article 504.05(a) of the Standard Specifications.

Revise the second and third sentences of the fifth paragraph of Article 504.05(a) of the Standard Specifications to read:

"All test specimens shall be cured with the units according to Article 1020.13."

Revise the first paragraph of Article 504.06(c)(6) of the Standard Specifications to read:

"Curing and Low Air Temperature Protection. The curing and protection for precast, prestressed concrete members shall be according to Article 1020.13 and this Article."

Revise the first sentence of the second paragraph of Article 504.06(c)(6) of the Standard Specifications to read:

"For curing, air vents shall be in place, and shall be so arranged that no water can enter the void tubes during the curing of the members."

Revise the first sentence of the third paragraph of Article 504.06(c)(6) of the Standard Specifications to read:

"As soon as each member is finished, the concrete shall be covered with curing material according to Article 1020.13."

Revise the eighth paragraph of Article 504.06(c)(6) of the Standard Specifications to read:

"The prestressing force shall not be transferred to any member before the concrete has attained the compressive strength of 28,000 kPa (4000 psi) or other higher compressive release strength specified on the plans, as determined from tests of 150 mm (6 in.) by 300 mm (12 in.) cylinders cured with the member according to Article 1020.13. Members shall not be shipped until 28-day strengths have been attained and members have a yard age of at least 4 days."

Delete the third paragraph of Article 512.03(a) of the Standard Specifications.

ź

Delete the last sentence of the second paragraph of Article 512.04(d) of the Standard Specifications.

Revise the "Index Table of Curing and Protection of Concrete Construction" table of Article 1020.13 of the Standard Specifications to read:

i

| "INDEX TABLE OF | CURING AND PROTECTION C | | ONSTRUCTION |
|----------------------------------|---|----------------------------|---|
| | CURING METHODS | CURING PERIOD DAYS | LOW AIR TEMPERATURE PROTECTION METHODS |
| Cast-in-Place Concrete: 11/ | | | |
| Pavement | 0151 | | |
| Shoulder | 1020.13(a)(1)(2)(3)(4)(5) ^{3/5/} | 3 | 1020.13(c) |
| Base Course | 1000 100 112 | <u> </u> | 4000 40(-) |
| Base Course Widening | 1020.13(a)(1)(2)(3)(4)(5) ^{1/2/} | 3 | 1020.13(c) |
| Driveway | | | |
| Median Curb | | | |
| Gutter | 1020.13(a)(1)(2)(3)(4)(5) ^{4/5/} | 3 | 1020.13(c) ^{16/} |
| Curb and Gutter | | U U | |
| Sidewalk | | | |
| Slope Wall | | | |
| Paved Ditch | | | |
| Catch Basin | | <u> </u> | (000 48/-) |
| Manhole | 1020.13(a)(1)(2)(3)(4)(5)4/ | 3 | 1020.13(c) |
| Inlet | | | |
| Valve Vault | 4000 404-141/01/01/01/11/2 | 312/ | 1000.12(a) |
| Pavement Patching | 1020.13(a)(1)(2)(3)(4)(5) ^{2/} | | _1020.13(c) |
| Pavement Replacement | 1020.13(a)(1)(2)(3)(4)(5) ^{1/2/} | 3 | 442.06(h) and 1020.13(c) |
| Railroad Crossing | 1020.13(a)(3)(5) | 1 | 1020.13(c) |
| Piles | 1020.13(a)(3)(5) | 7 | 1020.13(e)(1)(2)(3) |
| Footings | 46 | | 4000 40(-)(4)(0)(0) |
| Foundation Seals | 1020.13(a)(1)(2)(3)(4)(5) ^{4/6/} | 7 | 1020.13(e)(1)(2)(3) |
| Substructure | 1020.13(a)(1)(2)(3)(4)(5) ¹⁷⁷ | 7 | 1020.13(e)(1)(2)(3) |
| Superstructure (except deck) | 1020.13(a)(1)(2)(3)(5) ^{8/} | | 1020.13(e)(1)(2) |
| Deck | 1020.13(a)(5) | 7 | 1020.13(e)(1)(2) ^{17/} |
| Retaining Walls | 1020.13(a)(1)(2)(3)(4)(5) ¹⁷⁷ | 7 | 1020.13(e)(1)(2) |
| Pump Houses | 1020.13(a)(1)(2)(3)(4)(5)1/ | 7 | 1020.13(e)(1)(2) |
| Culverts | 1020.13(a)(1)(2)(3)(4)(5) ^{4/6/} | 7 | 1020.13(e)(1)(2) ^{18/} |
| Other Incidental Concrete | 1020.13(a)(1)(2)(3)(5) | 3 | 1020.13(c) |
| Precast Concrete: 11/ | | ···· - | |
| Bridge Beams | | | |
| Piles | | | |
| Bridge Slabs | 1020.13(a)(3)(5) ^{9/10/} | As required. ¹³ | ^{1/} 504.06(c)(6), 1020.13(e)(2) ^{1/} |
| Nelson Type Structural Member | | | |
| All Other Precast Items | 1020.13(a)(3)(4)(5) ^{2/9/10/} | As required. ¹⁴ | ^{1/} 504.06(c)(6), 1020.13(e)(2) ¹¹ |
| Precast, Prestressed Concrete: 1 | 17 | | |
| All Items | 1020.13(a)(3)(5) ^{9/10/} | Until strand tensioning is | 504.06(c)(6), 1020.13(e)(2) ¹ |
| | | released. ^{Y5/} | |

Notes-General:

- 1/ Type I, membrane curing only
- 2/ Type II, membrane curing only
- 3/ Type III, membrane curing only
- 4/ Type I, II and III membrane curing
- 5/ Membrane curing will not be permitted between November 1 and April 15.
- 6/ The use of water to inundate footings, foundation seals or the bottom slab of culverts is permissible when approved by the Engineer, provided the water temperature can be maintained at 7 °C (45 °F) or higher.
- 7/ Asphalt Emulsion for Waterproofing may be used in lieu of other curing methods when specified and permitted according to Article 503.18.
- 8/ On non-traffic surfaces which receive protective coat according to Article 503.19, a linseed oil emulsion curing compound may be used as a substitute for protective coat and other curing methods. The linseed emulsion curing compound will be permitted between April 16 and October 31 of the same year, provided it is applied with a mechanical sprayer according to Article 1101.09 (b), and meets the material requirements of Article 1022.07.
- 9/ Steam curing (heat and moisture) is acceptable and shall be accomplished by the method specified in Article 504.06(c)(6).
- 10/ A moist room according to AASHTO M 201 is acceptable for curing.
- 11/ If curing is required and interrupted because of form removal for cast-in-place concrete items, precast concrete products, or precast prestressed concrete products, the curing shall be resumed within two hours from the start of the form removal.
- 12/ Curing maintained only until opening strength is attained, with a maximum curing period of three days.
- 13/ The curing period shall end when the concrete has attained the mix design strength. The producer has the option to discontinue curing when the concrete has attained 80 percent of the mix design strength or after seven days. All strength test specimens shall remain with the units and shall be subjected to the same curing method and environmental condition as the units, until the time of testing.
- 14/ The producer shall determine the curing period or may elect to not cure the product. All strength test specimens shall remain with the units and shall be subjected to the same curing method and environmental condition as the units, until the time of testing.
- 15/ The producer has the option to continue curing after strand release.
- 16/ When structural steel or structural concrete is in place above slope wall, Article 1020.13(c) shall not apply. The protection method shall be according to Article 1020.13(e)(1).
- 17/ When Article 1020.13(e)(2) is used to protect the deck, the housing may enclose only the bottom and sides. The top surface shall be protected according to Article 1020.13(e)(1).
- 18/ For culverts having a waterway opening of 1 sq m (10 sq ft) or less, the culverts may be protected according to Article 1020.13(e)(3).
- 19/ The seven day protection period in the first paragraph of Article 1020.13(e)(2) shall not apply. The protection period shall end when curing is finished. For the third paragraph of Article 1020.13(e)(2), the decrease in temperature shall be according to Article 504.06(c)(6)."

Add the following to Article 1020.13(a) of the Standard Specifications:

i

"(5) Wetted Cotton Mat Method. After the surface of concrete has been textured or finished, it shall be covered immediately with dry cotton mats. The cotton mats shall be placed in a manner which will not mar the concrete surface. A texture resulting from the cotton mat material is acceptable. The cotton mats shall then be wetted immediately and thoroughly soaked with a gentle spray of water. For bridge decks, a foot bridge shall be used to place and wet the cotton mats.

The cotton mats shall be maintained in a wetted condition until the concrete has hardened sufficiently to place soaker hoses without marring the concrete surface. The soaker hoses shall be placed on top of the cotton mats at a maximum 1.2 m (4 ft) spacing. The cotton mats shall be kept wet with a continuous supply of water for the remainder of the curing period. Other continuous wetting systems may be used if approved by the Engineer.

After placement of the soaker hoses, the cotton mats shall be covered with white polyethylene sheeting or burlap-polyethylene blankets.

For construction items other than bridge decks, soaker hoses or a continuous wetting system will not be required if the alternative method keeps the cotton mats wet. Periodic wetting of the cotton mats is acceptable.

For areas inaccessible to the cotton mats on bridge decks, curing shall be according to Article 1020.13(a)(3)."

Revise the first paragraph of Article 1020.13(c) of the Standard Specifications to read:

"Protection of Portland Cement Concrete, Other Than Structures, From Low Air Temperatures. When the official National Weather Service forecast for the construction area predicts a low of 0 °C (32 °F), or lower, or if the actual temperature drops to 0 °C (32 °F), or lower, concrete less than 72 hours old shall be provided at least the following protection:"

Delete Article 1020.13(d) and Articles 1020.13(d)(1),(2),(3),(4) of the Standard Specifications.

Revise the first five paragraphs of Article 1020.13(e) of the Standard Specifications to read:

"Protection of Portland Cement Concrete Structures From Low Air Temperatures. When the official National Weather Service Forecast for the construction area predicts a low below 7 °C (45 °F), or if the actual temperature drops below 7 °C (45 °F), concrete less than 72 hours old shall be provided protection. Concrete shall also be provided protection when placed during the winter period of December 1 through March 15. Concrete shall not be placed until the materials, facilities and equipment for protection are approved by the Engineer. When directed by the Engineer, the Contractor may be required to place concrete during the winter period. If winter construction is specified, the Contractor shall proceed with the construction, including concrete, excavation, pile driving, steel erection and all appurtenant work required for the complete construction of the item, except at times when weather conditions make such operations impracticable.

Regardless of the precautions taken, the Contractor shall be responsible for protection of the concrete placed and any concrete damaged by cold temperatures shall be removed and replaced by the Contractor at his/her own expense."

Add the following at the end of the third paragraph of Article 1020.13(e)(1) of the Standard Specifications:

"The Contractor shall provide means for checking the temperature of the surface of the concrete during the protection period."

Revise the second sentence of the first paragraph of Article 1020.13(e)(2) of the Standard Specifications to read:

"The Contractor shall provide means for checking the temperature of the surface of the concrete or air temperature within the housing during the protection period."

Delete the last sentence of the first paragraph of Article 1020.13(e)(3) of the Standard Specifications.

Add the following Article to Section 1022 of the Standard Specifications:

i

"1022.06 Cotton Mats. Cotton mats shall consist of a cotton fill material, minimum 400 g/sq m (11.8 oz/sq yd), covered with unsized cloth or burlap, minimum 200 g/sq m (5.9 oz/sq yd), and be tufted or stitched to maintain stability.

Cotton mats shall be in a condition satisfactory to the Engineer. Any tears or holes in the mats shall be repaired.

Add the following Article to Section 1022 of the Standard Specifications:

"1022.07 Linseed Oil Emulsion Curing Compound. Linseed oil emulsion curing compound shall be composed of a blend of boiled linseed oil and high viscosity, heavy bodied linseed oil emulsified in a water solution. The curing compound shall meet the requirements of a Type I, II, or III according to Article 1022.01, except the drying time requirement will be waived. The oil phase shall be 50 ± 4 percent by volume. The oil phase shall consist of 80 percent by mass (weight) boiled linseed oil and 20 percent by mass (weight) Z-8 viscosity linseed oil. The water phase shall be 50 ± 4 percent by volume."

Revise Article 1020.14 of the Standard Specifications to read:

"1020.14 Temperature Control for Placement. Temperature control for concrete placement shall conform to the following requirements:

(a) Temperature Control other than Structures. The temperature of concrete immediately before placing, shall be not less than 10 °C (50 °F) nor more than 32 °C (90 °F). Aggregates and/or water shall be heated or cooled as necessary to produce concrete within these temperature limits.

i

When the temperature of the plastic concrete reaches 30 °C (85 °F), an approved retarding admixture shall be used or the approved water reducing admixture in use shall have its dosage increased by 50 percent over the dosage recommended on the Department's Approved List of Concrete Admixtures for the temperature experienced. The amount of retarding admixture to be used will be determined by the Engineer. This requirement may be waived by the Engineer when fly ash compensated mixtures are used.

Plastic concrete temperatures up to 35 °C (96 °F), as placed, may be permitted provided job site conditions permit placement and finishing without excessive use of water on and/or overworking of the surface. The occurrence within 24 hours of unusual surface distress shall be cause to revert to a maximum 32 °C (90 °F) plastic concrete temperature.

Concrete shall not be placed when the air temperature is below 5 °C (40 °F) and falling or below 2 °C (35 °F), without permission of the Engineer. When placing of concrete is authorized during cold weather, the Engineer may require the water and/or the aggregates to be heated to not less than 20 °C (70 °F) nor more than 65 °C (150 °F). The aggregates may be heated by either steam or dry heat prior to being placed in the mixer. The apparatus used shall heat the mass uniformly and shall be so arranged as to preclude the possible occurrence of overheated areas which might damage the materials. No frozen aggregates shall be used in the concrete.

For pavement patching, refer to Article 442.06(e) for additional information on temperature control for placement.

(b) Temperature Control for Structures. The temperature of concrete as placed in the forms shall be not less than 10 °C (50 °F) nor more than 32 °C (90 °F). Aggregates and/or water shall be heated or cooled as necessary to produce concrete within these temperature limits. When insulated forms are used, the temperature of the concrete mixture shall not exceed 25 °C (80 °F). If the Engineer determines that heat of hydration might cause excessive temperatures in the concrete, the concrete shall be placed at a temperature between 10 °C (50 °F) and 15 °C (60 °F), per the Engineer's instructions. When concrete is placed in contact with previously placed concrete, the temperature of the concrete may be increased as required to offset anticipated heat loss.

Concrete shall not be placed when the air temperature is below 7 °C (45 °F) and falling or below 4 °C (40 °F), without permission of the Engineer. When placing of concrete is

authorized during cold weather, the Engineer may require the water and/or the aggregates to be heated to not less than 20 °C (70 °F) nor more than 65 °C (150 °F). The aggregates may be heated by either steam or dry heat prior to being placed in the mixer. The apparatus used shall heat the mass uniformly and shall be so arranged as to preclude the possible occurrence of overheated areas which might damage the materials. No frozen aggregates shall be used in the concrete.

When the temperature of the plastic concrete reaches 30 °C (85 °F), an approved retarding admixture shall be used or the approved water reducing admixture in use shall have its dosage increased by 50 percent over the dosage recommended on the Department's Approved List of Concrete Admixtures for the temperature experienced. The amount of retarding admixture to be used will be determined by the Engineer. This requirement may be waived by the Engineer when fly ash compensated mixtures are used.

(c) Temperature. The concrete temperature shall be determined according to ASTM C 1064."

DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION

Effective: September 1, 2000 Revised: June 22, 2005

<u>FEDERAL OBLIGATION</u>. The Department of Transportation, as a recipient of federal financial assistance, is required to take all necessary and reasonable steps to ensure nondiscrimination in the award and administration of contracts. Consequently, the federal regulatory provisions of 49 CFR part 26 apply to this contract concerning the utilization of disadvantaged business enterprises. For the purposes of this Special Provision, a disadvantaged business enterprise (DBE) means a business certified by the Department in accordance with the requirements of 49 CFR part 26 and listed in the DBE Directory or most recent addendum.

STATE OBLIGATION. This Special Provision will also be used by the Department to satisfy the requirements of the Business Enterprise for Minorities, Females, and Persons with Disabilities Act, 30 ILCS 575. When this Special Provision is used to satisfy state law requirements on 100% state-funded contracts, the federal government has no involvement in such contracts (not a federal-aid contract) and no responsibility to oversee the implementation of this Special Provision by the Department on those contracts. DBE participation on 100% state-funded contracts will not be credited toward fulfilling the Department's annual overall DBE goal required by the US Department of Transportation to comply with the federal DBE program requirements.

<u>CONTRACTOR ASSURANCE</u>. The Contractor makes the following assurance and agrees to include the assurance in each subcontract that the Contractor signs with a subcontractor:

The Contractor, subrecipient, or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The Contractor shall carry out applicable requirements of 49 CFR part 26 in the award and administration of contracts funded in whole or in part with federal or state funds. Failure by the Contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate.

<u>OVERALL GOAL SET FOR THE DEPARTMENT</u>. As a requirement of compliance with 49 CFR part 26, the Department has set an overall goal for DBE participation in its federally assisted contracts. That goal applies to all federal-aid funds the Department will expend in its federally assisted contracts for the subject reporting fiscal year. The Department is required to make a good faith effort to achieve the overall goal. The dollar amount paid to all approved DBE firms performing work called for in this contract is eligible to be credited toward fulfillment of the Department's overall goal.

<u>CONTRACT GOAL TO BE ACHIEVED BY THE CONTRACTOR</u>. This contract includes a specific DBE utilization goal established by the Department. The goal has been included because the Department has determined that the work of this contract has subcontracting opportunities that may be suitable for performance by DBE companies. This determination is based on an assessment of the type of work, the location of the work, and the availability of DBE companies to do a part of the work. The assessment indicates that, in the absence of

unlawful discrimination. and in an arena of fair and open competition, DBE companies can be expected to perform $\underline{0.0}$ % of the work. This percentage is set as the DBE participation goal for this contract. Consequently, in addition to the other award criteria established for this contract, the Department will award this contract to a bidder who makes a good faith effort to meet this goal of DBE participation in the performance of the work. A bidder makes a good faith effort for award consideration if either of the following is done in accordance with the procedures set forth in this Special Provision:

- (a) The bidder documents that firmly committed DBE participation has been obtained to meet the goal; or
- (b) The bidder documents that a good faith effort has been made to meet the goal, even though the effort did not succeed in obtaining enough DBE participation to meet the goal.

<u>DBE LOCATOR REFERENCES</u>. Bidders may consult the DBE Directory as a reference source for DBE companies certified by the Department. In addition, the Department maintains a letting and item specific DBE locator information system whereby DBE companies can register their interest in providing quotes on particular bid items advertised for letting. Information concerning DBE companies willing to quote work for particular contracts may be obtained by contacting the Department's Bureau of Small Business Enterprises at telephone number (217)785-4611, or by visiting the Department's web site at www.dot.state.il.us.

<u>BIDDING PROCEDURES</u>. Compliance with the bidding procedures of this Special Provision is required prior to the award of the contract and the failure of the as-read low bidder to comply will render the bid not responsive.

(a) In order to assure the timely award of the contract, the as-read low bidder shall submit a Disadvantaged Business Utilization Plan on Department form SBE 2026 within seven (7) working days after the date of letting. To meet the seven (7) day requirement, the bidder may send the Plan by certified mail or delivery service within the seven (7) working day period. If a question arises concerning the mailing date of a Plan, the mailing date will be established by the U.S. Postal Service postmark on the original certified mail receipt from the U.S. Postal Service or the receipt issued by a delivery service. It is the responsibility of the bidder to ensure that the postmark or receipt date is affixed within the seven (7) working days if the bidder intends to rely upon mailing or delivery to satisfy the submission day requirement. The Plan is to be submitted to the Department of Transportation, Bureau of Small Business Enterprises, Contract Compliance Section, 2300 South Dirksen Parkway, Room 319, Springfield, Illinois 62764 (Telefax: (217)785-1524). It is the responsibility of the bidder to obtain confirmation of telefax delivery. The Department will not accept a Utilization Plan if it does not meet the seven (7) day submittal requirement and the bid will be declared not responsive. In the event the bid is declared not responsive due to a failure to submit a Plan or failure to comply with the bidding procedures set forth herein, the Department may elect to cause the forfeiture of the penal sum of the bidder's proposal guaranty, and may deny authorization to bid the project if re-advertised for bids. The Department reserves the right to invite any other bidder to submit a Utilization Plan at any time for award consideration or to extend the time for award.

- (b) The Utilization Plan shall indicate that the bidder either has obtained sufficient DBE participation commitments to meet the contract goal or has not obtained enough DBE participation commitments in spite of a good faith effort to meet the goal. The Utilization Plan shall further provide the name, telephone number, and telefax number of a responsible official of the bidder designated for purposes of notification of plan approval or disapproval under the procedures of this Special Provision.
- (c) The Utilization Plan shall include a DBE Participation Commitment Statement, Department form SBE 2025, for each DBE proposed for the performance of work to achieve the contract goal. The signatures on these forms must be original signatures. All elements of information indicated on the said form shall be provided, including but not limited to the following:
 - (1) The name and address of each DBE to be used;
 - (2) A description, including pay item numbers, of the commercially useful work to be done by each DBE;
 - (3) The price to be paid to each DBE for the identified work specifically stating the quantity, unit price, and total subcontract price for the work to be completed by the DBE. If partial pay items are to be performed by the DBE, indicate the portion of each item, a unit price where appropriate and the subcontract price amount;
 - (4) A commitment statement signed by the bidder and each DBE evidencing availability and intent to perform commercially useful work on the project; and
 - (5) If the bidder is a joint venture comprised of DBE firms and non-DBE firms, the plan must also include a clear identification of the portion of the work to be performed by the DBE partner(s).
- (d) The contract will not be awarded until the Utilization Plan submitted by the bidder is approved. The Utilization Plan will be approved by the Department if the Plan commits sufficient commercially useful DBE work performance to meet the contract goal. The Utilization Plan will not be approved by the Department if the Plan does not commit sufficient DBE performance to meet the contract goal unless the bidder documents that it made a good faith effort to meet the goal. The good faith procedures of Section VIII of this special provision apply. If the Utilization Plan is not approved because it is deficient in a technical matter, unless waived by the Department, the bidder will be notified and will be allowed no less than a five (5) working day period in order to cure the deficiency.

<u>CALCULATING DBE PARTICIPATION</u>. The Utilization Plan values represent work anticipated to be performed and paid for upon satisfactory completion. The Department is only able to count toward the achievement of the overall goal and the contract goal the value of payments

made for the work actually performed by DBE companies. In addition, a DBE must perform a commercially useful function on the contract to be counted. A commercially useful function is generally performed when the DBE is responsible for the work and is carrying out its responsibilities by actually performing, managing, and supervising the work involved. The Department and Contractor are governed by the provisions of 49 CFR part 26.55(c) on questions of commercially useful functions as it affects the work. Specific counting guidelines are provided in 49 CFR part 26.55, the provisions of which govern over the summary contained herein.

- (a) DBE as the Contractor: 100% goal credit for that portion of the work performed by the DBE's own forces, including the cost of materials and supplies. Work that a DBE subcontracts to a non-DBE firm does not count toward the DBE goals.
- (b) DBE as a joint venture Contractor: 100% goal credit for that portion of the total dollar value of the contract equal to the distinct, clearly defined portion of the work performed by the DBE's own forces.
- (c) DBE as a subcontractor: 100% goal credit for the work of the subcontract performed by the DBE's own forces, including the cost of materials and supplies, excluding the purchase of materials and supplies or the lease of equipment by the DBE subcontractor from the prime Contractor or its affiliates. Work that a DBE subcontractor in turn subcontracts to a non-DBE firm does not count toward the DBE goal.
- (d) DBE as a trucker: 100% goal credit for trucking participation provided the DBE is responsible for the management and supervision of the entire trucking operation for which it is responsible. At least one truck owned, operated, licensed, and insured by the DBE must be used on the contact. Credit will be given for the full value of all such DBE trucks operated using DBE employed drivers. Goal credit will be limited to the value of the reasonable fee or commission received by the DBE if trucks are leased from a non-DBE company.
- (e) DBE as a material supplier:
 - (1) 60% goal credit for the cost of the materials or supplies purchased from a DBE regular dealer.
 - (2) 100% goal credit for the cost of materials or supplies obtained from a DBE manufacturer.
 - (3) 100% credit for the value of reasonable fees and commissions for the procurement of materials and supplies if not a regular dealer or manufacturer.

<u>GOOD FAITH EFFORT PROCEDURES</u>. If the bidder cannot obtain sufficient DBE commitments to meet the contract goal, the bidder must document in the Utilization Plan the good faith efforts made in the attempt to meet the goal. This means that the bidder must show that all necessary and reasonable steps were taken to achieve the contract goal. Necessary

and reasonable steps are those which could reasonably be expected to obtain sufficient DBE participation. The Department will consider the quality, quantity, and intensity of the kinds of efforts that the bidder has made. Mere *pro forma* efforts are not good faith efforts; rather, the bidder is expected to have taken those efforts that would be reasonably expected of a bidder actively and aggressively trying to obtain DBE participation sufficient to meet the contract goal.

- (a) The following is a list of types of action that the Department will consider as part of the evaluation of the bidder's good faith efforts to obtain participation. These listed factors are not intended to be a mandatory checklist and are not intended to be exhaustive. Other factors or efforts brought to the attention of the Department may be relevant in appropriate cases, and will be considered by the Department.
 - (1) Soliciting through all reasonable and available means (e.g. attendance at pre-bid meetings, advertising and/or written notices) the interest of all certified DBE companies that have the capability to perform the work of the contract. The bidder must solicit this interest within sufficient time to allow the DBE companies to respond to the solicitation. The bidder must determine with certainty if the DBE companies are interested by taking appropriate steps to follow up initial solicitations.
 - (2) Selecting portions of the work to be performed by DBE companies in order to increase the likelihood that the DBE goals will be achieved. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate DBE participation, even when the prime Contractor might otherwise prefer to perform these work items with its own forces.
 - (3) Providing interested DBE companies with adequate information about the plans, specifications, and requirements of the contract in a timely manner to assist them in responding to a solicitation.
 - (4) a. Negotiating in good faith with interested DBE companies. It is the bidder's responsibility to make a portion of the work available to DBE subcontractors and suppliers and to select those portions of the work or material needs consistent with the available DBE subcontractors and suppliers, so as to facilitate DBE participation. Evidence of such negotiation includes the names, addresses, and telephone numbers of DBE companies that were considered; a description of the information provided regarding the plans and specifications for the work selected for subcontracting; and evidence as to why additional agreements could not be reached for DBE companies to perform the work.
 - b. A bidder using good business judgment would consider a number of factors in negotiating with subcontractors, including DBE subcontractors, and would take a firm's price and capabilities as well as contract goals into consideration. However, the fact that there may be some additional costs involved in finding and using DBE companies is not in itself sufficient reason for a bidder's failure to meet the contract DBE goal, as long as such costs are reasonable. Also, the ability or desire of a bidder to perform the work of a contract with its own

organization does not relieve the bidder of the responsibility to make good faith efforts. Bidders are not, however, required to accept higher quotes from DBE companies if the price difference is excessive or unreasonable.

- (5) Not rejecting DBE companies as being unqualified without sound reasons based on a thorough investigation of their capabilities. The bidder's standing within its industry, membership in specific groups, organizations, or associations and political or social affiliations (for example union vs. non-union employee status) are not legitimate causes for the rejection or non-solicitation of bids in the bidder's efforts to meet the project goal.
- (6) Making efforts to assist interested DBE companies in obtaining bonding, lines of credit, or insurance as required by the recipient or Contractor.
- (7) Making efforts to assist interested DBE companies in obtaining necessary equipment, supplies, materials, or related assistance or services.
- (8) Effectively using the services of available minority/women community organizations; minority/women contractors' groups; local, state, and federal minority/women business assistance offices; and other organizations as allowed on a case-by-case basis to provide assistance in the recruitment and placement of DBE companies.
- (b) If the Department determines that the bidder has made a good faith effort to secure the work commitment of DBE companies to meet the contract goal, the Department will award the contract provided that it is otherwise eligible for award. If the Department determines that a good faith effort has not been made, the Department will notify the bidder of that preliminary determination by contacting the responsible company official designated in the Utilization Plan. The preliminary determination shall include a statement of reasons why good faith efforts have not been found, and may include additional good faith efforts that the bidder could take. The notification will designate a five (5) working day period during which the bidder shall take additional efforts. The bidder is not limited by a statement of additional efforts, but may take other action beyond any stated additional efforts in order to obtain additional DBE commitments. The bidder shall submit an amended Utilization Plan if additional DBE commitments to meet the contract goal are secured. If additional DBE commitments sufficient to meet the contract goal are not secured, the bidder shall report the final good faith efforts made in the time allotted. All additional efforts taken by the bidder will be considered as part of the bidder's good faith efforts. If the bidder is not able to meet the goal after taking additional efforts, the Department will make a pre-final determination of the good faith efforts of the bidder and will notify the designated responsible company official of the reasons for an adverse determination.
- (c) The bidder may request administrative reconsideration of a pre-final determination adverse to the bidder within the five (5) working days after the notification date of the determination by delivering the request to the Department of Transportation, Bureau of Small Business Enterprises, Contract Compliance Section, 2300 South Dirksen

Parkway, Room 319, Springfield, Illinois 62764 (Telefax: (217)785-1524). Deposit of the request in the United States mail on or before the fifth business day shall not be deemed delivery. The pre-final determination shall become final if a request is not made and delivered. A request may provide additional written documentation and/or argument concerning the issue of whether an adequate good faith effort was made to meet the contract goal. In addition, the request shall be considered a consent by the bidder to extend the time for award. The request will be forwarded to the Department's Reconsideration Officer. The Reconsideration Officer will extend an opportunity to the bidder to meet in person in order to consider all issues of whether the bidder made a good faith effort to meet the goal. After the review by the Reconsideration Officer, the bidder will be sent a written decision within ten (10) working days after receipt of the request for reconsideration, explaining the basis for finding that the bidder did or did not meet the goal or make adequate good faith efforts to do so. A final decision by the Reconsideration Officer that a good faith effort was made shall approve the Utilization Plan submitted by the bidder and shall clear the contract for award. A final decision that a good faith effort was not made shall render the bid not responsive.

<u>CONTRACT COMPLIANCE</u>. Compliance with this Special Provision is an essential part of the contract. The Department is prohibited by federal regulations from crediting the participation of a DBE included in the Utilization Plan toward either the contract goal or the Department's overall goal until the amount to be applied toward the goals has been paid to the DBE. The following administrative procedures and remedies govern the compliance by the Contractor with the contractual obligations established by the Utilization Plan. After approval of the Plan and award of the contract, the Utilization Plan and individual DBE Participation Statements become part of the contract. If the Contractor did not succeed in obtaining enough DBE participation to achieve the advertised contract goal, and the Utilization Plan was approved and contract awarded based upon a determination of good faith, the total dollar value of DBE work calculated in the approved Utilization Plan as a percentage of the awarded contract value shall become the amended contract goal.

- (a) No amendment to the Utilization Plan may be made without prior written approval from the Department's Bureau of Small Business Enterprises. All requests for amendment to the Utilization Plan shall be submitted to the Department of Transportation, Bureau of Small Business Enterprises, Contract Compliance Section, 2300 South Dirksen Parkway, Room 319, Springfield, Illinois 62764. Telephone number (217) 785-4611. Telefax number (217) 785-1524.
- (b) All work indicated for performance by an approved DBE shall be performed, managed, and supervised by the DBE executing the Participation Statement. The Contractor shall not terminate for convenience a DBE listed in the Utilization Plan and then perform the work of the terminated DBE with its own forces, those of an affiliate or those of another subcontractor, whether DBE or not, without first obtaining the written consent of the Bureau of Small Business Enterprises to amend the Utilization Plan. If a DBE listed in the Utilization Plan is terminated for reasons other than convenience, or fails to complete its work on the contract for any reason, the Contractor shall make good faith efforts to find another DBE to substitute for the terminated DBE. The good faith efforts shall be

directed at finding another DBE to perform at least the same amount of work under the contract as the DBE that was terminated, but only to the extent needed to meet the contract goal or the amended contract goal. The Contractor shall notify the Bureau of Small Business Enterprises of any termination for reasons other than convenience, and shall obtain approval for inclusion of the substitute DBE in the Utilization Plan. If good faith efforts following a termination of a DBE for cause are not successful, the Contractor shall contact the Bureau and provide a full accounting of the efforts undertaken to obtain substitute DBE participation. The Bureau will evaluate the good faith efforts in light of all circumstances surrounding the performance status of the contract, and determine whether the contract goal should be amended.

- (c) The Contractor shall maintain a record of payments for work performed to the DBE participants. The records shall be made available to the Department for inspection upon request. After the performance of the final item of work or delivery of material by a DBE and final payment therefor to the DBE by the Contractor, but not later than thirty (30) calendar days after payment has been made by the Department to the Contractor for such work or material, the Contractor shall submit a DBE Payment Report on Department form SBE 2115 to the Regional Engineer. If full and final payment has not been made to the DBE, the Report shall indicate whether a disagreement as to the payment required exists between the Contractor and the DBE or if the Contractor does not have the full amount of work indicated in the Utilization Plan performed by the DBE companies indicated in the Plan, the Department will deduct from contract payments to the Contractor the amount of the goal not achieved as liquidated and ascertained damages.
- (d) The Department reserves the right to withhold payment to the Contractor to enforce the provisions of this Special Provision. Final payment shall not be made on the contract until such time as the Contractor submits sufficient documentation demonstrating achievement of the goal in accordance with this Special Provision or after liquidated damages have been determined and collected.
- (e) Notwithstanding any other provision of the contract, including but not limited to Article 109.09 of the Standard Specifications, the Contractor may request administrative reconsideration of a decision to deduct the amount of the goal not achieved as liquidated damages. A request to reconsider shall be delivered to the Contract Compliance Section and shall be handled and considered in the same manner as set forth in paragraph (c) of "Good Faith Effort Procedures" of this Special Provision, except a final decision that a good faith effort was not made during contract performance to achieve the goal agreed to in the Utilization Plan shall be the final administrative decision of the Department.

EROSION AND SEDIMENT CONTROL DEFICIENCY DEDUCTION (BDE)

Effective: August 1, 2001 Revised: November 1, 2001

i

When the Engineer is notified or determines an erosion and/or sediment control deficiency(s) exists, he/she will direct the Contractor in writing to correct the deficiency. The Contractor shall then correct the deficiency within 24 hours. The deficiency may be any lack of repair, maintenance, or implementation of erosion and/or sediment control devices included in the contract, or any failure to comply with the conditions of the National Pollutant Discharge Elimination System (NPDES) Storm Water Permit for Construction Site Activities.

If the Contractor fails to correct the deficiency(s) within 24 hours, a daily monetary deduction will be imposed for each calendar day or fraction thereof the deficiency exists. The time period will begin with the initial written notification to the Contractor and end with the Engineer's acceptance of the corrected work. The per calendar day deduction will be either \$1000.00 or 0.05 percent of the awarded contract value, whichever is greater.

If the Contractor fails to respond, the Engineer may correct the deficiencies and deduct the cost from monies due or which may become due the Contractor. This corrective action shall in no way relieve the Contractor of his/her contractual requirements or responsibilities.

FLAGGER VESTS (BDE)

Effective: April 1, 2003 Revised: August 1, 2005

i

Revise the first sentence of Article 701.04(c)(1) of the Standard Specifications to read:

"The flagger shall be stationed to the satisfaction of the Engineer and be equipped with a fluorescent orange, fluorescent yellow/green or a combination of fluorescent orange and fluorescent yellow/green vest meeting the requirements of the American National Standards Institute specification ANSI/ISEA 107-1999 for Conspicuity Class 2 garments and approved flagger traffic control signs conforming to Standard 702001 and Article 702.05(e)."

Revise Article 701.04(c)(6) of the Standard Specifications to read:

"(6) Nighttime Flagging. Flaggers shall be illuminated by an overhead light source providing a minimum vertical illuminance of 108 lux (10 fc) measured 300 mm (1 ft) out from the flagger's chest. The bottom of any luminaire shall be a minimum of 3 m (10 ft) above the pavement. Luminaire(s) shall be shielded to minimize glare to approaching traffic and trespass light to adjoining properties.

The flagger vest shall be a fluorescent orange or fluorescent orange and fluorescent yellow/green vest meeting the requirements of the American National Standards Institute specification ANSI/ISEA 107-1999 for Conspicuity Class 3 garments."

45

PARTIAL PAYMENTS (BDE)

Effective: September 1, 2003

i

Revise Article 109.07 of the Standard Specifications to read:

"109.07 Partial Payments. Partial payments will be made as follows:

(a) Progress Payments. At least once each month, the Engineer will make a written estimate of the amount of work performed in accordance with the contract, and the value thereof at the contract unit prices. The amount of the estimate approved as due for payment will be vouchered by the Department and presented to the State Comptroller for payment. No amount less than \$1000.00 will be approved for payment other than the final payment.

The failure to perform any requirement, obligation, or term of the contract by the Contractor shall be reason for withholding any progress payments until the Department determines that compliance has been achieved. Furthermore, progress payments may be reduced by liens filed pursuant to Section 23(c) of the Mechanics Lien Act, 770 ILCS 60/23(c).

(b) Material Allowances. At the discretion of the Department, payment may be made for materials, prior to their use in the work, when satisfactory evidence is presented by the Contractor. Satisfactory evidence includes justification for the allowance (to expedite the work, meet project schedules, regional or national material shortages, etc.), documentation of material and transportation costs, and evidence that such material is properly stored on the project or at a secure location acceptable and accessible to the Department.

Material allowances will be considered only for nonperishable materials when the cost, including transportation, exceeds \$10,000 and such materials are not expected to be utilized within 60 days of the request for the allowance. For contracts valued under \$500,000, the minimum \$10,000 requirement may be met by combining the principal (material) product of no more than two contract items. An exception to this two item limitation may be considered for any contract regardless of value for items in which material (products) are similar except for type and/or size.

Material allowances shall not exceed the value of the contract items in which used and shall not include the cost of installation or related markups. Amounts paid by the Department for material allowances will be deducted from estimates due the Contractor as the material is used. Two-sided copies of the Contractor's cancelled checks for materials and transportation must be furnished to the Department within 60 days of payment of the allowances or the amounts will be reclaimed by the Department."

80116

. . . .

PAYMENTS TO SUBCONTRACTORS (BDE)

Effective: June 1, 2000 Revised: January 1, 2006

Federal regulations found at 49 CFR §26.29 mandate the Department to establish a contract clause to require Contractors to pay subcontractors for satisfactory performance of their subcontracts and to set the time for such payments.

State law also addresses the timing of payments to be made to subcontractors and material suppliers. Section 7 of the Prompt Payment Act, 30 ILCS 540/7, requires that when a Contractor receives any payment from the Department, the Contractor shall make corresponding, proportional payments to each subcontractor and material supplier performing work or supplying material within 15 calendar days after receipt of the Department payment. Section 7 of the Act further provides that interest in the amount of 2 percent per month, in addition to the payment due, shall be paid to any subcontractor or material supplier by the Contractor if the payment required by the Act is withheld or delayed without reasonable cause. The Act also provides that the time for payment required and the calculation of any interest due applies to transactions between subcontractors and lower-tier subcontractors and material suppliers throughout the contracting chain.

This Special Provision establishes the required federal contract clause, and adopts the 15 calendar day requirement of the State Prompt Payment Act for purposes of compliance with the federal regulation regarding payments to subcontractors. This contract is subject to the following payment obligations.

When progress payments are made to the Contractor according to Article 109.07 of the Standard Specifications, the Contractor shall make a corresponding payment to each subcontractor and material supplier in proportion to the work satisfactorily completed by each subcontractor and for the material supplied to perform any work of the contract. The proportionate amount of partial payment due to each subcontractor and material supplier throughout the contracting chain shall be determined by the quantities measured or otherwise determined as eligible for payment by the Department and included in the progress payment to the Contractor. Subcontractors and material suppliers shall be paid by the Contractor within 15 calendar days after the receipt of payment from the Department. The Contractor shall not hold retainage from the subcontractors. These obligations shall also apply to any payments made by subcontractors and material suppliers to their subcontractors and material suppliers; and to all payments made to lower tier subcontractors and material suppliers throughout the contracting chain. Any payment or portion of a payment subject to this provision may only be withheld from the subcontractor or material supplier to whom it is due for reasonable cause.

This Special Provision does not create any rights in favor of any subcontractor or material supplier against the State or authorize any cause of action against the State on account of any payment, nonpayment, delayed payment, or interest claimed by application of the State Prompt Payment Act. The Department will not approve any delay or postponement of the 15 day requirement except for reasonable cause shown after notice and hearing pursuant to Section

7(b) of the State Prompt Payment Act. State law creates other and additional remedies available to any subcontractor or material supplier, regardless of tier, who has not been paid for work properly performed or material furnished. These remedies are a lien against public funds set forth in Section 23(c) of the Mechanics Lien Act, 770 ILCS 60/23(c), and a recovery on the Contractor's payment bond according to the Public Construction Bond Act, 30 ILCS 550.

PAYROLLS AND PAYROLL RECORDS (BDE)

Effective: August 10, 2005

ŝ

<u>FEDERAL AID CONTRACTS</u>. Add the following State of Illinois requirements to the Federal requirements contained in Section V of Form FHWA-1273:

"The payroll records shall include each worker's name, address, telephone number, social security number, classification, rate of pay, number of hours worked each day, starting and ending times of work each day, total hours worked each week, itemized deductions made, and actual wages paid.

The Contractor and each subcontractor shall submit payroll records to the Engineer each week from the start to the completion of their respective work. The submittals shall be on the Department's form SBE 48, or an approved facsimile. When there has been no activity during a work week, a payroll record shall still be submitted with the appropriate box ("No Work", "Suspended", or "Complete") checked on the form."

<u>STATE CONTRACTS</u>. Revise Section IV of Check Sheet #5 of the Recurring Special Provisions to read:

"IV.COMPLIANCE WITH THE PREVAILING WAGE ACT

- Prevailing Wages. All wages paid by the Contractor and each subcontractor shall be in compliance with The Prevailing Wage Act (820 ILCS 130), as amended, except where a prevailing wage violates a federal law, order, or ruling, the rate conforming to the federal law, order, or ruling shall govern. The Contractor shall be responsible to notify each subcontractor of the wage rates set forth in this contract and any revisions thereto. If the Department of Labor revises the wage rates, the Contractor will not be allowed additional compensation on account of said revisions.
- 2. Payroll Records. The Contractor and each subcontractor shall make and keep, for a period of three years from the date of completion of this contract, records of the wages paid to his/her workers. The payroll records shall include each worker's name, address, telephone number, social security number, classification, rate of pay, number of hours worked each day, starting and ending times of work each day, total hours worked each week, itemized deductions made, and actual wages paid. Upon two business days' notice, these records shall be available, at all reasonable hours at a location within the State, for inspection by the Department or the Department of Labor.
- 3. Submission of Payroll Records. The Contractor and each subcontractor shall submit payroll records to the Engineer each week from the start to the completion of their respective work. The submittals shall be on the Department's form SBE 48, or an approved facsimile. When there has been no activity during a work week, a payroll record shall still be submitted with the appropriate box ("No Work", "Suspended", or "Complete") checked on the form.

Each submittal shall be accompanied by a statement signed by the Contractor or subcontractor which avers that: (i) such records are true and accurate; (ii) the hourly rate paid to each worker is not less than the general prevailing rate of hourly wages required by the Act; and (iii) the Contractor or subcontractor is aware that filing a payroll record that he/she knows to be false is a Class B misdemeanor.

4. Employee Interviews. The Contractor and each subcontractor shall permit his/her employees to be interviewed on the job, during working hours, by compliance investigators of the Department or the Department of Labor."

80155

i

PERSONAL PROTECTIVE EQUIPMENT (BDE)

Effective: July 1, 2004

All personnel, excluding flaggers, working outside of a vehicle (car or truck) within 7.6 m (25 ft) of pavement open to traffic shall wear a fluorescent orange, fluorescent yellow/green or a combination of fluorescent orange and fluorescent yellow/.green vest meeting the requirements of the American National Standards Institute specification ANSI/ISEA 107-1999 for Conspicuity Class 2 garments. Other types of garments may be substituted for the vest as long as the garments have manufacturers tags identifying them as meeting the ANSI Class 2 requirement.

51

80130

Ī

PORTLAND CEMENT (BDE)

Effective: January 1, 2005

Replace the first sentence of the second paragraph of Article 1001.01 of the Standard Specifications with the following:

"For portland cement according to ASTM C 150, the addition of up to 5.0 percent limestone by mass (weight) to the cement will not be permitted. Also, the total of all organic processing additions shall not exceed 1.0 percent by mass (weight) of the cement and the total of all inorganic processing additions shall not exceed 4.0 percent by mass (weight) of the cement."

٢.

80139

i

PORTLAND CEMENT CONCRETE (BDE)

Effective: November 1, 2002

í

Add the following paragraph after the fourth paragraph of Article 1103.01(b) of the Standard Specifications:

"The truck mixer shall be approved before use according to the Bureau of Materials and Physical Research's Policy Memorandum, "Approval of Concrete Plants and Delivery Trucks"."

Add the following paragraph after the first paragraph of Article 1103.01(c) of the Standard Specifications:

"The truck agitator shall be approved before use according to the Bureau of Materials and Physical Research's Policy Memorandum, "Approval of Concrete Plants and Delivery Trucks"."

Add the following paragraph after the first paragraph of Article 1103.01(d) of the Standard Specifications:

"The nonagitator truck shall be approved before use according to the Bureau of Materials and Physical Research's Policy Memorandum, "Approval of Concrete Plants and Delivery Trucks"."

Revise the first sentence of the first paragraph of Article 1103.02 of the Standard Specifications to read:

"The plant shall be approved before production begins according to the Bureau of Materials and Physical Research's Policy Memorandum, "Approval of Concrete Plants and Delivery Trucks"."

80083

REINFORCEMENT BARS (BDE)

Effective: November 1, 2005 Revised: November 2, 2005

L

i

Revise Article 1006.10(a) of the Supplemental Specifications to read:

- "(a) Reinforcement Bars. Reinforcement bars will be accepted according to the current Bureau of Materials and Physical Research Policy Memorandum, "Reinforcement Bar and Dowel Bar Plant Certification Procedure". The Department will maintain an approved list of producers.
 - (1) Reinforcement Bars (Non-Coated). Reinforcement bars shall be according to ASTM A 706M (A 706), Grade 420 (60) for deformed bars and the following.

| CHEMICAL COMPOSITION | | |
|-----------------------|------------------------------|---------------------------------|
| Element ^{1/} | Heat Analysis (% maximum) | Product Analysis (% maximum) |
| Carbon | 0.30 | 0.33 |
| Manganese | 1.50 | 1.56 |
| Phosphorus | 0.035 | 0.045 |
| Sulfur | 0.045 | 0.055 |
| Silicon | 0.50 | 0.55 |
| Nickel | 2/ | 2/ |
| Chromium | 2/ | 2/ |
| Molybdenum | 2/ | 2/ |
| Copper | - 2/ | 2/ |
| Titanium | 2/ | 2/ |
| Vanadium | 2/ | 2/ |
| Columbium | 2/ | 2/ |
| Aluminum | 2/, 3/ | 2/, 3/ |
| Tin ^{4/} | 0.040 | 0.044 |

a. Chemical Composition. The chemical composition of the bars shall be according to the following table.

Note 1/. The bars shall not contain any traces of radioactive elements.

Note 2/. There is no composition limit but the element must be reported.

Note 3/. If aluminum is not an intentional addition to the steel for deoxidation or killing purposes, residual aluminum content need not be reported.

Note 4/. If producer bar testing indicates an elongation of 15 percent or more and passing of the bend test, the tin composition requirement may be waived.

- b. Heat Numbers. Bundles or bars at the construction site shall be marked or tagged with heat identification numbers of the bar producer.
- c. Guided Bend Test. Bars may be subject to a guided bend test across two pins which are free to rotate, where the bending force shall be centrally applied with a fixed or rotating pin of a certain diameter as specified in Table 3 of ASTM A 706M (A 706). The dimensions and clearances of this guided bend test shall be according to ASTM E 190.
- d. Spiral Reinforcment. Spiral reinforcement shall be deformed or plain bars conforming to the above requirements or cold-drawn steel wire conforming to AASHTO M 32.
- (2) Epoxy Coated Reinforcement Bars. Epoxy coated reinforcement bars shall be according to Article 1006.10(a)(1) and shall be epoxy coated according to AASHTO M 284M (M 284) and the following.
 - a. Certification. The epoxy coating applicator shall be certified under the Concrete Reinforcing Steel Institute's (CRSI) Epoxy Plant Certification Program.
 - b. Coating Thickness. The thickness of the epoxy coating shall be 0.18 to 0.30 mm (7 to 12 mils). When spiral reinforcment is coated after fabrication, the thickness of the epoxy coating shall be 0.18 to 0.50 mm (7 to 20 mils).
 - c. Cutting Reinforcement. Reinforcement bars may be sheared or sawn to length after coating, providing the end damage to the coating does not extend more than 13 mm (0.5 in.) back and the cut is patched before any visible rusting appears. Flame cutting will not be permitted."

80151

τ

į

SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE)

Effective: April 2, 2005

To account for the preparatory work and operations necessary for the movement of subcontractor personnel, equipment, supplies, and incidentals to the project site and for all other work or operations that must be performed or costs incurred when beginning work approved for subcontracting in accordance with Article 108.01 of the Standard Specifications, the Contractor shall make a mobilization payment to each subcontractor.

This mobilization payment shall be made at least 14 days prior to the subcontractor starting work. The amount paid shall be equal to 3 percent of the amount of the subcontract reported on form BC 260A submitted for the approval of the subcontractor's work.

This provision shall be incorporated directly or by reference into each subcontract approved by the Department.

56

80143

с

i

TEMPORARY EROSION CONTROL (BDE)

Effective: November 1, 2002

ţ,

ł

Revise the fifth sentence of the third paragraph of Article 280.04(a) of the Standard Specifications to read:

"This work may be constructed of hay or straw bales, extruded UV resistant high density polyethylene panels, erosion control blanket, mulch barrier, aggregate barriers, excavation, seeding, or mulch used separately or in combination, as approved, by the Engineer."

Add the following paragraphs after the fifth paragraph of Article 280.04(a) of the Standard Specifications.

"A ditch check constructed of extruded, UV resistant, high density polyethylene panels, "M" pins and erosion control blanket shall consist of the following materials:

Extruded, UV resistant, high density polyethylene panels shall have a minimum height of 250 mm (10 in.) and minimum length of 1.0 m (39.4 in.). The panels shall have a 51 mm (2 in.) lip along the bottom of the panel. Each panel shall have a single rib thickness of 4 mm (5/32 in.) with a 12 mm (1/2 in.) distance between the ribs. The panels shall have an average apparent opening size equal to 4.75 mm (No. 4) sieve, with an average of 30 percent open area. The tensile strength of each panel shall be 26.27 kN/m (1800 lb/ft) in the machine direction and 7.3 kN/m (500 lb/ft) in the transverse direction when tested according to ASTM D 4595.

"M" pins shall be at least 76 mm (3 in.) by 686 mm (27 in.), constructed out of deformed grade C1008 D3.5 rod (0.211 in. diameter). The rod shall have a minimum tensile strength of 55 MPa (8000 psi).

Erosion control blanket shall conform to Article 251.04.

A section of erosion control blanket shall be placed transverse to the flowline direction of the ditch prior to the construction of the polyethylene ditch check. The length of the section shall extend from the top of one side of the ditch to the top of the opposite side of the ditch, while the width of the section shall be one roll width of the blanket. The upstream edge of the erosion control blanket shall be secured in a 100 mm (4 in.) trench. The blanket shall be secured in the trench with 200 mm (8 in.) staples placed at 300 mm (1 ft) intervals along the edge before the trench is backfilled. Once the upstream edge of the blanket is secured, the downstream edge shall be secured with 200 mm (8 in.) staples placed at 300 mm (1 ft) intervals along the installed in the middle of the erosion control blanket, with the lip of each panel facing outward.

The ditch check shall consist of two panels placed back to back forming a single row. Placement of the first two panels shall be at the toe of the backslope or sideslope, with the panels extending across the bottom of the ditch. Subsequent panels shall extend both across the bottom of the ditch and up the opposite sideslope, as well as up the original backslope or sideslope at the distance determined by the Engineer.

The M pins shall be driven through the panel lips to secure the panels to the ground. M pins shall be installed in the center of the panels with adjacent panels overlapping the ends a minimum of 50 mm (2 in.). The pins shall be placed through both sets of panels at each overlap. They shall be installed at an interval of three M pins per one meter (39 in.) length of ditch check. The panels shall be wedged into the M pins at the top to ensure firm contact between the entire bottom of the panels and the soil."

80087

į

TRAFFIC BARRIER TERMINALS (BDE)

Effective: January 1, 2003

i

Revise Article 631.05 of the Standard Specifications to read:

"631.05 Traffic Barrier Terminal, Type 5 and Type 5A. The face of the guardrail shall be installed flush with the face of the bridge rail or parapet."

a

Revise Article 631.06 of the Standard Specifications to read:

"631.06 Traffic Barrier Terminal, Type 6. When attaching the end shoe to concrete constructed with forms and with a thickness of 300 mm (12 in.) or less, the holes may be formed, core drilled or an approved 20 mm (3/4 in.) cast-in-place insert may be used.

When attaching the end shoe to concrete constructed with forms and with a thickness greater than 300 mm (12 in.), an approved M20 (3/4 in.) bolt with an approved expansion device may be used in lieu of formed or core drilled holes.

When attaching the end shoe to concrete constructed by slipforming, the holes shall be core drilled.

The tapered, parapet, wood block out shall be used on all appurtenances with a sloped face.

When no bridge approach curb is present, Type B concrete curb shall be constructed as shown on the plans according to Section 606."

Revise Article 631.07 of the Standard Specifications to read:

***631.07** Traffic Barrier Terminal, Type 6B. Attachment of the end shoe to concrete shall be according to Article 631.06 except the tapered, parapet, wood block out will not be required."

Delete the third and fourth paragraphs of Article 631.11 of the Standard Specifications.

Add the following paragraph to the end of Article 631.11 of the Standard Specifications:

"Construction of the Type B concrete curb for TRAFFIC BARRIER TERMINAL, TYPE 6 will be paid for according to Article 606.14."

TRAFFIC CONTROL DEFICIENCY DEDUCTION (BDE)

Effective: April 1, 1992 Revised: January 1, 2005

i

To ensure a prompt response to incidents involving the integrity of work zone traffic control, the Contractor shall provide a telephone number where a responsible individual can be contacted 24 hours-a-day.

When the Engineer is notified, or determines a traffic control deficiency exists, he/she will notify and direct the Contractor to correct the deficiency within a specified time. The specified time, which begins upon notification to the Contractor, will be from 1/2 hour to 12 hours based upon the urgency of the situation and the nature of the deficiency. The Engineer shall be the sole judge.

A deficiency may be any lack of repair, maintenance, or non-compliance with the traffic control plan. A deficiency may also be applied to situations where corrective action is not an option such as the use of non-certified flaggers for short term operations; working with lane closures beyond the time allowed in the contract; or failure to perform required contract obligations such as traffic control surveillance.

If the Contractor fails to correct a deficiency within the specified time, a daily monetary deduction will be imposed for each calendar day or fraction thereof the deficiency exists. The calendar day(s) will begin with notification to the Contractor and end with the Engineer's acceptance of the correction. The daily monetary deduction will be either \$1,000 or 0.05 percent of the awarded contract value, whichever is greater. For those deficiencies where corrective action was not an option this monetary deduction will be immediate.

In addition, if the Contractor fails to respond, the Engineer may correct the deficiency and the cost thereof will be deducted from monies due or which may become due the Contractor. This corrective action will in no way relieve the Contractor of his/her contractual requirements or responsibilities.

60.

WEIGHT CONTROL DEFICIENCY DEDUCTION (BDE)

Effective: April 1, 2001 Revised: August 1, 2002

i

The Contractor shall provide accurate weights of materials delivered to the contract for incorporation into the work (whether temporary or permanent) and for which the basis of payment is by weight. These weights shall be documented on delivery tickets which shall identify the source of the material, type of material, the date and time the material was loaded, the contract number, the net weight, the tare weight when applicable and the identification of the transporting vehicle. For aggregates, the Contractor shall have the driver of the vehicle furnish or establish an acceptable alternative to provide the contract number and a copy of the material order to the source for each load. The source is defined as that facility that produces the final material product that is to be incorporated into the contract pay items.

The Department will conduct random, independent vehicle weight checks for material sources according to the procedures outlined in the Documentation Section Policy Statement of the Department's Construction Manual and hereby incorporated by reference. The results of the independent weight checks shall be applicable to all contracts containing this Special Provision. Should the vehicle weight check for a source result in the net weight of material on the vehicle exceeding the net weight of material shown on the delivery ticket by 0.50% (0.70% for aggregates) or more, the Engineer will document the independent vehicle weight check and immediately furnish a copy of the results to the Contractor. No adjustment in pay quantity will be made. Should the vehicle weight check for a source result in the net weight of material shown on the delivery ticket exceeding the net weight of material on the vehicle by 0.50% (0.70% for aggregates) or more, the Engineer will document the independent vehicle by 0.50% (0.70% for aggregates) or more, the Engineer will document the independent vehicle by 0.50% (0.70% for aggregates) or more, the Engineer will document the independent vehicle by 0.50% (0.70% for aggregates) or more, the Engineer will document the independent vehicle by 0.50% (0.70% for aggregates) or more, the Engineer will document the independent vehicle weight check and immediately furnish a copy of the results to the Contractor. The Engineer will adjust the net weight shown on the delivery ticket to the checked delivered net weight as determined by the independent vehicle weight check.

The Engineer will also adjust the method of measurement for all contracts for subsequent deliveries of all materials from the source based on the independent weight check. The net weight of all materials delivered to all contracts containing this Special Provision from this source, for which the basis of payment is by weight, will be adjusted by applying a correction factor "A" as determined by the following formula:

A = 1.0 -
$$\left(\frac{B-C}{B}\right)$$
; Where A ≤ 1.0; $\left(\frac{B-C}{C}\right)$ > 0.50% (0.70% for aggregates)

Where A = Adjustment factor

B = Net weight shown on delivery ticket

C = Net weight determined from independent weight check

The adjustment factor will be applied as follows:

Adjusted Net Weight = A x Delivery Ticket Net Weight

The adjustment factor will be imposed until the cause of the deficient weight is identified and corrected by the Contractor to the satisfaction of the Engineer. If the cause of the deficient weight is not identified and corrected within seven (7) calendar days, the source shall cease delivery of all materials to all contracts containing this Special Provision for which the basis of payment is by weight.

Should the Contractor elect to challenge the results of the independent weight check, the Engineer will continue to document the weight of material for which the adjustment factor would be applied. However, provided the Contractor furnishes the Engineer with written documentation that the source scale has been calibrated within seven (7) calendar days after the date of the independent weight check, adjustments in the weight of material paid for will not be applied unless the scale calibration demonstrates that the source scale was not within the specified Department of Agriculture tolerance.

At the Contractor's option, the vehicle may be weighed on a second independent Department of Agriculture certified scale to verify the accuracy of the scale used for the independent weight check.

80048

i

WORK ZONE TRAFFIC CONTROL DEVICES (BDE)

Effective: January 1, 2003 Revised: November 1, 2004

Add the following to Article 702.01 of the Standard Specifications:

"All devices and combinations of devices shall meet the requirements of the National Cooperative Highway Research Program (NCHRP) Report 350 for their respective categories. The categories are as follows:

Category 1 includes small, lightweight, channelizing and delineating devices that have been in common use for many years and are known to be crashworthy by crash testing of similar devices or years of demonstrable safe performance. These include cones, tubular markers, flexible delineators and plastic drums with no attachments. Category 1 devices shall be crash tested and accepted or may be self-certified by the manufacturer.

Category 2 includes devices that are not expected to produce significant vehicular velocity change but may otherwise be hazardous. These include drums and vertical panels with lights, barricades and portable sign supports. Category 2 devices shall be crash tested and accepted for Test Level 3.

Category 3 includes devices that are expected to cause significant velocity changes or other potentially harmful reactions to impacting vehicles. These include crash cushions, truck mounted attenuators and other devices not meeting the definitions of Category 1 or 2. Category 3 devices shall be crash tested and accepted for either Test Level 3 or the test level specified.

Category 4 includes portable or trailer-mounted devices such as arrow boards, changeable message signs, temporary traffic signals and area lighting supports. Currently, there is no implementation date set for this category and it is exempt from the NCHRP 350 compliance requirement.

The Contractor shall provide a manufacturer's self-certification letter for each Category 1 device and an FHWA acceptance letter for each Category 2 and Category 3 device used on the contract. The letters shall state the device meets the NCHRP 350 requirements for its respective category and test level, and shall include a detail drawing of the device."

Delete the third, fourth and fifth paragraphs of Article 702.03(b) of the Standard Specifications.

Delete the third sentence of the first paragraph of Article 702.03(c) of the Standard Specifications.

Revise the first sentence of the first paragraph of Article 702.03(e) of the Standard Specifications to read:

"Drums shall be nonmetallic and have alternating reflectorized Type AA or Type AP fluorescent orange and reflectorized white horizontal, circumferential stripes."

Add the following to Article 702.03 of the Standard Specifications:

"(h) Vertical Barricades. Vertical barricades may be used in lieu of cones, drums or Type II barricades to channelize traffic."

Delete the fourth paragraph of Article 702.05(a) of the Standard Specifications.

Revise the sixth paragraph of Article 702.05(a) of the Standard Specifications to read:

"When the work operations exceed four days, all signs shall be post mounted unless the signs are located on the pavement or define a moving or intermittent operation. When approved by the Engineer, a temporary sign stand may be used to support a sign at 1.2 m (5 ft) minimum where posts are impractical. Longitudinal dimensions shown on the plans for the placement of signs may be increased up to 30 m (100 ft) to avoid obstacles; hazards or to improve sight distance, when approved by the Engineer. "ROAD CONSTRUCTION AHEAD" signs will also be required on side roads located within the limits of the mainline "ROAD CONSTRUCTION AHEAD" signs."

Delete all references to "Type 1A barricades" and "wing barricades" throughout Section 702 of the Standard Specifications.

80097

į

WORKING DAYS (BDE)

Effective: January 1, 2002

The Contractor shall complete the work within 40 working days.

REQUIRED CONTRACT PROVISIONS FEDERAL-AID CONSTRUCTION CONTRACTS

| | | Page |
|-------|---|------|
| Ι. | General | 1 |
| II. | Nondiscrimination | 1 |
| III. | Nonsegregated Facilities | 3 |
| IV. | Payment of Predetermined Minimum Wage | 3 |
| V. | Statements and Payrolls | 6 |
| VI. | Record of Materials, Supplies, and Labor | 7 |
| VIII. | Safety: Accident Prevention | 7 |
| IX. | False Statements Concerning Highway Projects. | 7 |
| Х. | Implementation of Clean Air Act and Federal | |
| | Water Pollution Control Act | 8 |
| XI. | Certification Regarding Debarment, Suspension, | |
| | Ineligibility, and Voluntary Exclusion | 8 |
| XII. | Certification Regarding Use of Contract Funds for | or |
| | Lobbying | 9 |

ATTACHMENTS

A. Employment Preference for Appalachian Contracts (included in Appalachian contracts only)

I. GENERAL

1. These contract provisions shall apply to all word performed on the contract by the contractor's own organization and with the assistance of workers under the contractor's immediate superintendence and to all work performed on the contract by piecework, station work, or by subcontract.

2. Except as otherwise provided for in each section, the contractor shall insert in each subcontract all of the stipulations contained in these Required Contract Provisions, and further require their inclusion in any lower tier subcontract or purchase order that may in turn be made. The Required Contract Provisions shall not be incorporated by reference in any case. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with these Required Contract Provisions.

3. A breach of any of the stipulations contained in these Required Contract Provisions shall be sufficient grounds for termination of the contract.

4. A breach of the following clauses of the Required Contract Provisions may also be grounds for debarment as provided in 29 CFR 5.12:

Section I, paragraph 2; Section IV, paragraphs 1, 2, 3, 4 and 7; Section V, paragraphs 1 and 2a through 2g.

5. Disputes arising out of the labor standards provisions of Section IV (except paragraph 5) and Section V of these Required Contract Provisions shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the U.S. Department of Labor (DOL) as set forth in 29 CFR 5, 6 and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and the contracting agency, the DOL, or the contractor's employees or their representatives.

6. Selection of Labor: During the performance of this contract, the contractor shall not:

a. Discriminate against labor from any other State, possession, or territory of the United States (except for employment preference for Appalachian contracts, when applicable, as specified in Attachment A), or

b. Employ convict labor for any purpose within the limits of the project unless it is labor performed by convicts who are on parole, supervised release, or probation.

II. NONDISCRIMINATION

(Applicable to all Federal-aid construction contracts and to all related subcontracts of \$10,000 or more.)

1. Equal Employment Opportunity: Equal employment opportunity (EEO) requirements not to discriminate and to take affirmative action to assure equal opportunity as set forth under laws, executive orders, rules, regulations (28 CFR 35, 29 CFR 1630 and 41 CFR 60 (and orders of the Secretary of Labor as modified by the provisions prescribed herein, and imposed pursuant to 23 U.S.C. 140 shall constitute the EEO and specific affirmative action standards for the contractor's project activities under this contract. The Equal Opportunity Construction Contract Specifications set forth under 41 CFR 60-4.3 and the provisions of the American Disabilities Act of 1990 (42 U.S.C. 12101 <u>et seq.</u>) set forth under 28 CFR 35 and 29 CFR 1630 are incorporated by reference in this contract. In the execution of this contract, the contractor agrees to comply with the following minimum specific requirement activities of EEO:

a. The contractor will work with the State highway agency (SHA) and the Federal Government in carrying out EEO obligations and in their review of his/her activities under the contract.

b. The contractor will accept as his operating policy the following statement:

"It is the policy of this Company to assure that applicants are employed, and that employees are treated during employment, without regard to their race, religion, sex, color, national origin, age or disability. Such action shall include: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship, preapprenticeship, and/or on-the-job-training."

2. EEO Officer: The contractor will designate and make known to the SHA contracting officers an EEO Officer who will have the responsibility for an must be capable of effectively administering and promoting an active contractor program of EEO and who must be assigned adequate authority and responsibility to do so.

3. Dissemination of Policy: All members of the contractor's staff who are authorized to hire, supervise, promote, and discharge employees, or who recommend such action, or who are substantially involved in such action, will be made fully cognizant of, and will implement, the contractor's EEO policy and contractual responsibilities to provide EEO in each grade and classification of employment. To ensure that the above

Page 1

agreement will be met, the following actions will be taken as a minimum:

a. Periodic meetings of supervisory and personnel office employees will be conducted before the start of work and then not less often than once every six months, at which time the contractor's EEO policy and its implementation will be reviewed and explained. The meetings will be conducted by the EEO Officer.

b. All new supervisory or personnel office employees will be given a thorough indoctrination by the EEO Officer, covering all major aspects of the contractor's EEO obligations within thirty days following their reporting for duty with the contractor.

c. All personnel who are engaged in direct recruitment for the project will be instructed by the EEO Officer in the contractor's procedures for locating and hiring minority group employees.

d. Notices and posters setting forth the contractor's EEO policy will be placed in areas readily accessible to employees, applicants for employment and potential employees.

e. The contractor's EEO policy and the procedures to implement such policy will be brought to the attention of employees by means of meetings, employee handbooks, or other appropriate means.

4. Recruitment: When advertising for employees, the contractor will include in all advertisements for employees the notation: "An Equal Opportunity Employer." All such advertisements will be placed in publications having a large circulation among minority groups in the area from which the project work force would normally be derived.

a. The contractor will, unless precluded by a valid bargaining agreement, conduct systematic and direct recruitment through public and private employees referral sources likely to yield qualified minority group applicants. To meet this requirement, the contractor will identify sources of potential minority group employees, and establish which such identified sources procedures whereby minority group applicants may be referred to the contractor for employment consideration.

b. In the event the contractor has a valid bargaining agreement providing for exclusive hiring hall referrals, he is expected to observe the provisions of that agreement to the extent that the system permits the contractor's compliance with EEO contract provisions. (The DOL has held that where implementation of such agreements have the effect of discriminating against minorities or women, or obligates the contractor to do the same, such implementation violates Executive Order 11246, as amended.)

c. The contractor will encourage his present employees to refer minority group applicants for employment. Information and procedures with regard to referring minority group applicants will be discussed with employees.

5. Personnel Actions: Wages, working conditions, and employee benefits shall be established and administered, and personnel actions of every type, including hiring, upgrading, promotion, transfer, demotion, layoff, and termination, shall be taken without regard to race, color, religion, sex, national origin, age or disability. The following procedures shall be followed:

a. The contractor will conduct periodic inspections of project sites to insure that working conditions and employee facilities do not indicate discriminatory treatment of project site personnel.

b. The contractor will periodically evaluate the spread of wages paid within each classification to determine any

evidence of discriminatory wage practices.

c. The contractor will periodically review selected personnel actions in depth to determine whether there is evidence of discrimination. Where evidence is found, the contractor will promptly take corrective action. If the review indicates that the discrimination may extend beyond the actions reviewed, such corrective action shall include all affected persons.

d. The contractor will promptly investigate all complaints of alleged discrimination made to the contractor in connection with his obligations under this contract, will attempt to resolve such complaints, and will take appropriate corrective action within a reasonable time. If the investigation indicates that the discrimination may affect persons other than the complainant, such corrective action shall include such other persons. Upon completion of each investigation, the contractor will inform every complainant of all of his avenues of appeal.

6. Training and Promotion:

a. The contractor will assist in locating, qualifying, and increasing the skills of minority group and women employees, and applicants for employment.

b. Consistent with the contractor's work force requirements and as permissible under Federal and State regulations, the contractor shall make full use of training programs, i.e., apprenticeship, and on-the-job training programs for the geographical area of contract performance. Where feasible, 25 percent of apprentices or trainees in each occupation shall be in their first year of apprenticeship or training. In the event a special provision for training is provided under this contract, this subparagraph will be superseded as indicated in the special provision.

c. The contractor will advise employees and applicants for employment of available training programs and entrance requirements for each.

d. The contractor will periodically review the training and promotion potential of minority group and women employees and will encourage eligible employees to apply for such training and promotion.

7. Unions: If the contractor relies in whole or in part upon unions as a source of employees, the contractor will use his/her best efforts to obtain the cooperation of such unions to increase opportunities for minority groups and women within the unions, and to effect referrals by such unions of minority and female employees. Actions by the contractor either directly or through a contractor's association acting as agent will include the procedures set forth below:

a. The contractor will use best efforts to develop, in cooperation with the unions, joint training programs aimed toward qualifying more minority group members and women for membership in the unions and increasing the skills of minority group employees and women so that they may qualify for higher paying employment.

b. The contractor will use best efforts to incorporate an EEO clause into each union agreement to the end that such union will be contractually bound to refer applicants without regard to their race, color, religion, sex, national origin, age or disability.

c. The contractor is to obtain information as to the referral practices and policies of the labor union except that to the extent such information is within the exclusive possession of the labor union and such labor union refuses to furnish such information to the contractor, the contractor shall so certify to

Page 2

the SHA and shall set forth what efforts have been made to obtain such information.

d. In the event the union is unable to provide the contractor with a reasonable flow of minority and women referrals within the time limit set forth in the collective bargaining agreement, the contractor will, through independent recruitment efforts, fill the employment vacancies without regard to race, color, religion, sex, national origin, age or disability; making full efforts to obtain qualified and/or qualifiable minority group persons and women. (The DOL has held that it shall be no excuse that the union with which the contractor has a collective bargaining agreement providing for exclusive referral failed to refer minority employees.) In the event the union referral practice prevents the contractor from meeting the obligations pursuant to Executive Order 11246, as amended, and these special provisions, such contractor shall immediately notify the SHA.

8. Selection of Subcontractors, Procurement of Materials and Leasing of Equipment: The contractor shall not discriminate on the grounds of race, color, religion, sex, national origin, age or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment.

a. The contractor shall notify all potential subcontractors and suppliers of his/her EEO obligations under this contract.

b. Disadvantaged business enterprises (DBE), as defined in 49 CFR 23, shall have equal opportunity to compete for and perform subcontracts which the contractor enters into pursuant to this contract. The contractor will use his best efforts to solicit bids from and to utilize DBE subcontractors or subcontractors with meaningful minority group and female representation among their employees. Contractors shall obtain lists of DBE construction firms from SHA personnel.

c. The contractor will use his best efforts to ensure subcontractor compliance with their EEO obligations.

9. Records and Reports: The contractor shall keep such records as necessary to document compliance with the EEO requirements. Such records shall be retained for a period of three years following completion of the contract work and shall be available at reasonable times and places for inspection by authorized representatives of the SHA and the FHWA.

a. The records kept by the contractor shall document the following:

 The number of minority and non-minority group members and women employed in each work classification on the project;

(2) The progress and efforts being made in cooperation with unions, when applicable, to increase employment opportunities for minorities and women;

(3) The progress and efforts being made in locating, hiring, training, qualifying, and upgrading minority and female employees; and

(4) The progress and efforts being made in securing the services of DBE subcontractors or subcontractors with meaningful minority and female representation among their employees.

b. The contractors will submit an annual report to the SHA each July for the duration of the project, indicating the number of minority, women, and non-minority group employees currently engaged in each work classification required by the contract work. This information is to be reported on Form FHWA-1391. If on-the-job training is being required by special provision, the contractor will be required to collect and report training data.

III. NONSEGREGATED FACILITIES

(Applicable to all Federal-aid construction contracts and to all related subcontracts of \$10,000 or more.)

a. By submission of this bid, the execution of this contract or subcontract, or the consummation of this material supply agreement or purchase order, as appropriate, the bidder, Federal-aid construction contractor, subcontractor, material supplier, or vendor, as appropriate, certifies that the firm does not maintain or provide for its employees any segregated facilities at any of its establishments, and that the firm does not permit its employees to perform their services at any location, under its control, where segregated facilities are maintained. The firm agrees that a breach of this certification is a violation of the EEO provisions of this contract. The firm further certifies that no employee will be denied access to adequate facilities on the basis of sex or disability.

b. As used in this certification, the term "segregated facilities" means any waiting rooms, work areas, restrooms and washrooms, restaurants and other eating areas, timeclocks, locker rooms, and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing facilities provided for employees which are segregated by explicit directive, or are, in fact, segregated on the basis of race, color, religion, national origin, age or disability, because of habit, local custom, or otherwise. The only exception will be for the disabled when the demands for accessibility override (e.g. disabled parking).

c. The contractor agrees that it has obtained or will obtain identical certification from proposed subcontractors or material suppliers prior to award of subcontracts or consummation of material supply agreements of \$10,000 or more and that it will retain such certifications in its files.

IV. PAYMENT OF PREDETERMINED MINIMUM WAGE

(Applicable to all Federal-aid construction contracts exceeding \$2,000 and to all related subcontracts, except for projects located on roadways classified as local roads or rural minor collectors, which are exempt.)

1. General:

a. All mechanics and laborers employed or working upon the site of the work will be paid unconditionally and not less often than once a week and without subsequent deduction or rebate on any account [except such payroll deductions as are permitted by regulations (29 CFR 3) issued by the Secretary of Labor under the Copeland Act (40 U.S.C. 276c)] the full amounts of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment. The payment shall be computed at wage rates not less than those contained in the wage determination of the Secretary of Labor (hereinafter "the wage determination") which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the

contractor or its subcontractors and such laborers and mechanics. The wage determination (including any additional classifications and wage rates conformed under paragraph 2 of this Section IV and the DOL poster (WH-1321) or Form FHWA-1495) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers. For the purpose of this Section, contributions made or costs reasonably anticipated for bona fide fringe benefits under Section 1(b)(2) of the Davis-Bacon Act (40 U.S.C. 276a) on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of Section IV, paragraph 3b, hereof. Also, for the purpose of this Section, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs, which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in paragraphs 4 and 5 of this Section IV.

b. Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein, provided, that the employer's payroll records accurately set forth the time spent in each classification in which work is performed.

c. All rulings and interpretations of the Davis-Bacon Act and related acts contained in 29 CFR 1, 3, and 5 are herein incorporated by reference in this contract.

2. Classification:

a. The SHA contracting officer shall require that any class of laborers or mechanics employed under the contract, which is not listed in the wage determination, shall be classified in conformance with the wage determination.

b. The contracting officer shall approve an additional classification, wage rate and fringe benefits only when the following criteria have been met:

 the work to be performed by the additional classification requested is not performed by a classification in the wage determination;

(2) the additional classification is utilized in the area by the construction industry;

(3) the proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination; and

(4) with respect to helpers, when such a classification prevails in the area in which the work is performed.

c. If the contractor or subcontractors, as appropriate, the laborers and mechanics (if known) to be employed in the additional classification or their representatives, and the contracting officer agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken shall be sent by the contracting officer to the DOL, Administrator of the Wage and Hour Division, Employment Standards Administration, Washington, D.C. 20210. The Wage and Hour Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.

d. In the event the contractor or subcontractors, as appropriate, the laborers or mechanics to be employed in the additional classification or their representatives, and the contracting officer do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), the contracting officer shall refer the question, including the views of all interested parties and the recommendation of the contracting officer, to the Wage and Hour Administrator for determination. Said Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advised the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.

e. The wage rate (including fringe benefits where appropriate) determined pursuant to paragraph 2c or 2d of this Section IV shall be paid to all workers performing work in the additional classification from the first day on which work is performed in the classification.

3. Payment of Fringe Benefits:

a. Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor or subcontractors, as appropriate, shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly case equivalent thereof.

b. If the contractor or subcontractor, as appropriate, does not make payments to a trustee or other third person, he/she may consider as a part of the wages of any laborer or mechanic the amount of any cost reasonably anticipated in providing bona fide fringe benefits under a plan or program, provided that the Secretary of Labor has found, upon the written request of the contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.

- 4. Apprentices and Trainees (Programs of the U.S. DOL) and Helpers:
 - a. Apprentices:

(1) Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the DOL, Employment and Training Administration, Bureau of Apprenticeship and Training, or with a State apprenticeship agency recognized by the Bureau, or if a person is employed in his/her first 90 days of probationary employment as an apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Bureau of Apprenticeship and Training or a State apprenticeship agency (where appropriate) to be eligible for probationary employment as an apprentice.

(2) The allowable ratio of apprentices to journeyman-level employees on the job site in any craft classification shall not

be greater than the ratio permitted to the contractor as to the entire work force under the registered program. Any employee listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate listed in the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. Where a contractor or subcontractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman-level hourly rate) specified in the contractor's or subcontractor's registered program shall be observed.

(3) Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymanlevel hourly rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator for the Wage and Hour Division determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination.

(4) In the event the Bureau of Apprenticeship and Training, or a State apprenticeship agency recognized by the Bureau, withdraws approval of an apprenticeship program, the contractor or subcontractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the comparable work performed by regular employees until an acceptable program is approved.

b. Trainees:

(1) Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the DOL, Employment and Training Administration.

(2) The ratio of trainees to journeyman-level employees on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any trainee performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed.

(3) Every trainee must be paid at not less than the rate specified in the approved program for his/her level of progress, expressed as a percentage of the journeyman-level hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman-level wage rate on the wage determination which provides for less than full fringe benefits for apprentices, in which cases such trainees shall receive the same fringe benefits as apprentices.

(4) In the event the Employment and Training Administration withdraws approval of a training program, the contractor or subcontractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

c. Helpers:

Helpers will be permitted to work on a project if the helper classification is specified and defined on the applicable wage determination or is approved pursuant to the conformance procedure set forth in Section IV. 2. Any worker listed on a payroll at a helper wage rate, who is not a helper under a approved definition, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed.

5. Apprentices and Trainees (Programs of the U.S. DOT):

Apprentices and trainees working under apprenticeship and skill training programs which have been certified by the Secretary of Transportation as promoting EEO in connection with Federal-aid highway construction programs are not subject to the requirements of paragraph 4 of this Section IV. The straight time hourly wage rates for apprentices and trainees under such programs will be established by the particular programs. The ratio of apprentices and trainees to journeymen shall not be greater than permitted by the terms of the particular program.

6. Withholding:

The SHA shall upon its own action or upon written request of an authorized representative of the DOL withhold, or cause to be withheld, from the contractor or subcontractor under this contract or any other Federal contract with the same prime contractor or any other Federallyassisted contract subject to Davis-Bacon prevailing wage requirements which is held by the same prime contractor, as much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainee's and helpers, employed by the contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee, or helper, employed or working on the site of the work, all or part of the wages required by the contract, the SHA contracting officer may, after written notice to the contractor, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

7. Overtime Requirements:

No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers, mechanics, watchmen, or guards (including apprentices, trainees, and helpers described in paragraphs 4 and 5 above) shall require or permit any laborer, mechanic, watchman, or guard in any workweek in which he/she is employed on such work, to work in excess of 40 hours in such workweek unless such laborer, mechanic, watchman, or guard receives compensation at a rate not less than one-and-one-half times his/her basic rate of pay for all hours worked in excess of 40 hours in such workweek.

8. Violation:

Liability for Unpaid Wages; Liquidated Damages: In the event of any violation of the clause set forth in paragraph 7 above, the contractor and any subcontractor responsible thereof shall be liable to the affected employee for his/her unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory) for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer, mechanic, watchman, or guard employed in violation of the clause set forth in paragraph 7, in the sum of \$10 for each calendar day on which such employee was required or permitted to work in excess of the standard work week of 40 hours without payment of the overtime wages required by the clause set forth in paragraph 7.

9. Withholding for Unpaid Wages and Liquidated Damages:

The SHA shall; upon its own action or upon written request of any authorized representative of the DOL withhold, or cause to be withheld, from any monies payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contractor, or any other Federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph 8 above.

V. STATEMENTS AND PAYROLLS

(Applicable to all Federal-aid construction contracts exceeding \$2,000 and to all related subcontracts, except for projects located on roadways classified as local roads or rural collectors, which are exempt.)

1. Compliance with Copeland Regulations (29 CFR 3):

The contractor shall comply with the Copeland Regulations of the Secretary of Labor which are herein incorporated by reference.

2. Payrolls and Payroll Records:

a. Payrolls and basic records relating thereto shall be maintained by the contractor and each subcontractor during the course of the work and preserved for a period of 3 years from the date of completion of the contract for all laborers, mechanics, apprentices, trainees, watchmen, helpers, and guards working at the site of the work.

b. The payroll records shall contain the name, social security number, and address of each such employee; his or her correct classification; hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalent thereof the types described in Section 1(b)(2)(B) of the Davis Bacon Act); daily and weekly number of hours worked; deductions made; and actual wages paid. In addition, for Appalachian contracts, the payroll records shall contain a notation indicating whether the employee does, or does not, normally reside in the labor area as defined in Attachment A, paragraph 1. Whenever the Secretary of Labor, pursuant to Section IV, paragraph 3b, has found that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in Section 1(b)(2)(B) of the Davis Bacon Act, the contractor and each subcontractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, that the plan or program has been communicated in writing to the laborers or mechanics affected, and show the cost anticipated or the actual cost incurred in providing benefits. Contractors or subcontractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprentices and trainees, and ratios and wage rates prescribed in the applicable programs.

c. Each contractor and subcontractor shall furnish, each week in which any contract work is performed, to the SHA resident engineer a payroll of wages paid each of its employees (including apprentices trainees, and helpers, described in Section IV, paragraphs 4 and 5, and watchmen and guards engaged on work during the preceding weekly payroll period).

The payroll submitted shall set out accurately and completely all of the information required to be maintained under paragraph 2b of this Section V.

This information may be submitted in any form desired. Optional Form WH-347 is available for this purpose and may be purchased from the Superintendent of Documents (Federal stock number 029-005-0014-1), U.S. Government Printing Office, Washington, D.C. 20402. The prime contractor is responsible for the submission of copies of payrolls by all suncontractors.

d. Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the Contractor or subcontractor or his/her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:

 that the payroll for the payroll period contains the information required to be maintained under paragraph 2b of this Section V and that such information is correct and complete;

(2) that such laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in the Regulations, 29 CFR 3;

(3) that each laborer or mechanic has been paid not less that the applicable wage rate and fringe benefits or cash equivalent for the classification of worked performed, as specified in the applicable wage determination incorporated into the contract.

e. The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH-347 shall satisfy the requirement for submission of the "Statement of Compliance" required by paragraph 2d of this Section V.

f. The falsification of any of the above certifications may subject the contractor to civil or criminal prosecution under 18 U/S. C. 1001 and 31 U.S.C. 231.

g. The contractor or subcontractor shall make the records required under paragraph 2b of this Section V available for

inspection, copying, or transcription by authorized representatives of the SHA, the FHWA, or the DOL, and shall permit such representatives to interview employees during working hours on the job. If the contractor or subcontractor fails to submit the required records or to make them available, the SHA, the FHWA, the DOL, or all may, after written notice to the contractor, sponsor, applicant, or owner, take such actions as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.

VI. RECORD OF MATERIALS, SUPPLIES, AND LABOR

1. On all federal-aid contracts on the national highway system, except those which provide solely for the installation of protective devices at railroad grade crossings, those which are constructed on a force account or direct labor basis, highway beautification contracts, and contracts for which the total final construction cost for roadway and bridge is less than \$1,000,000 (23 CFR 635) the contractor shall:

a. Become familiar with the list of specific materials and supplies contained in Form FHWA-47, "Statement of Materials and Labor Used by Contractor of Highway Construction Involving Federal Funds," prior to the commencement of work under this contract.

b. Maintain a record of the total cost of all materials and supplies purchased for and incorporated in the work, and also of the quantities of those specific materials and supplies listed on Form FHWA-47, and in the units shown on Form FHWA-47.

c. Furnish, upon the completion of the contract, to the SHA resident engineer on /Form FHWA-47 together with the data required in paragraph 1b relative to materials and supplies, a final labor summary of all contract work indicating the total hours worked and the total amount earned.

2. At the prime contractor's option, either a single report covering all contract work or separate reports for the contractor and for each subcontract shall be submitted.

VII. SUBLETTING OR ASSIGNING THE CONTRACT

1. The contractor shall perform with its own organization contract work amounting to not less than 30 percent (or a greater percentage if specified elsewhere in he contract) of the total original contract price, excluding any specialty items designated by the State. Specialty items may be performed by subcontract and the amount of any such specialty items performed may be deducted form the total original contract price before computing the amount of work required to be performed by the contractor's own organization (23 CFR 635).

a. "Its own organization" shall be construed to include only workers employed and paid directly by the prime contractor and equipment owned or rented by the prime contractor, with or without operators. Such term does not include employees or equipment of a subcontractor, assignee, or agent of the prime contractor.

b. "Specialty Items" shall be construed to be limited to work that requires highly specialized knowledge, abilities, or equipment not ordinarily available in the type of contracting organizations qualified and expected to bid on the contract as a whole and in general are to be limited to minor components of the overall contract.

2. The contract amount upon which the requirements set forth in paragraph 1 of Section VII is computed includes the cost of material and manufactured products which are to be purchased or produced by the contractor under the contract provisions.

3. The contractor shall furnish (a) a competent superintendent or supervisor who is employed by the firm, has full authority to direct performance of the work in accordance with the contract requirements, and is in charge of all construction operations (regardless of who performs the work) and (b) such other of its own organizational resources (supervision, management, and engineering services) as the SHA contracting officer determines is necessary to assure the performance of the contract.

4. No portion of the contract shall be sublet, assigned or otherwise disposed of except with the written consent of the SHA contracting officer, or authorized representative, and such consent when given shall not be construed to relieve the contractor of any responsibility for the fulfillment of the contract.

Written consent will be given only after the SHA has assured that each subcontract is evidenced in writing and that it contains all pertinent provisions and requirements of the prime contract.

VIII. SAFETY: ACCIDENT PREVENTION

1. In the performance of this contract the contractor shall comply with all applicable Federal, State, and local laws governing safety, health, and sanitation (23 CFR 635). The contractor shall provide all safeguards, safety devices and protective equipment and take any other needed actions as it determines, or as the SHA contracting officer may determine, to be reasonably necessary to protect the life and health of employees on the job and the safety of the public and to protect property in connection with the performance of the work covered by the contract.

2. It is a condition of this contract, and shall be made a condition of each subcontract, which the contractor enters into pursuant to this contract, that the contractor and any subcontractor shall not permit any employee, in performance of the contract, to work in surroundings or under conditions which are unsanitary, hazardous or dangerous to his/her health or safety, as determined under construction safety and health standards (29 CFR 1926) promulgated by the Secretary of Labor, in accordance with Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S. C. 333).

3. Pursuant to 29 CFR 1926.3, it is a condition of this contract that the Secretary of Labor or authorized representative thereof, shall have right of entry to any site of contract performance to inspect or investigate the matter of compliance with the construction safety and health standards and to carry out the duties of the Secretary under Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 333).

IX. FALSE STATEMENTS CONCERNING HIGHWAY PROJECTS

In order to assure high quality and durable construction in conformity with approved plans and specifications and a high degree of reliability on statements and representations made by engineers, contractors, suppliers, and workers on Federal-aid highway projects, it is essential that all persons concerned with the project perform their functions as carefully, thoroughly, and honestly as possible. Willful falsification, distortion, or misrepresentation with respect to any facts related to the project is a violation of Federal law. To prevent any misunderstanding regarding the seriousness of these and similar acts, the following notice shall be posted on each Federal-aid highway project (23 CFR 635) in one or more places where it is readily available to all persons concerned with the project:

NOTICE TO ALL PERSONNEL ENGAGED ON FEDERAL-AID HIGHWAY PROJECTS

18 U.S.C. 1020 reads as follows:

"Whoever, being an officer, agent or employee of the United States, or of any State or Territory, or whoever, whether a person, association, firm, or corporation, knowingly makes any false statement, false representation, or false report as to the character, quality, quantity, or cost of the material used or to be used, or the quantity or quality of the work performed or to be performed, or the cost thereof in connection with the submission of plans, maps, specifications, contracts, or costs of construction on any highway or related project submitted for approval to the Secretary of Transportation; or

Whoever knowingly makes any false statement, false representation, false report or false claim with respect to the character, quality, quantity, or cost of any work performed or to be performed, or materials furnished or to be furnished, in connection with the construction of any highway or related project approved by the Secretary of Transportation; or

Whoever knowingly makes any false statement or false representation as to material fact in any statement, certificate, or report submitted pursuant to provisions of the Federal-aid Roads Act approved July 1, 1916, (39 Stat. 355), as amended and supplemented;

Shall be fined not more than \$10,000 or imprisoned not more than 5 years or both."

X. IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT

(Applicable to all Federal-aid construction contracts and to all related subcontracts of \$100,000 or more).

By submission of this bid or the execution of this contract, or subcontract, as appropriate, the bidder, Federal-aid construction contractor, or subcontractor, as appropriate, will be deemed to have stipulated as follows:

1. That any facility that is or will be utilized in the performance of this contract, unless such contract is exempt under the Clean Air Act, as amended (42 U.S.C. 1857 <u>et seq.</u>, as amended by Pub.L. 91-604), and under the Federal Water Pollution Control Act, as amended (33 U.S.C. 1251 <u>et seq.</u>, as amended by Pub.L. 92-500), Executive Order 11738, and regulations in implementation thereof (40 CFR 15) is not listed, on the date of contract award, on the U.S. Environmental Protection Agency (EPA) List of Violating Facilities pursuant to 40 CFR 15.20.

2. That the firm agrees to comply and remain in compliance with all the requirements of Section 114 of the Clean Air Act and Section 308 of the Federal Water Pollution Control Act and all regulations and guidelines listed thereunder.

3. That the firm shall promptly notify the SHA of the receipt of

any communication from the Director, Office of Federal Activities, EPA indicating that a facility that is or will be utilized for the contract is under consideration to be listed on the EPA List of Violating Facilities.

4. That the firm agrees to include or cause to be included the requirements of paragraph 1 through 4 of this Section X in every nonexempt subcontract, and further agrees to take such action as the government may direct as a means of enforcing such requirements.

XI. CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION

1. Instructions for Certification - Primary Covered Transactions:

(Applicable to all Federal-aid contracts - 49 CFR 29)

a. By signing and submitting this proposal, the prospective primary participant is providing the certification set out below.

b. The inability of a person to provide the certification set out below will not necessarily result in denial of participation in this covered transaction. The prospective participant shall submit an an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective primary participant to furnish a certification or an explanation shall disqualify such a person from participation in this transaction.

c. The certification in this clause is a material representation of fact upon which reliance was placed when the department or agency determined to enter into this transaction. If it is later determined that the prospective primary participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause of default.

d. The prospective primary participant shall provide immediate written notice to the department or agency to whom this proposal is submitted if any time the prospective primary participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.

e. The terms "covered transaction," "debarred," "suspended," "ineligible,""lower tier covered transaction," "participant," "person," "primary covered transaction," "principal," "proposal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of rules implementing Executive Order 12549. You may contact the department or agency to which this proposal is submitted for assistance in obtaining a copy of those regulations.

f. The prospective primary participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction.

g. The prospective primary participant further agrees by submitting this proposal that it will include the clause titled

"Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," provided by the department or agency entering into this covered transaction, without modification in all lower tier covered transactions and in all solicitations for lower tier covered transactions.

h. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the nonprocurement portion of the "Lists of Parties Excluded from Federal Procurement or Nonprocurement Programs" (Nonprocurement List) which is compiled by the General Services Administration.

i. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

j. Except for transactions authorized under paragraph f of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.

Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Primary Covered Transactions

1. The prospective primary participant certifies to the best of its knowledge and belief, that it and its principals:

a. Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;

b. Have not within a 3-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;

c. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph 1b of this certification; and

d. Have not within a 3-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.

2. Where the prospective primary participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

2. Instructions for Certification - Lower Tier Covered Transactions:

(Applicable to all subcontracts, purchase orders and other lower tier transactions of \$25,000 or more - 49 CFR 29)

a. By signing and submitting this proposal, the prospective lower tier is providing the certification set out below.

b. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department, or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

c. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous by reason of changed circumstances.

d. The terms "covered transaction," "debarred," "suspended," "ineligible," "primary covered transaction," "participant," "person," "principal," "proposal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of rules implementing Executive Order 12549. You may contact the person to which this proposal is submitted for assistance in obtaining a copy of those regulations.

e. The prospective lower tie participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.

f. The prospective lower tier participant further agrees by submitting this proposal that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.

g. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the Nonprocurement List.

h. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealing.

i. Except for transactions authorized under paragraph e of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

Certification Regarding Debarment, Suspension, Ineligibility And Voluntary Exclusion-Lower Tier Covered Transactions:

1. The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal department or agency.

2. Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

XII. CERTIFICATION REGARDING USE OF CONTRACT FUNDS FOR LOBBYING

(Applicable to all Federal-aid construction contracts and to all related subcontracts which exceed \$100,000 - 49 CFR 20)

1. The prospective participant certifies, by signing and submitting this bid or proposal, to the best of his or her knowledge and belief, that:

a. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.

b. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.

2. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by 31 U.S.C. 1352. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

3. The prospective participant also agrees by submitting his or her bid or proposal that he or she shall require that the language of this certification be included in all lower tier subcontracts, which exceed \$100,000 and that all such recipients shall certify and disclose accordingly.

Page 10

MINIMUM WAGES FOR FEDERAL AND FEDERALLY ASSISTED CONSTRUCTION CONTRACTS

This project is funded, in part, with Federal-aid funds and, as such, is subject to the provisions of the Davis-Bacon Act of March 3, 1931, as amended (46 Sta. 1494, as amended, 40 U.S.C. 276a) and of other Federal statutes referred to in a 29 CFR Part 1, Appendix A, as well as such additional statutes as may from time to time be enacted containing provisions for the payment of wages determined to be prevailing by the Secretary of Labor in accordance with the Davis-Bacon Act and pursuant to the provisions of 29 CFR Part 1. The prevailing rates and fringe benefits shown in the General Wage Determination Decisions issued by the U.S. Department of Labor shall, in accordance with the provisions of the foregoing statutes, constitute the minimum wages payable on Federal and federally assisted construction projects to laborers and mechanics of the specified classes engaged on contract work of the character and in the localities described therein.

General Wage Determination Decisions, modifications and supersedes decisions thereto are to be used in accordance with the provisions of 29 CFR Parts 1 and 5. Accordingly, the applicable decision, together with any modifications issued, must be made a part of every contract for performance of the described work within the geographic area indicated as required by an applicable DBRA Federal prevailing wage law and 29 CFR Part 5. The wage rates and fringe benefits contained in the General Wage Determination Decision

NOTICE

The most current **General Wage Determination Decisions** (wage rates) are available on the IDOT web site. They are located on the Letting and Bidding page at <u>http://www.dot.il.gov/desenv/delett.html</u>.

In addition, ten (10) days prior to the letting, the applicable Federal wage rates will be e-mailed to subscribers. It is recommended that all contractors subscribe to the Federal Wage Rates List or the Contractor's Packet through IDOT's subscription service.

PLEASE NOTE: if you have already subscribed to the Contractor's Packet you will automatically receive the Federal Wage Rates.

The instructions for subscribing are at http://www.dot.il.gov/desenv/subsc.html.

If you have any questions concerning the wage rates, please contact IDOT's Chief Contract Official at 217-782-7806.