



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

January 11, 2006

SUBJECT:

Project SBIL-9805(002)
Section 99-00013-00-HP (Grafton)
Jersey County
Contract No. 97262
Item 121
January 20, 2006 Letting
Addendum (A)

TO PROSPECTIVE BIDDERS:

Due to clarify information necessary to revise the following:

Plans – Revised Sheet 1, 9, 10, 12 & 14, Added Sheet 16 & 17

Proposal – Page 1 and 3 of the Special Provisions

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal. Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Since the proposal sheets are displayed back to back, bidders are cautioned to exercise care when inserting revised and/or added special provisions into their proposals.

Please call 217-782-7806 if any of the above-described material is not included in this transmittal.

Very truly yours,

Michael L. Hine
Engineer of Design and Environment

A handwritten signature in black ink, appearing to read 'Ted B. Walschleger', followed by the letters 'DE'.

By: Ted B. Walschleger
Engineer of Project Development
and Implementation

STATE OF ILLINOIS SPECIAL PROVISIONS

)**(
)

The following Special Provisions supplement the "Standard Specifications for Road and Bridge Construction", Adopted January 1, 2002, the latest edition of the Manual on Uniform Traffic Control Devices for Streets and Highways", and the "Manual for Test Procedures for Materials", in effect on the date of the invitation for bids; and the Supplemental Specifications and Recurring Special Provisions indicated on the Check Sheet included herein which apply to and govern the construction of Section 99-00013-00-HP in the City of Grafton, Jersey County, and in case of conflict with any part or parts of said specifications, the said Special Provisions shall take precedence and shall govern.

LOCATION OF PROJECT

The project is located near Water Street and Mulberry Street along the banks of the Mississippi in the Grafton Marina (currently under construction).

DESCRIPTION OF PROJECT

The Project consists of the construction of a restroom/shower building on a floating dock in the Mississippi River in Grafton, Illinois.

Items of work include:

Construction of restroom/shower building, including sanitary sewer and water main service construction. Sanitary sewer construction will include construction of sewer pump and pit, construction of force main along ramp to land, and underground to existing City of Grafton sewer system. Water Main construction will include construction of service line along ramp to land and underground to existing City of Grafton water main. Project will also include the construction of four (4) accessible parking spaces (concrete).

COMPLETION OF PROJECT

Work under this contract shall be completed no later than

June 5, 2006.

Revised
1-11-06

SANITARY SEWAGE GRINDER PUMP, PIT, AND RELATED ITEMS

The sanitary system of the proposed structure shall drain to a grinder pump pit as shown on the drawings. The system shall include the following:

- Two (2) 230 volt single phase grinder pumps (Zoeller model 6820 or approved equal), with 1 1/4" discharge, 2hp filled motor, stainless steel cutter and plate, bronze impeller, powder coated epoxy cast iron housing with 1 1/4" discharge, stainless steel lifting ring, and 20 foot power cord. Design point of 43 GPM at 46" TDH through approx. 750 feet of 2" PVC force main and 15' of static head.
- Two (2) 1 1/2" NPT cast iron check valves, and two (2) 1 1/2" PVC ball valves.
- One (1) UL listed 230 volt single phase duplex control panel with an electro-mechanical pump alternator, H-O-A toggle switches and run indicator lights for each pump; circuit breaker each pump, high water alarm with light and horn, control circuit breaker, and dry alarm contacts; all

①

SECTION 08520 ALUMINUM WINDOWS (Architectural)

PART 1 - GENERAL

Revised 1-11-06

1.01 SECTION INCLUDES

- Windows can be aluminum or vinyl clad. Windows are not required
- A. Material: to be all aluminum construction. Windows shall be insulated and tinted glass.
- B. Installation: all labor, materials, tools, equipment, and services needed to furnish and install aluminum windows.
- C. Glass and glazing.
- D. Perimeter sealing.

1.02 PRODUCTS INSTALLED BUT NOT FURNISHED

1.03 RELATED SECTIONS - Section 07920 - Sealants

1.04 REFERENCES

- A. AAMA - American Architectural Manufacturers Association
1. AAMA/NWWDA 101/LS-2-97 "Voluntary Specifications for Aluminum, Vinyl (PVC) and Wood Windows and Glass Doors"
 2. AAMA 502-02 "Voluntary Specification for Field Testing of Windows and Sliding Glass Doors"
 3. AAMA 611-98 "Voluntary Specification for Anodized Architectural Aluminum"
 4. AAMA 800-92 "Voluntary Specifications and Test Methods for Sealants"
 5. AAMA 910-93 "Voluntary 'Life Cycle' Specifications and Test Methods for Architectural Grade Windows and Sliding Glass Doors"
 6. AAMA 1503-98 "Voluntary Test Method for Thermal Transmittance and Condensation Resistance of Windows, Doors, and Glazed Wall Sections"
 7. AAMA 2603-02 "Voluntary Specification, Performance Requirements and Test Procedures for Pigmented Organic Coatings on Aluminum Extrusions and Panels"
 8. AAMA 2604-02 "Voluntary Specification, Performance Requirements and Test Procedures for High Performance Organic Coatings on Aluminum Extrusions and Panels"