



DECK PLAN

* Order bars full length.
Cut to fit skew and use remainder
of bars in opposite end

Notes:
For Deck Cross Section see Sheet No. 7.
For Sidewalk Plan see Sheet No. 8.
Minimum lap length #5 bars=2'-7" if spaced 6" or more
#6 bars=3'-1"
Reinforcement bars designated (E) shall be Epoxy coated.
Bars detailed thus 62x10-#5 etc. indicates 62 lines of bars
with 10 lengths per line
Drains shall be located clear of all diaphragms.

ABNA
DESIGN FIRM REG. 184.002117

9901 S. Western Ave.
Chicago, IL 60643
Ph. 773-881-4788
F: 773.239.3728

DESIGNED - SEA	REVISED -
CHECKED - RJL	REVISED -
DRAWN - SCS	REVISED -
CHECKED - SEA	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**DECK PLAN
STRUCTURE NO. 016-1101**

SHEET NO. 6 OF 36 SHEETS

F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
90	1515.1-B	COOK	101	49
STA. TO STA.		CONTRACT NO. 60M79		
FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT				