

BEAM 6

LOCATION	STATION	OFFSET	THEORETICAL GRADE ELEVATIONS	THEORETICAL GRADE ELEVATIONS ADJUSTED FOR DEAD LOAD DEFLECTIONS
BK. S. ABUT.	16+79.31	8.08	721.64	721.64
CL. BRG. S. ABUT.	16+81.56	8.08	721.68	721.68
A	16+91.56	8.08	721.85	721.85
B	17+01.56	8.08	722.01	722.01
C	17+11.56	8.08	722.16	722.16
D	17+21.56	8.08	722.29	722.29
CL. BRG. PIER 1	17+27.31	8.08	722.37	722.37
E	17+37.31	8.08	722.49	722.50
F	17+47.31	8.08	722.60	722.63
G	17+57.31	8.08	722.69	722.74
H	17+67.31	8.08	722.78	722.82
I	17+77.31	8.08	722.85	722.89
J	17+87.31	8.08	722.91	722.93
K	17+97.31	8.08	722.96	722.97
CL. BRG. PIER 2	18+05.14	8.08	723.00	723.00
L	18+15.14	8.08	723.03	723.03
M	18+25.14	8.08	723.05	723.07
N	18+35.14	8.08	723.05	723.09
O	18+45.14	8.08	723.05	723.09
P	18+55.14	8.08	723.03	723.07
Q	18+65.14	8.08	723.01	723.03
R	18+75.14	8.08	722.97	722.98
CL. BRG. PIER 3	18+82.98	8.08	722.93	722.93
S	18+92.98	8.08	722.87	722.87
T	19+02.98	8.08	722.80	722.81
U	19+12.98	8.08	722.72	722.73
V	19+22.98	8.08	722.63	722.63
CL. BRG. N. ABUT.	19+30.06	8.08	722.56	722.56
BK. N. ABUT.	19+32.31	8.08	722.53	722.53


BEAM 7

LOCATION	STATION	OFFSET	THEORETICAL GRADE ELEVATIONS	THEORETICAL GRADE ELEVATIONS ADJUSTED FOR DEAD LOAD DEFLECTIONS
BK. S. ABUT.	16+83.34	15.00	721.58	721.58
CL. BRG. S. ABUT.	16+85.59	15.00	721.62	721.62
A	16+95.59	15.00	721.79	721.79
B	17+05.59	15.00	721.95	721.95
C	17+15.59	15.00	722.09	722.09
D	17+25.59	15.00	722.22	722.22
CL. BRG. PIER 1	17+31.34	15.00	722.29	722.29
E	17+41.34	15.00	722.41	722.42
F	17+51.34	15.00	722.51	722.54
G	17+61.34	15.00	722.60	722.65
H	17+71.34	15.00	722.69	722.73
I	17+81.34	15.00	722.75	722.79
J	17+91.34	15.00	722.81	722.83
K	18+01.34	15.00	722.86	722.86
CL. BRG. PIER 2	18+09.17	15.00	722.89	722.89
L	18+19.17	15.00	722.91	722.92
M	18+29.17	15.00	722.93	722.95
N	18+39.17	15.00	722.93	722.97
O	18+49.17	15.00	722.92	722.97
P	18+59.17	15.00	722.90	722.94
Q	18+69.17	15.00	722.87	722.90
R	18+79.17	15.00	722.83	722.84
CL. BRG. PIER 3	18+87.01	15.00	722.79	722.79
S	18+97.01	15.00	722.72	722.72
T	19+07.01	15.00	722.65	722.65
U	19+17.01	15.00	722.56	722.57
V	19+27.01	15.00	722.47	722.47
CL. BRG. N. ABUT.	19+34.09	15.00	722.39	722.39
BK. N. ABUT.	19+36.34	15.00	722.36	722.36

BEAM 8

LOCATION	STATION	OFFSET	THEORETICAL GRADE ELEVATIONS	THEORETICAL GRADE ELEVATIONS ADJUSTED FOR DEAD LOAD DEFLECTIONS
BK. S. ABUT.	16+85.67	19.00	721.54	721.54
CL. BRG. S. ABUT.	16+87.92	19.00	721.58	721.58
A	16+97.92	19.00	721.74	721.75
B	17+07.92	19.00	721.90	721.90
C	17+17.92	19.00	722.04	722.04
D	17+27.92	19.00	722.17	722.17
CL. BRG. PIER 1	17+33.67	19.00	722.24	722.24
E	17+43.67	19.00	722.35	722.36
F	17+53.67	19.00	722.45	722.48
G	17+63.67	19.00	722.54	722.58
H	17+73.67	19.00	722.62	722.66
I	17+83.67	19.00	722.69	722.72
J	17+93.67	19.00	722.74	722.76
K	18+03.67	19.00	722.78	722.79
CL. BRG. PIER 2	18+11.50	19.00	722.81	722.81
L	18+21.50	19.00	722.83	722.84
M	18+31.50	19.00	722.85	722.87
N	18+41.50	19.00	722.85	722.88
O	18+51.50	19.00	722.83	722.88
P	18+61.50	19.00	722.81	722.85
Q	18+71.50	19.00	722.78	722.80
R	18+81.50	19.00	722.73	722.74
CL. BRG. PIER 3	18+89.34	19.00	722.69	722.69
S	18+99.34	19.00	722.62	722.62
T	19+09.34	19.00	722.55	722.55
U	19+19.34	19.00	722.46	722.46
V	19+29.34	19.00	722.36	722.36
CL. BRG. N. ABUT.	19+36.42	19.00	722.28	722.28
BK. N. ABUT.	19+38.67	19.00	722.25	722.25

FILE NAME = I:\102309_Central_Ave_Structural\CADD Sheets\160P17-06-deck-elev-IV.dgn



USER NAME = IDOT
 PLOT SCALE = 50,000000' / IN.
 PLOT DATE = 11/17/2011

DESIGNED - J.C.N./B.N.S.
 CHECKED - B.N.S.
 DRAWN - F.M.
 DATE - NOVEMBER 17, 2011

REVISED -
 REVISED -
 REVISED -
 REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

**TOP OF SLAB ELEVATIONS-IV
 STRUCTURE NO. 016-2458**

SHEET NO. 56 OF 524 SHEETS

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
80	1415-803HB-R	COOK	51	21
CONTRACT NO. 60P17				
ILLINOIS FED. AID PROJECT				