

STORM SEWER PIPE SCHEDULE

PIPE NUMBER	DRNG SHEET NO.	FROM STRUCT	TO STRUCT	INVERT US	INVERT DS	LENGTH (FT)	SLOPE (%)	TYPE	DIA (IN)	TB	Class	Material
188	10	188	189	645.45	645.49	31.4	0.51	2	18	8.0	A	RCP
190	9	190	191	647.46	647.44	18.6	0.30	1	15	2.0	A	RCP
196	16	196	198	633.37	633.11	25.6	1.00	2	12	8.0	A	RCP
197	16	197	196	634.00	633.88	12.0	1.00	2	12	3.0	A	RCP
198	16	198	319	632.35	632.01	62.7	0.53	2	24	23.0	A	RCP
199	16	199	196	633.87	633.37	49.8	1.00	2	12	13.0	A	RCP
200	16	200	199	634.00	633.87	13.5	1.00	2	12	4.0	A	RCP
202	24	202	204	641.02	640.91	11.5	0.96	2	12	3.0	A	RCP
203	24	203	204	641.02	640.91	11.5	0.96	2	12	3.0	A	RCP
204	24	204	EX.	634.32	633.96	111.7	0.32	2	36	219.0	A	RCP
205	24	205	204	641.06	640.54	52.0	0.94	2	12	12.0	A	RCP
206	24	206	205	641.18	641.06	12.5	0.96	2	12	3.0	A	RCP
207	24	207	205	641.18	641.06	12.5	0.96	2	12	3.0	A	RCP
208	14	208	281	641.30	640.88	83.1	0.51	2	24	78.0	A	RCP
209	13	209	276	638.90	638.30	120.0	0.50	2	30	69.0	B	RCP
210	13	210	211	635.71	635.57	27.7	0.50	2	36	15.0	A	RCP
211	13	211	204	634.61	634.32	91.2	0.31	2	36	165.0	A	RCP
212	11	212	213	645.60	644.63	97.2	1.00	2	12	34.0	A	RCP
213	11	213	214	644.63	644.11	106.3	0.49	2	12	39.0	A	RCP
214	11	214	215	644.11	644.07	8.1	0.51	2	12	3.0	A	RCP
215	11	215	223	643.00	642.57	86.0	0.50	2	24	0.0	A	RCP
216	11	216	217	646.79	646.34	44.8	1.00	2	12	8.0	A	RCP
217	11	217	218	646.34	646.10	49.2	0.49	2	12	10.0	A	RCP
218	11	218	219	646.10	645.85	49.2	0.51	2	12	11.0	A	RCP
219	11	219	220	645.85	645.47	75.1	0.51	2	15	16.0	A	RCP
220	11	220	221	645.47	645.12	71.1	0.51	2	15	16.0	A	RCP
221	11	221	222	645.12	644.74	77.8	0.49	2	18	20.0	A	RCP
222	11	222	223	644.02	643.97	5.5	1.00	2	18	2.0	A	RCP
223	11	223	230	642.57	642.09	96.0	0.50	2	24	0.0	A	RCP
224	11	224	223	645.75	645.60	10.1	1.00	1	12	0.0	A	RCP
225	12	225	230	645.07	645.02	5.0	1.00	2	12	1.0	A	RCP
226	12	226	227	645.62	645.04	58.5	0.99	2	12	12.0	A	RCP
227	12	227	228	645.04	644.74	59.0	0.49	2	12	13.0	A	RCP
228	12	228	229	644.74	644.39	71.6	0.50	2	12	17.0	A	RCP
229	12	229	231	644.39	644.35	4.1	0.97	2	12	1.0	A	RCP
230	12	230	231	642.09	641.65	88.0	0.50	2	24	0.0	A	RCP
231	12	231	351	641.65	641.18	95.0	0.50	2	24	0.0	A	RCP
232	12	232	231	645.50	645.43	6.2	1.00	1	12	0.0	A	RCP
233	12	233	351	644.95	644.91	4.5	1.00	1	12	1.0	A	RCP
234	12	234	235	645.02	644.37	65.0	1.00	2	12	13.0	A	RCP
235	12	235	236	644.37	643.96	62.0	0.66	2	12	14.0	A	RCP
236	12	236	238	643.96	643.64	64.0	0.50	2	12	17.0	A	RCP
237	12	237	236	644.43	643.96	47.0	1.00	2	12	10.0	A	RCP
238	12	238	239	642.95	642.89	5.5	1.10	2	12	1.0	A	RCP
239	12	239	240	640.08	639.53	109.5	0.50	2	30	0.0	A	RCP
240	12	240	245	639.53	638.79	149.3	0.50	2	30	0.0	A	RCP
241	12	241	240	642.48	642.34	13.2	1.00	2	12	1.0	A	RCP
242	12	242	241	643.17	642.85	64.6	0.50	2	12	20.0	A	RCP
243	12	243	242	643.91	643.17	74.0	1.00	2	12	16.0	A	RCP
244	12	244	245	643.72	643.31	41.1	1.00	1	12	2.0	A	RCP
245	13	245	352	637.52	637.17	70.0	0.50	2	36	0.0	A	RCP
246	13	246	245	640.77	640.73	4.0	1.00	1	12	0.0	A	RCP
247	13	247	248	643.21	642.48	72.5	1.01	2	12	18.0	A	RCP
248	13	248	250	642.48	642.16	64.0	0.50	2	12	18.0	A	RCP
249	13	249	248	643.17	642.48	69.0	1.00	2	12	15.0	A	RCP
250	13	250	352	642.16	642.11	5.0	1.00	2	12	1.0	A	RCP
251	13	251	210	635.82	635.71	23.8	0.50	2	36	40.0	B	RCP
252	13	252	210	640.52	640.30	21.3	1.00	1	12	3.0	A	RCP
253	13	253	210	642.19	642.00	18.0	1.00	2	12	5.0	A	RCP
254	16	254	313	636.55	636.35	120.1	1.00	2	12	24.0	B	RCP
255	13	255	261	642.81	642.13	67.5	1.01	2	12	14.0	A	RCP
257	13	257	211	635.16	634.71	87.3	0.50	2	36	171.0	A	RCP
258	13	258	257	635.40	635.16	46.3	0.50	2	36	0.0	B	RCP
259	13	259	260	641.24	640.97	27.0	1.02	2	15	9.0	B	RCP
260	13	260	257	640.97	640.85	11.6	1.00	2	15	5.0	A	RCP
261	13	261	262	642.13	641.86	26.5	1.02	2	12	7.0	A	RCP
262	13	262	259	641.56	641.24	64.0	0.50	2	15	19.0	A	RCP
263	13	263	262	642.13	641.86	27.4	0.99	2	12	6.0	A	RCP
264	13	264	263	642.23	642.16	7.0	1.00	2	12	2.0	A	RCP
265	13	265	264	642.30	642.23	7.0	1.00	2	12	2.0	A	RCP
266	13	266	265	642.47	642.30	16.6	1.02	2	12	3.0	A	RCP
268	13	268	258	640.13	639.85	26.5	1.02	2	12	2.0	B	RCP
269	13	269	268	642.20	642.13	6.5	1.08	2	12	2.0	A	RCP
270	13	270	269	642.35	642.29	7.0	0.86	2	12	2.0	A	RCP
271	13	271	270	642.55	642.44	11.6	0.95	1	12	3.0	A	RCP
272	14	272	273	643.31	642.39	92.5	0.99	2	15	20.0	A	RCP
273	13	273	274	642.30	641.85	72.0	0.63	2	15	19.0	A	RCP
274	13	274	275	641.76	641.13	65.0	0.97	2	15	20.0	A	RCP
275	13	275	276	639.88	639.77	9.7	1.10	2	15	1.0	B	RCP
276	13	276	258	636.42	635.90	105.0	0.50	2	30	0.0	B	RCP
277	13	277	209	641.60	641.51	7.9	1.10	2	12	1.0	B	RCP
278	14	278	279	644.44	643.85	59.5	0.99	2	12	11.0	A	RCP
279	14	279	280	643.85	643.40	64.5	0.70	2	12	14.0	A	RCP
280	14	280	281	641.05	640.98	12.3	0.57	2	15	10.0	B	RCP
281	14	281	209	639.70	638.90	160.0	0.50	2	30	113.0	A	RCP
282	14	282	281	642.51	642.45	15.0	1.00	2	12	5.0	B	RCP
283	14	283	208	642.92	642.83	8.8	1.02	2	12	4.0	A	RCP
284	14	284	287	644.93	644.02	91.0	1.00	2	15	22.0	A	RCP
285	14	285	286	643.83	643.36	47.0	1.00	1	12	0.0	B	RCP
286	14	286	287	643.36	643.11	24.9	1.01	2	12	1.0	B	RCP

STORM SEWER PIPE SCHEDULE

PIPE NUMBER	DRNG SHEET NO.	FROM STRUCT	TO STRUCT	INVERT US	INVERT DS	LENGTH (FT)	SLOPE (%)	TYPE	DIA (IN)	TB	Class	Material
287	14	287	288	642.86	642.54	64.7	0.50	2	15	47.0	A	RCP
288	14	288	289	642.54	642.50	8.2	0.49	2	15	7.0	B	RCP
289	14	289	208	641.91	641.30	122.0	0.50	2	24	114.0	A	RCP
290	14	290	289	642.31	641.91	80.0	0.50	2	24	75.0	A	RCP
291	14	291	290	643.83	643.71	11.5	1.00	2	12	1.0	B	RCP
292	14	292	293	645.15	644.50	65.5	1.00	2	12	20.0	A	RCP
293	14	293	294	644.41	644.36	4.1	1.20	2	12	2.0	B	RCP
294	14	294	290	643.10	642.81	58.5	0.50	2	18	49.0	A	RCP
295	15	295	296	644.73	644.48	24.5	1.00	2	12	8.0	A	RCP
296	15	296	297	644.48	644.15	65.0	0.50	2	12	44.0	A	RCP
297	15	297	298	644.15	644.12	6.3	0.50	2	15	5.0	B	RCP
298	15	298	294	643.77	643.10	133.0	0.50	2	18	111.0	A	RCP
299	15	299	298	644.70	644.02	136.0	0.50	2	15	102.0	A	RCP
300	15	300	299	646.44	646.30	14.1	1.00	1	12	2.0	B	RCP
301	15	301	304	646.50	645.58	92.0	1.00	1	12	13.0	B	RCP
302	17	302	339	625.97	625.92	15.0	0.30	1	24x38	7.0	B	RCEP
303	17	STA. 103+49.39 OFF. 42.93' RT	STA. 103+70.61 OFF. 42.22' RT	625.96	625.85	21.2	0.50	--	36	0.0	52	DIP
304	15	304	309	644.80	644.28	103.3	0.50	2	15	37.0	A	RCP
305	15	305	306	646.86	646.08	78.4	1.00	2	12	17.0	A	RCP
306	15	306	304	646.08	645.87	20.5	1.00	2	12	4.0	B	