

PROPOSED STORM SEWER STRUCTURE SCHEDULE														
STR. NO.	STATION	STREET	OFFSET	STRUCTURE & CASTING TYPE	EOP OR RIM ELEV.	INVERT IN	INVERT OUT	STORM SEWER CONNECTION	INLET-MANHOLE, TYPE G-1, 4'- DIAMETER	INLET-MANHOLE, TYPE G-1, 5'- DIAMETER	INLET-MANHOLE, TYPE G-1, 6'- DIAMETER	INLET-MANHOLE, TYPE G-1, 7'- DIAMETER	PROPOSED STORM SEWER CONNECTION TO EXISTING CULVERT	
145	STA. 269+29.00	IL Route 8	43.23' RT	INLET-MANHOLE, TYPE G-1, 5'-DIAMETER	801.08	796.10 (12" E) 795.77 (15" E) 794.35 (EXIST 24" S)	794.35 (EXIST 24" N)			1				
146	STA. 270+10.00	IL Route 8	46.66' RT	INLET, TYPE G-1	800.85	796.71 (12" E)	796.51 (12" W)							
147	STA. 270+90.00	IL Route 8	47.19' RT	INLET, TYPE G-1	800.81	-	797.11 (12" W)							
148	STA. 269+27.00	IL Route 8	80' LT	PRECAST REINFORCED CONCRETE END SECTION 30"	792.52	792.52 (30" S)	-							
TOTALS								2	1	56	7	7	1	

PROPOSED STORM SEWER SCHEDULE																							
LOCATION	STRUCT. TO STRUCT.	UP RIM ELEV.	UP INV. ELEV.	DN RIM ELEV.	DN INV. ELEV.	LENGTH	SLOPE %	STORM SEWERS, CLASS A, TYPE 1, 12"	STORM SEWERS, TYPE 1, WATER MAIN QUALITY PIPE, 12"	STORM SEWERS, CLASS A, TYPE 1, 15"	STORM SEWERS, TYPE 1, WATER MAIN QUALITY PIPE, 15"	STORM SEWERS, CLASS A, TYPE 1, 21"	STORM SEWERS, CLASS A, TYPE 1, 24"	STORM SEWERS, CLASS A, TYPE 1, 30"	STORM SEWERS, CLASS A, TYPE 1, 36"	STORM SEWERS, TYPE 1, WATER MAIN QUALITY PIPE, 8"	STORM SEWERS, CLASS A, TYPE 2, 4"	STORM SEWERS, CLASS A, TYPE 2, 12"	STORM SEWERS, TYPE 2, WATER MAIN QUALITY PIPE, 12"	STORM SEWERS, CLASS A, TYPE 2, 15"	STORM SEWERS, TYPE 2, WATER MAIN QUALITY PIPE, 15"	STORM SEWERS, CLASS A, TYPE 2, 18"	
								(FT)	(FT)	(FT)	(FT)	(FT)	(FT)	(FT)	(FT)	(FT)	(FT)	(FT)	(FT)	(FT)	(FT)	(FT)	(FT)
STA. 203+25.68, 42' LT TO STA. 201+35.00, 36' LT	2 TO 1	716.69	701.70	716.61	699.80	190.1	1.00																
STA. 204+91.00, 32.7' LT TO STA. 203+25.68, 42' LT	3 TO 2	717.89	703.45	716.69	701.80	165.0	1.00																
STA. 206+00.00, 30' LT TO STA. 204+91.00, 32.7' LT	4 TO 3	718.46	704.64	717.89	703.55	109.0	1.00																
STA. 208+00.00, 30' LT TO STA. 206+00.00, 30' LT	5 TO 4	718.17	706.75	718.46	704.74	200.0	1.00																
STA. 208+96.45, 30' LT TO STA. 208+00.00, 30' LT	6 TO 5	718.08	707.81	718.17	706.85	96.5	1.00																
STA. 209+60.00, 30' LT TO STA. 208+96.45, 30' LT	7 TO 6	718.12	710.34	718.08	710.02	63.6	0.50																
STA. 210+50.00, 30' LT TO STA. 209+60.00, 30' LT	8 TO 7	718.32	710.99	718.12	710.54	90.0	0.50																
STA. 211+90.00, 30' LT TO STA. 210+50.00, 30' LT	9 TO 8	718.94	711.89	718.32	711.19	140.0	0.50																
STA. 213+30.00, 30' LT TO STA. 211+90.00, 30' LT	10 TO 9	719.96	713.43	718.94	712.17	140.0	0.90																
STA. 215+20.09, 30' LT TO STA. 213+30.00, 30' LT	11 TO 10	721.87	715.15	719.96	713.63	190.1	0.80																
STA. 216+00.00, 30' LT TO STA. 215+20.09, 30' LT	12 TO 11	722.72	715.91	721.87	715.35	79.9	0.70																
STA. 218+00.00, 30' LT TO STA. 216+00.00, 30' LT	13 TO 12	725.41	719.11	722.72	716.11	200.0	1.50																
STA. 220+00.00, 30' LT TO STA. 218+00.00, 30' LT	14 TO 13	729.78	724.31	725.41	719.31	200.0	2.50																
STA. 222+00.00, 30' LT TO STA. 220+00.00, 30' LT	15 TO 14	735.55	729.51	729.78	724.51	199.9	2.50																
STA. 224+29.79, 30' LT TO STA. 222+00.00, 30' LT	16 TO 15	742.34	736.56	735.55	729.71	228.3	3.00																
STA. 225+50.00, 30' LT TO STA. 224+29.79, 30' LT	17 TO 16	745.89	738.55	742.34	736.76	119.4	1.50																
STA. 227+81.11, 32' LT TO STA. 225+50.00, 30' LT	18 TO 17	752.52	741.05	745.89	738.75	229.6	1.00																
STA. 228+85.50, 30' LT TO STA. 227+81.11, 32' LT	19 TO 18	755.83	742.29	752.52	741.25	103.7	1.00																
STA. 231+00.00, 30' LT TO STA. 228+85.50, 30' LT	20 TO 19	760.29	754.37	755.83	750.75	213.1	1.70																
STA. 233+00.00, 30' LT TO STA. 231+00.00, 30' LT	21 TO 20	763.49	757.55	760.29	754.57	198.7	1.50																
STA. 235+00.00, 30' LT TO STA. 233+00.00, 30' LT	22 TO 21	766.36	760.73	763.49	757.75	198.8	1.50																
STA. 237+30.00, 30' LT TO STA. 235+00.00, 30' LT	23 TO 22	769.85	763.92	766.36	760.93	230.0	1.30																
STA. 239+50.00, 30' LT TO STA. 237+30.00, 30' LT	24 TO 23	773.18	767.42	769.85	764.12	220.0	1.50																
STA. 241+00.00, 30' LT TO STA. 239+50.00, 30' LT	25 TO 24	775.44	769.87	773.18	767.62	150.0	1.50																
STA. 242+00.00, 30' LT TO STA. 241+00.00, 30' LT	26 TO 25	776.84	771.57	775.44	770.07	100.0	1.50																
STA. 243+00.00, 30' LT TO STA. 242+00.00, 30' LT	27 TO 26	778.13	772.77	776.84	771.77	100.0	1.00						100.0										
STA. 244+60.00, 30' LT TO STA. 243+00.00, 30' LT	28 TO 27	779.94	774.57	778.13	772.97	160.0	1.00																
STA. 245+30.00, 30' LT TO STA. 244+60.00, 30' LT	29 TO 28	780.67	775.47	779.94	774.77	70.0	1.00						70.0										
STA. 246+55.00, 30' LT TO STA. 245+30.00, 30' LT	30 TO 29	781.96	776.92	780.67	775.67	125.0	1.00																
STA. 248+00.00, 30' LT TO STA. 246+55.00, 30' LT	31 TO 30	783.46	778.57	781.96	777.12	145.0	1.00					145.0											
STA. 249+85.00, 30' LT TO STA. 248+00.00, 30' LT	32 TO 31	785.37	779.88	783.46	778.77	185.0	0.60																
STA. 251+21.71, 30' LT TO STA. 249+85.00, 30' LT	33 TO 32	788.82	780.90	785.37	780.08	136.7	0.60																
STA. 252+40.80, 30' LT TO STA. 251+21.71, 30' LT	34 TO 33	788.28	783.24	788.82	781.10	119.1	1.80																
STA. 254+00.00, 30' LT TO STA. 252+40.80, 30' LT	35 TO 34	790.60	788.31	788.28	783.44	159.2	1.80														159.2		119.1
STA. 256+00.00, 30' LT TO STA. 254+00.00, 30' LT	36 TO 35	794.07	790.11	790.60	786.51	200.0	1.80																
STA. 258+00.00, 30' LT TO STA. 256+00.00, 30' LT	37 TO 36	798.17	794.70	794.07	790.31	199.5	2.20	199.5															
STA. 202+61.08, 30' RT TO STA. 258+00.00, 30' LT	38 TO 39	716.73	713.61	717.71	712.64	193.5	0.50												193.5				
STA. 204+54.00, 30' RT TO STA. 202+61.08, 30' RT	39 TO 40	717.71	712.44	718.44	711.19	250.1	0.50																
STA. 207+04.01, 30' RT TO STA. 204+54.00, 30' RT	40 TO 41	718.44	710.99	718.17	710.51	96.0	0.50																
STA. 208+00.00, 30' RT TO STA. 207+04.01, 30' RT	41 TO 42	718.17	710.31	718.08	709.83	96.5	0.50																
STA. 208+96.45, 30' RT TO STA. 208+00.00, 30' LT	42 TO 6	718.08	708.35	718.08	707.91	62.5	0.70																
STA. 209+60.00, 30' RT TO STA. 208+96.45, 30' RT	43 TO 42	718.12	708.90	718.08	708.45	63.6	0.70																
STA. 210+50.00, 30' RT TO STA. 209+60.00, 30' RT	44 TO 43	718.32	709.63	718.12	709.00	90.0	0.70																
STA. 211+90.00, 30' RT TO STA. 210+50.00, 30' RT	45 TO 44	718.94	710.71	718.32	709.73	140.0	0.70																
STA. 213+30.00, 30' RT TO STA. 211+90.00, 30' RT	46 TO 45	719.96	711.79	718.94	710.81	140.0	0.70																
STA. 215+22.59, 30' RT TO STA. 213+30.00, 30' RT	47 TO 46	721.90	713.24	719.96	711.89	192.6	0.70																
STA. 216+00.00, 30' RT TO STA. 215+22.59, 30' RT	48 TO 47	722.72	713.88	721.90	713.34	77.4	0.70																
STA. 217+40.00, 30' RT TO STA. 216+00.00, 30' RT	49 TO 48	724.44	714.96	722.72	713.98	140.0	0.70																
STA. 218+70.00, 30' RT TO STA. 217+40.00, 30' RT	50 TO 49	726.75	720.41	724.44	718.46	130.0	1.50																
STA. 220+80.00, 30' RT TO STA. 218+70.00, 30' RT	51 TO 50	732.00	725.88	726.75	720.61	210.0	2.50																
STA. 222+40.00, 30' RT TO STA. 220+80.00, 30' RT	52 TO 51	736.73	730.55	732.00	726.06	160.4	2.80																
STA. 223+90.00, 32.9' RT TO STA. 222+40.00, 30' RT	53 TO 52	741.10	734.98	736.73	730.75	151.0	2.80																
STA. 224+40.00, 51' RT TO STA. 223+90.00, 32.9' RT	52 TO 52	735.00	732.00	736.73	731.00	15.0	0.68	15.0															
STA. 225+00.00, 41.5' RT TO STA. 224+40.00, 51' RT	54 TO 53	744.19	737.45	741.10	735.23	111.2	2.00																
STA. 226+15.00, 43' RT TO STA. 225+00.00, 41.5' RT	55 TO 54	747.56	740.90	744.19	737.65	116.0	2.80																
STA. 226+81.71, 48.7' RT TO STA. 226+15.00, 43' RT	56 TO 55	749.70	742.97	747.56	741.10	66.9	2.80																
STA. 8+97.00, 51.1' LT TO STA. 226+81.71, 48.7' RT	116 TO 56	751.48	745.96	749.70	745.54	42.5	1.00																

CONTINUED ON FOLLOWING SHEET

FILE NAME =	USER NAME = IDOT	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION
-------------	------------------	------------	-----------	---